Sec. 2 T. 9. R. 9.

N.W. cor. S.E. S.E. E½ S.W. qr. E½ N.E. qr.

Beg. at ½ M.P. E. side: S1: W21.31 Beech 8 N52.61 Beech 16 S39 W33: N42.30 Lynn 4 S7 W9 Lynn 4 S51 E4: S21.10 to Sec. cor. Granulated Stone 2 ft: W21.10 to ½ M.P. Beech 17 S21 W17 Beech 19 E3.
May 13th 1833 D.M.

Beg. at ½ M.P. S. side: W20.76 Ash 20 S19 E15 Beech 10 N65 W11: N39.87½ Beech 16 S87 W19 " 9 S69 E11: E21.36 stone Sugar 15 N45 W29 " 20 S11 W16: S44.00 to beg = 43 A 3 R. 39 P. May 4/33 D.M.

Beg. at S.E. cor.: W41.75 Sugar 18 S73 E11. Sugar 15 N62 W22: N40.36 Beech 22 N84 W29. Beech 18 S71 E35: E21.50 Poplar 45 S74 W18 " 5 N22 W32: S20.23 to beg. = 43 A 3 R. 11 P. Aug 13/33 D.M.

Beg. at ½ M.P. N. Side: S42.30 Sugar 15 N45 W29. Beech 20 S11 W16: W42.38 to ½ M.P. March 13 1839 D.M.

Beg. at ½ M.P. W. side: S21.04 Beech 16 S87 W19 Beech 9 S69 E11: S.W. Sugar 4 N14 E7 Beech 11 S52 W37: N45.78 W. Walnut 8 N44 E9. Cherry 6 S67 W26: N20.18 to beg = 41.92 A
March 5 1832. D.M.

Sec. 2 T. 9 R. 9

N.W. qr. S.W. qr. E½ N.E. qr.

Beg. at ½ M.P. N. side: S42.31 Sugar 15 N45 W29. Beech 10 S11 W16: W21.18 Beech 16 S87 W19 " 9 S69 E11 Beech 9 S69 E11: N. to sec. line Sugar N73 E56. Poplar 60 S60 W18: E20.90 to beg.
Nov. 1 - 1846 D.M.

Beg. at stone, 21.15 W. of ½ M.P. E. side: S20.15 stone: W21.20 stone Beech 18 S1 E6: Beech 24 N13 W5: N20.04 stone " 20 S11 W16: E21.15 to beg = 42.52 A. Feb. 21/55 D.M.

Beg. at N.W. cor. E½ N.W. qr.: E4.87 stone Poplar 60 S4 E131 S24 W42 Stone Apple tree 10 N41 W56: S40 E11.31 " S41 W20: S30 E4.75 to W line of said ½ qr: N. to beg. = 6.75 A
May 4 1856 D.M.

Beg. at ½ M.P. S. side Sec. 2: N 0° 22' Set ¼ stone at 20.00 Beech 18 S 30 E 7 lks. Beech 6 N21½ E 27 lks: N 20.00 to old stone centre of Sec.: E 0° 5' 7 (found old ¼ line) at 21.04 E 21.04 to ½ M.P. E. side Sec.: S 0° 5' 11": 40.00 to S.E. cor. Sec.: N 0° 5' 18" Set stone at ½ way to ½ M.P. S. side Sec. 21.65: N 0° 4' 16½" set a stone at ½ way to centre of N. line of ¼ Sec.

Nº Cline N. Eqr.

20.06; S.W. of S.E. = 43.04 A.
October 16 1866 Saml L. Anderson
Beg at ½ M.P. N. side Sec. 2:
E V 5° 01½' 20.97 Ch sel stone: E 20.97
to sec. cor: S V 4° 22½' 42.45 ch ½ M.P.
May 13th 1870 Saml L. Anderson
Beg. at ½ M.P.: E V 4° 32' 4.74 ch Stone:
S 4.74 ch; W 4.74 ch; N V 4° 10' 4.74 ch
to beg. Sep 26 1873 Saml L. Anderson

Beg at the ½ M.P on N side
2-9-9: E. 8.92 cho Stone:
South 25.27 cho. Stone; W.
8.82 cho Stone: N 25.11 cho
to beg =
Aug 9, 1897 J.W.C.

Beg ½ M.P. E side sec. N
(V 2° 35') 19.86 cho Stone, Stone
N 50: S 87 W 14.88½ cho Stone.
Stone S 5 E 42⅓; S 5 E 19.17
cho Stone: E 14.16 to stone at
beg = 28 34 A.
Nov. 6. 1885. J.A.S.

Beg at SW cor ¼ sec. Var. 2° 30'
N 20 cho 8½ links, stone, W 20.07
Cho Stone, S 20.08½ cho Stone
1890 P.L.D. Dep.

Sec. 3. Tp. 9 R. 9.

N.E. qr. Beg at ½ M.P. E side: W. 41.00 R. Oak 16 S 68 E 27. Ash 20 N 34 W 34: N 41.44 to ½ M.P.: E 40.75 to Sec. Cor. March 12th 1839 D.M.

E ½ S.E. Beg S.E. cor: W. 20.67 Sugar 11 S 64 W 10. Sugar 14 N 48 E 32: N. 19.87½ Beech 21 S 29 W 22. Beech 22 N 41 E 29. N 19.87½ Beech 30 N ½ Beech 10 S 13 W. 35: E 21.00 to ½ M.P.: S 20.08 W. Walnut 8 N 44 E 9. Cherry 6 S 69 W 20: S. 20.08 to beg = 41.14 A March 12th 1839 D.M.

E ½ N.W. Beg. ½ M.P. N. side: S 41.44. R. Oak 16 S 68 E 27 Ash 20 N 34 W 34: W. 20.17 Cherry 6 S 14 W. 20 Beech 24 N 68 E 27: N. to Sec line. Beech 18 S 47 W 21 Beech 18 N 88 E 11: E 20.37 to beg. = March 12 1839 D.M.

E ½ S.W. Beg. at ½ M.P. S. side: N. 39.73 R. Oak 16 S 68 E 27. Ash 27 N 34 W 34: W. 20.17 Cherry 6 S 14 W 20. Beech 24 N 68 E 27: S to sec. line Beech 11 W 25 Dogwood 3 N 18 E 11: E 20.12 to beg. Mar 12/39 D.M.

See Plat Book for SW¼

John Peers

3. 9. 9

W ½ S.W. Beg at ½ M.P. W. side: E. 20.37 stone: S. 40.39 Cherry 10 N 52 E 23. R Oak 3 N 65 W 41: W. 20.10 to Sec. cor. stone: N. 40.54 to beg = 81.69 A. Mar. 23 1860 D.M.

Ch. of W. & S.W. Beg at ½ M.P. W side Sec 3: E - 53° 46' - 5.09½ stake: S 14½ W 3.93 stake: N 84¾ W 3.98½ stake: N 50' W 3.50 to beg = 1 66/100 A. Nov 18 1867 S.L.A.

Sec 4 Tp 9 R 9

N E of N W

Beg at 1/2 M. P. N side Sec;
S 21.82 Poplar 48 S 61 E 33, Beech 14 N 40 W 28;
W 20.12 " 30 S 49 W 16, " 36 N 4 W 38;
N 22.60 Beech 12 N 6 E 15, " 9 S 18 E 42;
E 20.12 to beg = 44 a 2 R 29 P.
July 24 1835 D. M.

Ch S.W.

Beg at a stone 0.75 E of 1/2 M. P. W. side;
Beech 18 S 44 E 20, Beech 10 N 84 W 12; S 2° W
12.85 stake; S 15° E to a Beech 10; N 56° E
2.81; N. W. to beg = 5 a 28 P.

S E of N W

Beg at stake 20.05 E of 1/2 M. P. W. side;
Beech 16 S 24 E 11, Beech 8 N 42 W 34;
N 22.57 Poplar 30 S 49 W 16, " 26 N. E. 38;
E 20.12 " 48 S 61 E 33 " 14 N 4 W 14;
S 21.86 Beech 29 S 58 E 11, " 12 N 17 E 23;
W 20.05 to beg = 44 59/100 a. Aug 17-63 D. M.

S. W of N. E.

Beg 20.05 W of 1/2 M. P. E. side Sec;
Ironwood 3 S 33 W 13 Hickory 12 N 15 W 9;
W 20.05 Beech 29 S 58 E 11, Beech 12 N 17 E 23;
N 21.85 Poplar 48 S 61 E 33, " 14 N 4 W 14;
E 20.08 Beech 21 S 48 W 19 " 9 N 2 W 29;
S 20.84 to beg = 42 8 a Nov 15/44 - D. M.

4 — 9 — 9 — 4 — 9 — 9

S.E. S.E.

Beg at S.E. cor: W. 39.94 Beech 14 N 76 W 21.
Beech 24 N 25 E 13: N 20.95 " 10 N 53 E 43
" 11 S 53 W 2: E 20.00 " 16 N 40 E 19.
" 19 S 33 E 27: S 20.10 to beg = 40 $\frac{97}{100}$ A
Nov. 6th 1846 D.M.

Dpt. S.W.

Beg ½ M.P.S. side: W. 8.85 Cottonwood 27
N 38 W 40: N 2.27 Sycamore 16 N 74 W 6:
N 80° E 6.77 B. Walnut 6 N 64 E 40:
S 60° E 2.66 " 10 S 76 W 32: S 1.60
to beg = 2 A 37 R. Jany 28/62 D.M.

S.E. N.E.

Beg ½ M.P.E. side: W. 20.15 Ironwood 3
S 33 W 13. Hickory 12 N 15 W 9: N. 20.84
Beech 21 S 48 W 17. Beech 9 N E 31:
E. 19.87 Beech 15 S 9 E 69: S 20.04 to beg =
40 $\frac{8}{10}$ A Sept: 10/52 D.M.

S.E. of S.E.

Beg at S.E. cor:
W 20.14 Beech 16 S 43 E 61 Beech 24 N 25 E 13:
N 21.20 " 15 N 54 W 16 " 10 N 53 E 3:
E 20.75 Poplar 24 N 78 W 32 " 15 N 69 E 35:
S 20.27 to beg = 42 $\frac{39}{100}$ A Mar 24/60 D.M.

See Plat Book for N.E. of N.W. and S.W. of N.E. and N.W. of N.E.

Pt. S.W. ¼

Beg at Stake 1.60 N of ½ M.P.S. side,
B. Walnut 10 S 76 W 32: N 60° W 2.66 B. Walnut
6 N 64 E 40: S 80° W 6.77 Sycamore 16 N 74
W 6: S 2.27 Cottonwood 27 N 30 W 40: W
19.50 to Sand Creek: N 34° W 2.67: N
61° W 5.75: N 46° W 10.00: N 5° W 6.00
to W Robins line: E 8.47 Cherry
18 N 20½ W 38: N 72° E 4.37:
N 56° E 5.50: N 80° E 6.85: N 8° E
4.75: N 75° E 8.00: N 84½ E 8.50
white Oak 10 S 75 E 6: S 37.75 to
beg = 86.6 A. Oct 1 1853 D.M.

S.W. of S.E.

Beg at ½ M.P. (stone) S side:
N 21.56 W Oak — S 16 W 25 Mulberry 10 N 52 E 55:
E 19.83 Beech 15 N 54 W 16. Beech 10 N 53 E 43:
S 20.75 " 16 S 43 W 61 " 24 N 25 E 13:
W 20.14 to beg = 42.05 A. Mar 24/60 D.M.

Pt. S.W. of N.E.

Beg at N.W. cor. (old stake) S.W. ¼ of
S.E. ¼ Sec 4: S 10.08½ stake Beech 16 S
37½ E 22. Beg. at N.E. cor of Same:
S 10.08½ stake Beech 24 S 82¼° E 21 L.
= 20 A Jan 20 1870 S.L.A

4 — 9 — 9.

Ph N E of S E

Beg at S. E. cor of N. E 1/4 of S E 1/4:
Dogwood 4 N 36 3/4 E 13 & Poplar 26 N 61 1/2
W 22: W (V 12° 08') 1.85 Buch 6 S 26 1/2 W
30 & Elm 20 N 25 1/2 W 20: S (V 4° 36') 8.98
to beg = 1.66 A Nov 18 1867 S. L. A

Sec 5 T 9 R 9

Beg at 1/2 M. P. (stone) E with sec;
N 11.50; S 64 W 5.00; S 70 1/2 W 12.25;
S 80 W 4.82; S 1.17 to S.W. Cor. E 1/2 S E 1/4;
W 1.36 to Creek; S 37 W 8.75; S 54 E 4.00;
N 85 E 4.25; S 27 E 2.75; S 40 W 3.31;
S 2 W 4.25; N 80 E 11.00; S 63 E 2.50;
S 83 E 4.00; S 58 1/2 E 3.00; S 6 E 4.83 Elm
12 N 49 E 7.94. Cherry 18 N 20 1/2 W 9.50;
N 9 1/2 W 15.00; N 4 E 7.62 stone, Beech
18 S 44 E 20, Beech 10 N 8; W 12; W 4.80
to beg = 64 4.25/100 a Sept 9 1852 DM

Beg at 1/2 M.P. S with Sec;
N 34.50 ~~Lynn 16 to S 1 E 22. Sugar 11 S 70 W 38;~~
E 19.62 to E. Bank Sand Creek at low water;
S 37 W 8.75; S 54 E 4.00; N 85 E 4.25;
S 27 E 2.75; S 40 W 3.31; S 2 W 5.25;
N 81 E 11.00; S 63 E 2.50; S 83 E 4.00;
S 58 1/2 E 3.00; S 6 E 4.83 ~~Elm 12 N 49~~;
S 17 W 3.50; S 51 W 12.00 ~~" 18 S 53 E 50~~;
N 67 W 11.12 to ~~Walnut 10 N 49 E 34~~;
S 84 1/2 W 18.50; S 78 W 5.00 to beg
= 97.13 a June 26 1853 DM

Pk S.E. 4 and Pk S.W. 5 R 9 E 4 and N E 5

Pk S.E.

5 — 9 — 9

Beg at N.E. Cor (stone): W 21.50 stone;
S 14.17 Beech 15 N 60 E 26, Beech 15 S 64 W 24;
N 76° W 21.68 stone Beech 18 N 17 E
Beech 16 S 40 W 30; N 20.80 to 1/2 M.P.
stone; N 78 E 5.00; N 84 1/2 E 18.50
B. Walnut 10 N 49 E 34; S 67 E 11.12
Elm 18 S 53 E 50; N 51 E 17.00 to E
Bank Sand Creek; S 50 E 4.00;
S 46 E 10.00; S 61 E 5.75; S 34 E 2.67
to sec line; W 12.00 to beg = 84.30 a
Dec 31 1856 D.M

Pk N.E. 5 T 9 R 32 - 10 - 9

Sec 6 Tp 9 R 9

N E 1/4

Beg 1/2 M. P. E side;
W 40.24 stone Buch 14 N 24 W 15.
Buch 20 S 27 W 30; N 33.25 to 1/2
M P; E 40.00 to sec. Cor.
May 7 1839 D. M.

N W 1/4

Beg at 1/2 M. P. W side;
E 41.34 stone Buch 14 N 24 W 15,
Buch 20 S 27 W 30; N 33.25 to 1/2 M. P.
Mar 7 1839 D M

E 1/2 S W 1/4 & S W 1/4 S W 1/4

Beg at S. W. Cor. Sec 6;
N 20.00 Hickory S 19 W 34, Buch 16 N 60 W 24;
E 20.59 Buch 8 S 66 E 37 " 10 N 76 W 21;
N 20.04 " 11 N 7 W 6, Sugar 16 S 23 W 27;
E 20.67 stone " 14 N 24 W 15 Buch 20 S 27 W 30;
S 40.16 to 1/2 M. P. Mar 7 1839 D. M

N W 1/4 S W

Beg at 1/2 M. P. W side;
E 20.67 stone Buch 14 N 79 E 72, Sugar 16 S 23 W 27;
S 20.04 " " 8 S 66 E 37 Buch 16 N 72 E 78
W 20.59 " Hickory 30 S 19 W 34 " 16 N 60 W 24;
N 20.00 to beg = 41.3 A Mar 7. 39 D. M

Sec 7 Tp 9 R 9

W 1/2 N W 1/4 S E of N W 1/4

Beg at N. W. Cor of Sec:
E 21,01 Beech 18 S 27 W 48. Hickory 24 W 52:
S 20,07 " 14 N 72 W 13 Dogwood 5 S 34 E 18:
E 21,18 " 15 S 84 E 3 Paplar 48 S 71 W 24:
S 20,10 " 14 S 76 E 15 Beech 14 N 78 W 28:
W 42,64 to 1/2 M. P: N 40,10 to beg
= 127 56 A Sept 13 1839 D.M.

N.E 1/4

Beg at N. E. Cor: W 40,40 to
1/2 M. P.: S 40,20 Beech 14 S 75 E 15
Beech 14 N 78 W 28: E 40,04 to 1/2 M
P. Sept 29 1852 D.M.

S E 1/4

Beg at 1/2 M. P. S side (stone):
N 40,00 stone Beech 14 S 76 E 15, Beech 14
N 78 W 28: E 40,04 to 1/2 M. P.: S 40,30
to sec. cor. stone: W 40,15 to beg
= 40 96/100 A. Feb 19 1857 D.M.

16
tone

E:

Sec 8 Tp 9 R 9

S.E. N.W. 8/8 E½ S.W. W½ S.W. Pt. N.E. ¼

Beg at Stone 20.67 S of ½ M.P. N. side: Beech 18 N. 17. Beech 16 S 40 W 30: S 20.67 stone Beech 8 N 17 E 18 S Beech 12 S 30 W 48: S 20.67 Ash 18 N. 80 W 14. Ash 18 N 60 E 27: W. 20.75 Beech 17 N 77 W 20. Beech 18 N 56 E 73 From 1st St. W 21.00 stone Beech 24 S 24 W 6 Beech 24 N 59 E 25.

Beg at N.E. cor (stone) S 40.85 to ½ M.P.: N. 76¼ W. 20.62 Beech 14 N 29 W 47. Beech 28 S 65 W 44: N 76¼ W 21.62 Beech 8 N 17 E 18 Beech 18 S 35 E 48: N. 20.80 stone Beech 18 N 17 Beech 16 S 40 W 30: S 76 E 21.68 " 15 N 60 E 20 " 15 S 64 W 24: N 14.17 stone: E 21.25 to beg. = 120.65 A Dec 31/56 D.M.

Beg. S.W. cor. stone: N 40 30 to ½ M.P.: E 20.98 stone Beech 16 N 5 W 19. Beech 17 S 15 W 30: S 40.98 " Poplar 36 S 34 - 141: W 20.78 to beg. = 84.85 A Feb 19th 1857 D.M.

Beg. ½ M.P. (stone). S. side: W. 20.78 (stone) Poplar 36 S 34 E 141: N. 40.98 "
Beech 16 N 5 W 19 Beech 17 S 15 E 30 N 20.25 stone
" 15 N 40 W 25 S W Gum 11 S 68 E 28: E 20.91 "
" 18 N 17 Beech 16 S 40 W 30: S 62.00 to beg = 128.45 A

8. 9. 9.

Pt. S.W. S.E. S.E.

Beg at ½ M.P. S. side: N. 20.67 stone. Ash 18 N. 80. W 14: E 20.14 stone. Sugar 16 S 17 W 27. Beech 12 N 56 E 29: S 17.75 stone to Sec. cor.: W 41.78 to beg = 79.83 a.
Feb. 27/57 D.M.

Beg at a Stone 19.67 E. of N.W. cor. S.W. of S.E.: E. 2.98 Stone in Branch: S.W. with branch to County Road: N 2.02 to beg. Feb. 27/857 D.M.

See Plat Book for NE¼
John Pearis

Beg at NW Cor SW¼ NE¼ 8-9-9
East ~~20~~ 22.01 Set Stone
at 11.50 chs -

by old witness

Beg NW cor SW¼ of NE¼ South
20.78 chs old Stone
Set Stone at 10.39
Also Set Stone at 10.39 chs
South of 1st Stone set and
11.50 East of 2nd Stone.
Feb 20. 1897
J.W. Craig
Surveyor

Beg at ½ M.P. E side Set stone by witness
Ran West 44.56 Set Stone at
½ way 22.28.
Legal notice April 5th 1904
Ed. M Hamilton

Sec. 9 Tp 9 R. 9.

W½ S.E.

Beg. at ½ M.P. S. side: N38.04 Sycamore 40 N25 W37. Elm 20 S16 E30: E20.45 Beech 33 N39 W21. Beech 21 S36 E38: S39.77 Beech 5 N42 W.17: W20.00 to beg. = 78.75 A Nov 27 1836 D.M.

N.E. & S.W.

Beg. 19.02 N of ½ M.P. S. side, W. Walnut 10 N.61 E29: W. 20.04 Beech 10 S23 E101: N. 18.39 Sycamore 40 N74 W18 Beech 15 N74 E38: E20.00 Sycamore 40 N28 W37 Elm 20 S16 E30: S19.02 to beg. = 37.43 A Aug. 16th 1837 D.M.

Pt. E½ N.E. gr

Beg. N.E. cor.: W.19.94 Beech 14 N76 W21. Beech 24 N25 E12: S29.40 Beech 12 S56 W23 Beech 14 N33 W21: E20.10 (Sec. line) " 16 N57 W16 Beech 24 S70 E30 Nov. 7th 1846 D.M.

S½ S.E. gr of N.E.

Beg. at ½ M.P. E side: W.20.16 Beech 33 N39 W21 Beech 21 S36 E38: N9.80 " 12 S56 W23 " 14 N33 W21: E20.10 " 16 N57 W16 " 24 S70 E30: S.10.00 to beg. = 19.92 A Nov 7th/46 D.M.

(See Sec 16-9-9- for Pt. S.E. gr.
S. D'Armond)

9 9 9

W½ N.W.

Beg. at N.W. cor: E20.08 Sycamore 6 S10 W4. Sycamore 6 S22 E6: S. to S. line of N.W. gr. July 22nd/57 D.M.

Beg. ½ M.P. W. side (See Plat Book) S.17.64 Sugar 16 S17 W27. Beech 12 N56 E29: E40.08: N.19.02 Sycamore 40 N25 W37 Elm 20 S16 E30: W.40. to beg. = 73.39 A

S.E. of N.E.

Dec. 22nd 1852 (See plat book) D.M.

Beg at old ¼ stake on S. line N.E. gr S9: N. 9.74¼ ch. stake: N9.74¼ to ¼ stake. Beech 24 N.23° W15 lks. Beech 12 S50¾° W24 lks. Jan. 20 1870 Saml. L. Anderson

Beg at the North west corner of the E½ of SE¼: thence East 8.19 to E line Vernon Road: thence East 6.70 set stone: thence South 4.76: thence west 2.10 to the SE corner of Stable: thence west to road.

April 27th 1899
Craig Deputy

Sec 10 Tp 9 R. 9

W½ N.W. S.W. of S.E.

Beg ½ M.P.S. side:
N. 20.55 Beech 12 S 48 W. 5 Poplar 14 S 15 E 18:
E. 20.75 Elm. 8 N 34 Poplar 9 N 43 E 44:
S 20.40 Beech 12 S 15 E 2 " 18 N 34 W 12:
W. 20.55 to beg = 42.22 A = Nov. 30/36 D.M.

Beg. N.W. cor:
E. 20.02 Beech 11 W 25: Dogwood 3 N 18 E 11:
S. 40 14 " 16 S 5 W 7 Poplar 40 N 8 E 29:
W. 20.11 to ½ M.P. Nov. 7/46 D.M.

Pt. N.W. of S.E.

Beg. N.E. cor N.W. qr S.W. qr S 16:
S. 11.05 to Stake in Sand Creek:
W. 1.78 to Beech 6 in dia. on Bluff:
N. 66° W 3.87 Poplar 48 " "
N 44° W 3.12 Dogwood 3 " "
N 81° W 3.75 Beech 22 " "
S 70½ W 3.00 " 36 " "
N 66° W 2.12 " 14 " "
N 31° W 9.38 to N.W. cor of said qr Hickory
12 N 13 W. Sugar 17 S 27 W 34: E to
beg. Mar 31st/49 D.M.

10 — 9 — 9

S.W. of N.E.

Beg. at a Stake 20.55 S of ½ M.P. N. Side:
Beech 14 S 71 W 38. Sugar 10 S 25 E 14:
E 20.87 Beech 20 N 17 E 14 Beech 21 N 7 W 5:
S 20.68 Ash 20 N 76 W 58. Dogwood 3 S 89 E 22:
W. 20.62 Hickory 12 N 13 W 15: Sugar 17
S 27 W 34: N 20.55 to beg = 42.76 A.
Aug. 27th 1849 D.M.

W ½ S.E.

Beg. at N.W. cor. N ½ S.E. gr.
Hickory 12 N 13 W 15 - Sugar 17 S 27 W 34:
S 31° E 9.38 to Beech 14 in. dia.
S 66° E 2.12 " " 36 " "
N 70½ E 3.00 " " 22 " " (See plat book)
S 81° E 3.75 Dogwood 3 " "
S 44° E 3.12 Poplar 48 "
S 66° E 3.87 Beech 6 " on Bluff.
S 1.78 to E. line of sd. ½ gr.:
S 8.75 to Centre of Sand Creek: W.
with centre of sd. creek to W. line
of 2nd ½ gr.: N. 30.58 to beg. = 28 A.
Feb. 20/58 D.M.

Ch. N.E.

Beg N 37½° W 4.95 from S.E. cor.
N.E ¼: N 40 W 1.50: S 50 W 1.50:
S 40 E 1.50: N 50 E 1.50: (V 5° E -
= .225 A Oct 31 1862 O.R.

10 — 9 — 9

S ½ N W ¼

Beg at ½ M.P. W side sec 10:
N - V 4° 42' - 10.02½ stone. B 18 S 8 W 6½ L:
N 10.05 stake: N 20.05 sec. cor.
Beg at old Center stone: N - V 5° 15' -
20.31 sch ¼ stake, sugar 10 S 8½ E 15 L:
W - V 4° 03' - to ¼ stake on W line:
Also beg. at old ¼ stone on S. line
¼ Sec: N - V 4° 29' - 10.14 stake.
R Oak 48 S 66, W 38½: N 10.14 sch
stake at intersection, Hickory 16
S 3 E 26 L. Jan 20 1870 S. L. A

Sec 11 Tp 9 R 9

(12)

E½ NE 11 ▽ W½ NW-12

Beg at N. W. Cor of Sec#:
E 20.09 stone Sugar 18 N 59 E 20. Buch 20 S 41 E 31:
S 20.30 Buch 14 N 72 E 23. Buch 8 S 25 W 10:
W 20.20 " 7 N 57 W 12: S 20.26 to ½ M.P.
W 21.33 Ash 3 N 6 E 11. Sugar 12 S 1 W 21:
N 40.27 Sugar 18 S 73 E 11 " 15 N 62 W 22:
E 21.75 to beg = 127 a 3 R 18 p
Feb 16 1836 D. M

W½ N. E. 9 r.

Beg ½ M.P. N. side Sec. 11:
E. 21.75 Sugar 18 S 73 E 11. Sugar 15 N 62 W 22:
S. 40.27 Ash 3 N. 6 E 11 " 12 S 1 W 21: E 60:
W. 21.33 stone, Sugar 16 S 58 40. Poplar 50 N 17 A
N. 40.50 to beg = 86 a 3 R. 38 p. Feb. 16/36 D M.
Fr. 3rd Stake S. 11.23 Stone Ash 10 S 11 E 76

N. E. of S. E.

Beg at ½ M.P. E. side Sec 11.
S. 20.18 Buch 18 S 38 W 3. Buch 14 N 24 W. 3:
W. 21.15 " 13 S 41 E 18 " 36 N 23 W. 30:
N. 20.27 Ash 3 S 6 E 11 Sugar 12 S 1 W 21:
E. 21.27 to beg. = 43 a 1 R. 17 p.
Feb. 16 1836 D M.

11 — 9 — 9

37
68
105

E½ S.W. gr.

Beg. at ½ M.P.S. side Sec. 11: [E 68:
W. 21.15 Stone Beech 16 N 49 W 4 Beech 19 N 19
N. 40.64 " Ash 22 S 30 E 10 Beech 14 N 47 W 38:
E. 20.96 " Sugar 16 S 58 W 40 Poplar 50 N 17 E 60:
S. 40.32 to beg. = 85.21 A. Aug 10/37 D.M.

S.W. of S.W.

Beg. at S.W. cor.:
N. 20.14 Poplar 48 S 85 E 7. Dogwood 4 N 7 E 8:
E. 21.10 Stone Dogwood 5 N 25 W 51. Beech 17 S 61 W 25:
S. 20.33 " Beech 16 N 49 W 4. Beech 19 N 19 E 68:
W. 21.15 to beg. = 42.72 A. Aug 10/37 D.M.

S.W. of N.W.

Beg. ½ M.P. W. side:
N. 20.08 Poplar 18 S 14 W 45:
E. 20.93 Beech 10 N 42 E 12 Beech 14 S 28 W 25:
S. 40.44 " 19 N 68 E 1½ " 17 S 61 W 25:
W. 21.10 Poplar 48 S 85 E 7 Dogwood 4 N 7 E 8:
N. 20.14 to beg = 84.73 A. Aug 10/37 D.M.

N.W. gr.

Beg. ½ M.P. (stone) N. side:
S. 13.87 Beech 11 S-E 19 Dogwood 5 N 28 W. 15:
S. 64° W 5.50 Beech 15 N 22 W 16: S 43° W. 10.75:
S 69° W 9.50: N 25.33: Beech 10 N 15 W 11:
E 20.76 to beg = 41.69 A. Nov. 13/58 D.M.

Pl. E½

Beg at T SW ¼ S 795 ft N
bank S Creek B Walnut S 62° E 113 ft
N 52° E va 2.50 S 76 - 15 E 378

S 23 - 53 E 217 ft S 19° E 722 ft Miss-
Cor. East 105 ft

Sec. 12. Tp 7. R. 7.

S. W. of N. W. of S. W.

Beg at ½ M. P. W. side:
N. 20.33 Beech 7 N 57 W. 12:
E. 20.20 " 14 N 72 E 23. Beech 8 S 25 W. 20:
S. 20.31 Sugar 2 N 2 E 12 " 9 S 15 E 20:
S. 20.20 Dogwood 3 N 29 W 8 " 3 S 19 W 25:
W. 20.18 Beech 18 S 38 W 3 " 14 N 24 W 36:
N. 20.18 to beg = 81 a 3 R. Feb. 1/36 D. M.

Beg. at ¼ E. cor:
S. 20.24 Ash 30 S 40 E 44 Sugar N 75 W 34:
S " to ½ M. P.:
W. 20.11 Beech 5 S 78 E 33. Hickory 6 S 64 W 42:
N. 20.23 " 15 S 86 W 40 Elm 3 S 55 E 27:
" " " 9 S 22 E 19. Beech 8 N 56 W 11:
E. 20.23 to beg = 81.83 a Sept. 18 1838 D. M.

N. E. of S. E. of N. E. of N. E. of N. E. qr.

Beg ½ M. P. N. side:
E. 20.33 stone. Beech 9 S 22 E 19 - Beech N 56 W 11:
S. 40.41 R. Oak 15 S 45 E 14 - Hickory 6 S 64 W 42:
W. 20.11 Beech 11 N 68 E 4 - Dogwood 4 S 21 W 8:
S. 20.10 " 10 S 20 E 17. Beech 12 N 50 E 18:
W. 19.96 " 3 S 19 W 25 Dogwood 3 N 29 W 8:
N. 20.20 to stone. Beech 22 N 35 E 23 Beech 28
S 12 W 30: N. 40.60 to stone. Beech 20 S 41 E 31:
E. 20.09 to beg = 203.77 a Sept 1838 D. M.

12 7. 7

N. W. of S. E. qr.

Note: N. W. cor N. E. 14 S. W. qr. S 300 Sugar 18
S 28 E 37. Beech 6 S 32 W 30: E. to E. A. Jocelyn's
corner. Feb. 21 /55

Beg at ½ M. P. East side Sec 12:
S. 20.11 Beech 18 N 8 W Beech 10 S 59 W 19:
W. 39.96 " 14 N 30 W 9 " 9 S 36 E 20:
N. 20.11 " 5 S 78 E 33. Hickory 6 S 64 W 42:
E. 20.11 to beg = Sept. 1838 D. M.

N. W. ¼ of S. E.

Beg at 20.11 W. of ½ M. P. E. side Beech 5 S 78 E 33
Hickory 6 S 64 W 42: S. 20.11 Beech 14 N 30 W 9
Beech 9 S 36 E 20: W 39.96 " 10 S 20 E 17
" 12 N 50 E 18: N. 20.10 " 11 N 68 E 4
Dogwood 4 S 21 W 8: E. 20.11 to beg = 40.28 a
Sept. 18 1838 D. M.

N. E. of S. W.

Beg N. E. cor N. E. qr S. W. qr: S 300 Beech 16
S 45 E 28: W 6.61 W Beech 4 N 60 E 15: N. 4.50
Beech 11 N 78 W 12: E 6.61 Dogwood 4 N 64 E 44:
S. 1.50 to beg = 3 a Aug 6 1853 D. M.

N. E. of S. W.

Beg at ½ M. P. S. side: W 70 Poplar 12 N 17 W 64:
N. 11.11 Gum 30 S 19 W 25: Poplar 12 N 40 - 35:
" 9.00 Br. " 8 S 15 W 23 " 6 N 71 W 35:
S 11.11 to beg = 10 a Oct 5/52 D. M.

12. 9. 9.

Pt. S½ S.W. gr.

Beg. at S.W. corner:
N. 20.00 W. Walnut 10 S 52 W 39. Sugar 10
N 80 E 13: E 39.75 Beech 10 S 20 E 17
Beech 15 S: E 18: S 9.03 Sw Gum 30 S 19 W 23:
Poplar 6 N 71 W 35: W. 9.00 Gum 30 S 19 W 23:
" 12 N 43° 35: S 11.11 Poplar 12 N 7 W 64:
Oct 5 1852 D.M.

Pt. W½ N.E. gr.

At S.E. cor W½ N.E. gr. W 2.50: N 1.50 for a
beg: W. 14.58: N 12½° W 3.27: N 77½° E 2.67:
N. 12½° W. 33: E 15:27: S. 4.10 to beg = 6 A
Nov 1 /54 D.M.
See Sec 11 for W½ N W gr. (A. S. Anderson)

Pt. E line SE¼

Beg SE cor Sec. 12
North 40.13 to ½ M.P.
Set stone at ½ way 20.06½
Witness Stone S 19° W 10½ links
May 21 1895

Sec 13. Tp 9. R 9.

N½ N.W. gr.

Beg. at ½ M.P. N. side:
S. 20.08 Beech 14 N 44 E 4 Beech 18 S 14 W 12:
W. 39.55 " 25 S 68 W 5 Beech 14 N 68° 32:
N 20.07 to Sec cor.: E 39.45 to beg =
79.29 A. Jany. 2nd 39 D.M.

S.E. of S.E.

Beg at S.E. cor.: W. 19.37 Maple 14 W 4
Maple 24 N 86 E 30:
N. 19.75 Beech 14 N 88 W 14 Poplar 24 N 85 E 43:
E 19.40 " 26 S 80 E 39 " 66 N 88 W 30:
S 19.75 to beg = 37.60 A July 21st/41. D.M.

W½ S.E.

Beg. ½ M.P. S. side:
N. 40.30 Hickory 24 S 60 E 24 Elm 24 N 34 W 36
E 20.07 Beech 18 N 60 W 4 Sw. Gum 36 S 85 E 28:
S 40.00 Maple 14 W 4 Maple 24 N 85 E 43:
W. 19.90 to beg. = 80.15 A Aug 3/41 D.M.

Beg ½ M.P. S. side:
W. 19.95 Poplar 20 S 77 W 17 Beech 10 S 10 E 24:
N 40.59 Beech 17 N 24 E 30 " 18 S 30 W 32:
E. 20.00 Hickory 24 S 60 E 24 Elm 21 N 34 W 36:
S. 40.30 to beg = 80.75 A Apl. 1st/42 D.M.

See Sec 12 for W½ S.W. gr Sec 13.

13 9 9

N line S.W. S½ S.E. gr.

Beg at S.E. cor.
W. 39.87 to ½ M.P.:
N. 20.07 Sw Gum 30 N 39 E 27 Elm 30 S 31 W 41:
E. 39.87½ Beech 26 S 80 E 39 Poplar 66 N 88 W 30:
S. 19.75 to beg. = 79.39 A Oct 6th/52 D.M.

Beg ½ M.P. W. side: E as for old survey)
20.00 Set stone Beech 17 N 24° E 30 lks.
Beech 18 S 30° W 32 l: E 20.00 set stone
at old centre stake. Hickory 24
S 60° E 24 l. Elm 21 N 34° W 36 lks.
Dec 1st 1866 Samuel L Anderson.

Beg at N.W. cor. (Set stone at the old
stake) E 39.68 to ½ M.P. set by old
stake: S. 74° 36' 40.70 ch to old centre
stone: Set ¼ stone at ½ way, also
beg. at N.W. cor. of same S 49.08 chs.
40.58 chs. set stone at ½ way Oak 12
N 48½° E 46½ lks. Beech 12 N 53¾° W 45½ l.
June 12th 1841 Saml L Anderson.

Sec 14. Tp 9. R 9.

S½ N.W. N.W. N.W. N.E. of N.W. W½ S.W. S.13 & S.E. S14

Beg. at S.E. cor.:
W. 41.86 to ½ M.P.: N 40.18 Beech 11 N 24 E 1:
Beech 12 N 61 W 42: E. 41.71 to ½ M.P.:
E. 20.08 Beech 17 N 24 E 30. Beech 18 S 30 W 32:
S. 40.59 Poplar 20 S 77 W 17" 10 S 10 E 24:
W 19.95 to beg = 249.75 A Aug 22/37 D.M.

Beg ½ M.P. N. side: S. 20.23 Hickory 21
N 19 E 19 – Maple 14 S 83 E 8: W 21.20
Beech 18 N 40 W 61. R. Oak 60 S 36 E 67:
N 20.23 Beech 16 N 49 W 4, Dogwood 2 E. 5:
E. 21.15 to beg = 42.82 A Aug 7 1846 D.M.

Beg. at N.W. cor. E 21.15 Beech 16 N 49 W 4:
Dogwood 2 E 5: S 20.23 Beech 18 N 41 W 61
R. Oak 60 S 36 E 67: W 21.20 Maple 36
N 60 W 37. W. Oak 30 S 63 E 59: N 20.23 to
beg = 42.82 A. Aug 7th 1846 D.M.

Beg. at ½ M.P. W. side: N 20.23
Maple 36 N 60 W 37 W. Oak 30 S 63 E 59:
E 42.40 Hickory 21 N 19 E 9. Maple 14 S 83 E 8:
S. 20.23 Beech 11 S 24 E 1 Beech 12 N 61 W 42:
W. 42.54 to beg. = 85.80 A Aug 7/46 D.M.

14 – – 9 – – 9 –

N.E. of S.W. S.E. S.W. ¼ N.W. ¼ S.W.

Beg. at 20.09 N. of ½ M.P. S. side:
W. 21.17 Poplar 52 N 21 E 68:
N 20.18 " 40 S 88 W 29:
E. 21.27 Beech 11 S 24 E 1 = Beech 12 N 61 W 42:
S. 20.09 to beg = 42.79 A Aug 7/46 D.M.

Beg S.W. cor: N. 40.44 to ½ M.P.:
E. 21.27 Poplar 40 S 88 W 29:
S. 20.18 " 52 N 21 E 68:
E. 21.17 Beech 18 S 12 E 9 – Beech 22 N 63 W 14:
S. 20.09 to ½ M.P.: W 42.08 to beg. =
127.95 A Aug 7/46 D.M.

N.E. gr.

Beg ½ M.P. E side: W 41.93 set ¼ stone
at ½ way. Ash 5 N 11¾ W 7 – Beech –
S 16 W 20 June 13th/71 S.L.A.

Sec 15 Tp 9. R 9.

Beg. at ½ M.P. N. side:
E 20.55 - Beech 12 S 15 E 2 - Poplar 18 N 34 W 12:
S 19.75 Ash 21 S 57 W 31 Ash 18 N 47 W 11:
W. 20.69 16 N 5 W 27 Beech 10 S 43 E 20:
N. 19.75 to beg = 20 A.

Beg ½ M.P. E. side: S 20.22 Water Beech 8
N 57 E 3 - W. Beech 6. S 56 W 20: W 20.50 Elm 10
N 47 E 8 - Elm 10 S 67 W 41: N. 39.78 Beech 12
S 41 E 28. Beech 16 N 85 W 17: E 20.68 to beg. =
40.92 A. Aug 6 '46 D.M.

Beg at Centre of Sec 15:
E 20.43 Beech 12 S 41 E 28 Beech 16 N 85 W 17:
S. 39.78 Elm 10 N 47 E 18 Elm 10 S 67 W 41:
W. 20.38 Ash 3 N 31 E 2½ Dogwood 3 S 55 W 11:
N. 39.64 to beg = 40.20 A Aug 6/46 D.M.

(See Plat Book for Pt S.E. 9 - Pt S.W. 10 -
Pt N.E. 16 & W½ N.W. 15 - Burke hrs.)

Beg ½ M.P. E side Sec 16: W 20.00:
S 10.00 - S. 74° E 16.00: E 4.50 to Sec line:
N. 15.02 to beg = 26.21 A

Beg. ½ M.P. W. side: S 15.02: E. 3.50:
S 36° E 1.25: E 35.00. Beech 12 N 23 W 11:
Beech 13 S 22 E 34: N 16.98 to old corner:
W. 40.86 to beg. = 70.46 A
Feb 11 1861 D.M.

N.W. of S.E. N.E. S.E. N.¼ W.½ N.E. gr.

Pt S.E. N.E. Pt S.W.

15 - 9 - 9

Beg. ½ M.P. S. side: N. 39.04 Ash 3
N 31 E 2½: Dogwood 3 S 55 W 11:
E. 20.38 Elm 10 N 47 E 18. Elm 10
S 67 W 41: S 39.78 Sasafras 22 N 73 E 21
Beech 12: S 40 W 13: W 28.57 to beg. =
40.32 A - Aug 6 1846 D M.

Beg at the NW cor. S ½ SW ¼
15-9-9 East 20.30.

Sec 16 Tp. 9 R. 9.

W½ N.E. gr.

Beg N.E. cor.: S 20.11:
W 40.11 Beech 18 N 30 W 43 / Buckeye 15
S 73 E 4: N 20.09 to ½ M.P.: E 40.00 to
beg = 80 A 2 R. 1 p. Aug 12/30 D.M.

S½ N.E. gr. & S.W. ¼.

Beg ½ M.P. E. side: W 40.22 Rock:
N 20.09 Beech 18 N 30 W 43. Buckeye 15
S 73 E 4: E 40.11: S 20.11 to beg = 80 A
2 R 37 p. Beg ½ M.P. W side: E 40.33.
Rock: S 40.18 to ½ M.P. Aug 12/30 D.M.

N½ S.E. gr.

Beg ½ M.P. E side: S 20.10 Beech 16
N 48 W 84 Beech 13 S 81 W 50:
W. 40.50 " 16 N 43 W 6 Ironwood 11 S 67 E 4:
N. 20.09 Rock: E 40.22 to beg = 81 A 16 p.
Aug 12 1830 D.M.

S½ S.E. gr.

Beg at ½ M.P. S. side: N 20.09 Beech 16
N 63 W 6, Ironwood 4 S 87 E 21: E 20.09
Beech 16 N 48 W 84 - Beech 13 S 81 W 50:
S 20.10 to Sec. cor Aug 12th 1830 D.M.

N½ N.W.

Beg at ½ M.P. N. side: S. 20.09 Beech 18 N 30 W 43.
Buckeye 15 S 73 E 4: W 40.03 Sugar 13
N 72 W 23 — 4 S 86 E 4: N 20.16 to
Sec. cor. Aug 12th 1830 D.M.

S½ N.W. gr.

Beg. ½ M.P. W side: N 20.16 Sugar 18 N 72 W 23 -
— 4 S 86 E 4: E 40.03 Beech 18 N 30 W 43.
Buckeye 15 S 73 E 4: S 20.09 Rock: W 40.33
to beg = 80 A 3 R. 17 P.

Pt. N½ N.E. gr.

Beg. at S.W. cor. N½ N.E. gr: E 27.00:
N 16° W 11.80: N 15° E 3.20: W 31.10 to
Sand Creek: S 37° W 6.00 with Creek;
E 10.19: S 10.00 to beg. = 40 A after
deducting 1 A in S.E. cor sold to
Grant Nov. 29/44
See Plat Book for Pt. N½ N.E. gr
S. Luckys Dower.
See Plat Book for S. D'Armonds
estate.

W½ S.E. 9

Beg. at S.W. cor. of E½ S.E. gr. E 9.35 to
Sand Creek: S 46° W 3.97: N 85° W 80 lks
to Vernon Road: S 15° W 3.14: W 29.85
to Sand Creek: N 32° E 13.50: N 61° E 3.50
to hill: S 58° E 5.83 to Sec line: E to beg =
20.04 A
Beg. same as above: N. 5.25 - Beech 22 N 25 E 18:
W. Oak 30 S 51 E 47: E 12.58 to Sand Creek
Sugar 14 N 55 W 62. Sycamore 30 S 40 W 91: S 30 W
6.17 to Sec line: W 9.35 to beg = 5.76½ A Oct 24/49 D.M.
See Sec 15 for pt S.E. (S. 16) C. C. Burk

Sec 17 Tp 9. R. 9.

W½ N.E. 9 W.

Beg at ½ M.P. N. side: E 20.94 Beech 36 N 67 W 13. Lynn 30 S 20 E 13: S 40.04 Beech 11 S 32 E 16. Beech 30 N 17 W 23: W. 20.73 Beech 15 N 53 E 3 Beech 18 S 57 W 35: N 39.85 to beg = 83.2 a

June 13th 1839 D.M.

S.W. of S.E.

Beg ½ M.P. S. side: N 19.87 Sugar 15 S 46 E 42, Beech 30 S 47 W 36: E. 20.63 Cherry 15 S 64 E ½, Sugar 10 N 23 W 10: S. 19.90 Beech 20 S 47 E 6 Poplar 60 N 59 W 25: W 20.42 to beg = 40.81 a Aug 13 1839 D.M.

S.W. ¼ W. ½ S.W.

Beg ½ M.P. W. side: E 20.90 Beech 16 N 5 E 23. Elm 16 S 6 W 11: S 40.00 " 12 N 52 W 16. Hickory 18 S 40 E 27: W 20.87½ to Sec. cor.

Aug. 16th 1839 D.M.

W ½ S.W. ¼ W. ½ S.W.

Beg at N.W. cor (stone): E 9.98 stone Beech 12 S 29 E 93: S 20.02 " Beech 14 S 28 W 61 Poplar 60 N 52 E 16: W 9.99 " " 14 N 50 E 95 Hickory 6 S 22 E 46: N 20.05 to beg = 20 a

Feb 27 1857 D.M.

17 — 9 — 9 —

S½ N.W. qr.

Beg. ½ M.P. W. side (stone):
N. 20.05 Stone Beech 14 N 50 E 95 Hickory 6
S 22 E 46: E. 41.58 Stone: S 19.92½
Stone Beech — S 64 E 47. Sugar 24 S 31
W 124: W 41.80 to beg = 83.32 a
Feb. 20 1857 D.M.

S.W. qr.

Beg ½ M.P. W. side, stone;
E 41.80 stone Beech S 64 E 47. Sugar 24 S 31
W 124: S 39.85 " to ½ M.P. (stone):
W. 41.75 to Sec. cor. (stone) Feb. 20/57 D.M.

N.W. of N.E.

Beg. ½ M.P. N. side: E 20.09 stone
Lynn 30 S 20 E 13. Beech 16 N 51 E 45:
S 20.05 stone. Sugar 14 S 50 E 47:
Beech 14 N 54 E 76: W 20.89 stone:
N 19.92½ to beg = 41.75 a Feb 26/57 D.M.
See Plat Book for E½ S.E. qr.

Beg at ½ mile Past W side stone
North 20.15 to Stone
Beg at ½ m P North side 17-9-9
South 39.92 Set cor at 19.96
Set corners West from ½ Sec
line 23.49½ for 47 a off
E end S½ NW¼

Sec. 18 Tp. 9 R. 9.

E½ S.W.gr.

Beg. ½ M.P. S. side: W22.03 Beech 36
S51 E41. Lynn 33 S55 W35:
N.41.08 Beech 9 S58 E10 Beech 14 N63 W20 221
E21.81 (stone) " 12 N77 E10 " 8 S63 W56:
S40.71 to beg = 89 54/100 A. June 19/40 D.M.

N½ N.E.

Beg. at N.E. cor. (stone): S20.05 (stone)
Beech 14 N50 E95. Hickory 6 S22 E46:
W.40.20 stone Beech 8 N7 E57. Beech 12
S25 E51: N20.28 to ½ M.P. (stone):
E40.15 to beg = 81 5/100 A Feb 18 1857 D.M.

S½ N.E.gr.

Beg. ½ M.P. E side: W40.32 (stone)
Beech 12 N77 E10 - Beech 8 S63 W56:
N20.28 stone " 8 N7 E57. Beech 12
S25 E51: E40.24 stone Beech 14 N50 E95:
Hickory 6 S22 E46: S20.05 to beg =
81 22/100 A Feb. 18th 56 D.M.

S.E.gr. E½ & E½ of W½
W½ of W½

Beg. at S.E. cor (stone): W30.24 stone:
W.10.08 (stone) ½ M.P.: N40.71 "
Beech 12 N77 E10. Beech 8 S63 W56:
E10.08 stone " 16 N35 W9 - Beech 14
S33 E36: E30.24 to ½ M.P. stone
Feb. 24th 1857 D.M.

18 - 9 - 9

Beg. at N.W. cor (stone): E43.17 to ½ M.P. (stone)
S.40.56 stone Beech 12 N77 E10 - Beech 8 S63 W56:
W.43.62 " to ½ M.P.: N.41.42 to beg = 179.29 A
Feb 23/57 D.M.

Beg. ½ M.P. (stone) W. side: E21.81 stone
Beech 9 S58 E10 = Beech 14 S63 W20: S18.25 "
" 17 S36 W39 - Sw ash 8 N86 W26: W21.94 "
" 14 S63 W34 - B Walnut 40 S86 E77:
N.18.25 to beg. = 39.92 A Feb 23/57 D.M.
See Sec. 19 for Pt. W½ S.W.gr.

Beg at the ½ M.P. North side
South 20.37½: Thence West 19.63
to stone Thence North 20.39½ Stone
Thence East 19.63 to beg = 40 A

Beg 59 R 11 links E of NW cor of
Tp 9 E 12 R 16 links: Stone E 8 R
[illegible] l #a E 4 R 13 links #: E 10 Rods
[illegible] 8 Rods. South 10 R 16 links
[illegible] 10 Rods: West 12 R 16 links
[illegible] 12 R & 16 l: North 18 R 16 l
beg South from #8 R ~~22 7/10 links~~
[illegible] 22 7/10 links.
South from #a 8 R 22 7/10 links:
April 21 1899

18 — 9 — 9

Beg at NW cor E½ SW¼: E
31.89 ch set cor at 21.81 ch
Stake. Stone E 40 links. Sta
W 66 links. Cor 7° 2" E of
E rail R. R track.

Mar 30 198 JW

[illegible] West
to SW cor Sec. Set [illegible]
20.30 and set cor of [illegible]
20.15

Beg at ½ M.P. E side 18
West 30.35 to stone
Set cor to ½ ¼ at 20.21
also set stone [illegible] S
from center of section
[illegible] South fr
the NE cor of W½ SE
for 24⅔ a off of the
North end

19. 9. 9.

S.W. of N.E. gr.

Beg. at a stone (Beech 16 N2 W5 - Elm 18 S33 E48)
20.16 S. of ½ M.P. N side Sec 19:
E. 20.13 stone Beech 14 S33 W38 - Beech 12 N49 E22:
S. 20.08 " " 14 N21 W67 " 20 S45 W45:
W. 20.07 " " 14 E21 Beech 12 N42 W30:
N. 20.16 to beg = 40.40 a Feb 23/57 DM.

Pt. N.W.

Beg. at a stone 12.22 S of ½ M.P. N. side:
S. 28.10 stone Beech 14 E21 Beech 12 N42 W30:
W 44.29 to ½ M.P. stone Feb 23/57 DM.

Beg. ½ M.P. E. side Sec 19:
S. 20.17 stone B. Oak 42 N67 W88:
W. 20.19 " Beech 15 S73 E81:
N 20.33 " " 14 N21 W67 - Beech 20 S45 W45:
" 20.08 " " 14 S33 W38 " 9 N49 E23:
E. 20.13 " " 18 S48 W33 " 18 N75 W67:
S. 19.99 to beg = 81.11 a Feb 24/57 DM.

Beg at N.E. cor. (stone B. Oak 42 N67 W88)
of N.E. gr S.E. gr: S 10.00 Beech 14 S40 W25:
W. 10.00 stone Beech 16 N13 E15:
N " " " 18 S84 W47: E 10.00 to beg =
10 a Feb 24 1857 DM.

Sec 19 Tp 9. R. 9.

23 a. N. W. cor.

Beg. N.W. cor.: S10.35 Beech 30. W34 — :
E. 22.00 Beech 10 N46 E15: Beech — N36 N
N. 10.35 stone; W. 22.03 to beg = 23 a.
Sept 20 1843 Saml Hopkins.

W½ S.W.

Beg. S.W. cor.: N40.06 to ½ M.P.:
E22.25 Beech 12 S88 W2 Beech 8 N40 W16:
S40.45 " 20 S2 — " 15 S79 E76:
W.22.38 to beg = 90.06 a. Sep. 20/43 S.L.H.

P.M. E½ N.W.

Beg. ½ M.P. N. side: S12.22 Beech 18 S61
E8. Beech 15 S49 W9: W22.22 " 10 N25
W39. " 24 N3 E60: N12.22 stone:
E22.03 to beg. = 27.15 a. Sept 20 1843
Saml S. Hopkins

5 a. off S.W. ½ S.W. S.18 " N.W. S.12.

Beg at a stone 22.03 W. of ½ M.P. S side
N.6.05: Sugar 20 N37 W75: W3.04 Sugar
N50 W83 — Dogwood 3 N34: S18.50 Popl
48 N70 E16 Beech 12 S64 W34:
E3.04. Beech 10 N46 E15 Beech 10 N36 W
N.10.35 to beg = 5 a. Sep 20/43. S.L. Hopkins

N½ N.E. gr.

Beg ½ M.P. N. side: S20.16 stone Beech 16 N2 W5
Elm 18 S33 E48: E40.26 " " 18 S48 W
Beech 18 N75 W67: N19.99 to Sec. cor. stone
W40.32 to beg = 80.86 a. Feb 21 1857 D.M.

39.45

36

52
61.45
113.45
90
23.45
42

76.15
42.22
23.53

20.01
20.17
40.28
.19

113.45
42.22
165.67
23.53
16
19.38
.53

20.17

39.96
39.68
79.64

40.32
.06
24.192
20.1600
20.40.192

26.
16.30
33.3
7.63
15.2
4.4



20.37
5.09

19... 9 4°52'48" 9...

Beg. N.W. cor: E(v6°05') 30.50: S(v3°38') 40.23 to S line of ¼ Sec: W v4°22' 30.50 ½ M.P. stone: N v3°38' 39.77 to beg: Then laid off a strip off N side 10.45 chs. wide and also off the S side 10.00 chs wide. leaving the centre tract 19.32 chs in width at W. end and 19.78 at E. end: lay off 35.3 Acres off W. end of centre tract running 18.01 E. and W. N.E. cor. to which E fur 18 S61½ W40 July 14 1874 Saml L Anderson

Beg at SE cor sec North 5.09 ch set corner South 20.36 to cor stone West from Sec cor 85.00 to SW cor Sec set Stone for ½ M.P. at 40.32 North from ½ M.P. 5.04 set stone for witness 50 links East

April 15th 1895

Sec. 20 Tp. 9. R. 9.

Pl. E½ S. Cor.

Beg at ½ M.P. E side: S 30.00 Beech 18 S 4 E 29:
Beech 8 N 52 W 30: W. 20.75 " 11 S 47 E 28
" 13 N 42 E 38: N 29.86½ " 10 N 18 E 6
" 30 S 7 W 36: E 20.67 to beg = 61 A 3 R 33 p.

Pl. E½ W½ S. Cor.

Beg ½ M.P. S. side Sec 20 Tp 9. R 9:
N. 39.41 Ash 20 N 30 E 15 - Beech 6 S 34 E 30:
E. 20.67 Beech 10 N 18 E 6 " 30 S 7 W 36:
S 29.86½ " 10 N 18 E 6 " 20 S 7 W 36:
E 20.75 " 18 S 4 E 29 " 8 N 52 W 30:
S 10.00 to Sec. cor. in Sand Creek
stake set on N bank of creek 1.00 fr
cor. P. Oak 27 N 2 W 31 - Beech 14 N 70 E 41:
W 20.66 Beech 32 S 17 - " 24 N 48 W 52:
W 20.10 to beg = 101 A 2 R 18 p.

March 29 1836 D.M.

E½ S. Cor.

Beg ½ M.P. S side:
W. 20.66 Beech 28 N 78 W 26 - W Oak - N 51 E 16:
N 29.63 " 40 S 3 W 24 - Hickory 40 N 36 W 33:
" 19.67½ " 20 S 40 W 46 - B. Oak 36 N 39 E 4:
E. 20.67 Ash 20 N 30 E 15 Beech 6 S 34 E 30:
S 19.67½ Beech 10 S 80 W 36 " 18 N 50 E 25:
" 29.68 to beg = 81 A 1 R 13 p.

20 — 9 — 9 —

S.W. S.W.

Beg. S.W. cor.: N 20.17 stone Sugar 20 S 9 E 36
B. Oak 42 N 67 W 88 - Beech 10 N 36 E 30:
E. 20.50 Ash 24 S 47 W 13 Beech 22 N 2 W
S. 19.66 Beech 28 N 78 W 26 - W. Oak 20 N 51 E 18:
W. 20.67 to beg. = 40 A 3 R 35 P.
March 27 1836 D Montague

E ½ N.W.

Beg. ½ M.P. N. side:
S 40.50 Ash 20 N 30 E 15 - Beech 6 N 34 E 30:
W 20.67 Beech 20 S 40 W 46 - B. Oak 36 N 39 E
N 40.68 " 12 N 52 W 16 - Hickory 18 S 40 E 27:
E 20.87½ to beg. = 83.98 A
Oct 7. 37 D. Montague

P.N.E ½ N.E. gr. ¾ S.W ½ N.E.

Beg. at ½ M.P. N. side:
E. 20.42 Beech 20 S 47 E 6 - Poplar 60 N 59 W 25:
S. 20.07 " 14 S 31 E 13 Beech 36 N 68 W 13:
E 10.21 " 8 N 14 W 26 " 4 S 11 W 29:
S. 20.02 " 10 N 71 W 10 " 3 N 27 E 28:
W. 30.98 Ash 20 N 30 E 15 " 6 S 34 E 30:
N. 40.80 to beg = 103.20 A
June 4 1839 - - D. Montague

20 — 9 — 9 —

Beg. at ½ M.P. E side Sec 20:
W. 10.31 Beech 10 N 71 W 10 - Beech 9 N 27 E 28:
N 20.02 " 8 N 14 W 2 " 4 S 11 W 29:
E 10.21 W. Oak 16 N 76 E 2 Dogwood 3 S 79 W. 20:
S 19.95 to beg = 20.49 A
June 14th 1839 D Montague

Beg ½ M.P. (stone) S. side Sec 20:
W. 20.66: N. 19.91½ stone: E 8.59 stone:
S. 10.00 stone: E 12.00 stone: S 10.30
to beg = after deducting 1 a in S.E.
cor. for Church - 28.21 A.
Feb. 24/57 D.M.

Sec 21 Tp 9 R. 9

Beg. N.E. cor. Sec 21:
S. 20.19 Beech 18 N 47 E 43 Beech 20 N 72 W 47:
W. 20.08 " 12 N 35 W 3 " 8 S 15 E 13:
N 20.06 Sugar 30 N 20 W 72 " 15 S 15 E 30:
E 20.73 to beg = 40.54 A. Nov 28 1836 D. M.

Beg ab 1/2 M. P. N side Sec 21:
E 20.23 Sugar — N 20 W 72, Beech 15 S 15 E 30:
S 40.02 Stone Beech 14 N 49 W 13, Sassafras 6 N 61 E 16:
W 40.34 Lynn 8 N 60 E 19, Sugar 10 S 52 W 10:
June 14 1839 D. M.

Beg 11 L E of 1/2 M. P. N side Sec 21;
ash 21 S 87 E 84, Beech 8 N 45 W 44: S 10° E
20.00 Beech 10 S 31 W 13, Beech 10 S 61 E 18:
E 17.00 " 12 N 35 W 13 " 8 S 6 E 13:
N 20.06 Sugar 30 N 20 W 72 " 15 S 15 E 30:
W 20.12 to beg = 34.62 a after deducting 2 1/2 a in N.E. Cor.
June 20 1848 D M

Beg ab 1/2 M. P. S side Sec 21:
Beech 10 S 15 E 20, Beech 10 N 68 E 28:
E 20.17 Beech 10 N 29 E 4, Hickory 10 N 83 E 9:
N 39.25 Stone " 14 N 49 W 12, Sassafras 6 N 61 E 16:
W 20.17 " 11 N 48 W 8 Beech 15 E 25:
S 38.50 to beg = 78 41/100 a.
Mar 28 1844 S L H

21 — 9 — 9

Pt N.W. 1/4

Beg at N.W. Cor of Sec 21:
S 28.30 to middle of branch above saw mill:
N 74° E 2.67 to sugar tree: N 9° E
4.00 to middle of creek: with meander
of creek to dam: S 1.50 to top of
bluff: thence on E bank of creek
N 76 E 3.90: N 2° E 2.25: N 24° E
7.87 1/2: N 46 W 4.62 1/2 to sec line:
W 17.75 to beg = 33 1/2 a. Aug 23/45. D.M.

Pt E 1/2 N.W. 1/4

Beg. at S.E. Cor. E 1/2 N.W. 1/4 Sec 21:
Beech 11 N 48 W 8. Beech 15 E 25:
W 20.17 Lynn 8 N 60 — 19. Sugar 10 S 32 W 10:
N 23.50 to bluff of Sand creek: E 4.75:
N 1.70: E 15.42 Beech 18 S 2 E 44:
Sugar 8 N 46 W 59: S 25.19 to beg.
= 50 a Mar 26 1851 D.M.

S.W. 1/4

Beg at S.W. Cor. Sec. 21:
S-V 5° - 40.20 to 1/2 M.P. set
point ± at 1/2 way 20.10:
Beg at 1/2 M.P. S side: N-V 4 1/4° E
38.40. set point at 19.20 Poplar 6
N 26 1/2 E 11. Beech 6 S 39 W 35:
E-V 6° - 40.70 to point ± above
Dec 1863 O.F.

Sec 22 Tp 9 R 9

S.E. of N.E. Cor 1/2 S.E.

Beg at 1/2 M.P. S side Sec 22:
N 40.75 Beech 15 N 43 W 21, Sugar 30 S 79 E 13:
E 20.35 Poplar 3 S 47 W 9, Maple 21 N 39 E 45:
S 40.73 Beech 11 N 7 E 14, Dogwood 4 S 38 W 28:
W 20.31 to beg = 82.39 A Aug 2/39 D.M.

Beg. at 1/2 M.P. E. side: W. 20.60 Poplar 3
S 47 W 9. Maple 21 N 39 E 45:
N 20.28 Elm 20 S 21 W 6 R. Oak 14 N 83 E 21:
E. 20.37 Beech 18 S 62 E 2 Elm 4 S 83 W 21:
S 20.20 to beg. = 41.20 A.

E 1/2 S E 1/4

Beg. at S.E. cor. (stone):
W. 20.31 Sugar N 5 E 8 Elm 5 S 26 E 87:
N. 40.23 stone - Maple 20 S 72 E 47.
W. Oak 50 N 56 E 73: E 20.35 to 1/2 M.P.:
S. 40.20 to beg = 81.74 A.
March 24 1858 D.M.

Beg at 1/2 M.P. S side 22-9-9
N 20.35 chs. N oak 20 S 3 E
7 1/2 l: E 40.89 chs: S 20.01 1/2 chs
to stone at sec. cor. W 40.51 chs
to beg. Nov 14. 1888. J.A.

S.E. of N.W. & N.E. N.W.

Sec. 23 Tp 9 R 9.

Beg. at 20.00 N. of ½ M.P.S. ind.:
Beech 40 N 32 W 20 - Beech 15 S 71 E 16:
W. 20.75 Beech 11 N 20 W 12 Sassafras 6 S 22 E 17:
N. 40.06 " 12 E 2 Beech 19 S 50 W 22:
E 20.86 " 14 S 49 E 20 " 16 S 64 W 20:
S. 40.00 to beg = 83.26 A Aug 2/39 DM.

Sec. 24 Tp. 9. R. 9.

S.E. of N.E.

Beg. 1/2 M.P. East side Sec 24:
W. 19.92 Poplar 6 S20 W15 - Poplar 5 N40 E6:
N. 20.00 W. Oak 75 N40 W51 Beech 12 S52 E71:
E. 19.83 W Beech 5 N10 W33 - Dogwood 3 S1 E24:
S. 20.06 to beg = 39.80 A.

N.W. of N.E.

Beg. at 20.00 N of 1/2 M.P. S. side:
Poplar 24 S27 W39 - Beech 18 N69 E10:
N. 20.00 Beech 9 S53 E10 - Poplar 3 N39 W13:
E. 19.92 Poplar 6 S20 W15 " 5 N40 E15:
S. 20.00 Beech 27 S40 - 21 Beech 15 N65 - W29:
W. 19.91 to beg = 39.84 A Aug 10/39 D.M.

N.E. of S.E.

Beg 1/2 M.P. E side: S 20.08 Beech 14 S65 E14 -
Beech 17 N10 W28: W 19.91 " 27 S40 E21 -
" 15 N65 W29: N. 20.00 Poplar 6 S20 W15
Poplar 5 N40 E6: E 19.92 to beg = 40.01 A

S.E. of S.W.

Beg. 19.94 S of 1/2 M.P. N. side Beech 14
S 25 E27 - Sugar 16 N75 - W3:
S 19.94 Beech 9 S53 E10. Poplar 3 N39 W13:
W. 19.92 - W Elm 33 S10 E52 - W Oak 15 N35 - W16:
N. 19.82 Beech 7 S62 E5 - Beech 13 N44 W6:
E. 19.96 to beg = 39.64 A Aug 10/39 D.M.

24. 9. 9.

S 1/2 S.W. cor.

Beg at S.W. cor Sec 24:
N. 19.92 Beech 18 N23 E56 - Beech 12 S72 E55:
E. 39.81 Poplar 24 S27 W29 " 18 S69 E10:
S. 19.90 to 1/2 M.P. July 20 1841 D.M.

S 1/2 S.E. cor. W 1/2 N.W.

Beg. at N.W. cor. Sec 24 Tp 9 R 9:
E. 20.00 Beech 10 S13 E24 Poplar 24 S70 W18:
S. 40.00 W. Oak 15 N40 W17 - W Elm 30 S15 E50:
W 20.00 Beech 18 N72 W24 - Beech 15 N7 E30:
N. 40.00 to beg. Feb. 4/43 S L. Hopkins

S 1/2 S.E. cor. W 1/2 N.W.

Beg. at S.E. corner of Sec 24:
N. 20.28 Beech 14 S65 E14 - Beech 17 N10 W28:
W. 40.50 Poplar 24 S27 W39 - " 18 N69 E10:
S. 19.90 to 1/2 M.P.: E. 39.75 to beg.
Sept. 4th 1843 Samuel L. Hopkins.

S 1/2 S.W.

Beg at S.W. corner of Sec 24:
N. 19.92 Sycamore 2 N26 E7 - Sycamore 3 S30 E11:
E. 39.81 Poplar 24 S27 W39 - Beech 18 N69 E10:
E. 19.91 Beech 27 S40 E21 - " 15 N65 W29:
S. 20.03 Sw Gum 10 N40 W44 - Sw Gum 12
N30 E53: W. 20.00 to 1/2 M.P.
Aug 6 1852 D.M.

24. -- 9. -- 9. --

Beg. at N.E. cor. of Sec 24:
W. (v 5° 28') 39.95 ½ M.P.: S v 4° 23'
39.99 (to old centre) stone
Beech 18 N 60 - Stone - W 50:
E v 5° 14' 40.00 ½ M.P. Set ¼ stone
at ½ way 20.00: N. from ½ M.P.
v 4° 32' 40.20 Set ¼ stone at
½ way 20.10: Also
S. from centre of N. line of sd ¼
Sec. to ¼ stone S. side set
stone at ½ way 20.06. Poplar 12
S 81 W 60½ = R. Oak 8 N 72½ E 38:
E 19.98 to ¼ stone E side ¼ Sec.
Nov. 30 1866 Saml. L Anderson

W ½ & NE ¼ " NE.

Sec. 25 Tp. 9 R. 9

N½ N.W.

Beg. ½ M.P. N. side Sec. 25:
S 19.80 Beech 12 N 29 E 8 = W. Oak 22 S 78 W 19
W. 39.60 " 18 S 39 W 7 - Beech 15 N 83 E 13:
N. 19.60 to Sec. cor. July 20 1841 D.M.

W½ S.E. qr.

Beg. at ½ M.P. S. side Sec 25:
W. 40.14 W. Oak 41 S 18 W 37 - B. Oak 30 N 14 E 22:
E. 20.21 Elm 14 S 40 W 45 - W. Oak 16 S 61 E 62:
S. 40.21 Beech 16 S 6 W 32 - B. Locust 6 N 29 E 14
N. 20.16 to beg = 81.06 a.
May 10 1842 D.M.

40 a in S.W. cor. Pt. S.W. qr.

Beg. ½ M.P. N. side:
E. 40.28 W. Oak 40 S 18 W 37 - B. Oak 30 N 14 E 22:
S. 40.14 to ½ M.P.: W. 20.16 Beech 15 N 17 W 31:
N. 19.84 Hickory 24 N 14 W 10 - Hickory 16 S 27 W
W. 20.06 Beech 16 N 48 E 3 - Beech 14 S 84 W 33
N. 20.32 to beg = 121.80 a.
May 10 1842 D.M.

Beg. at S.W. corner:
N. 19.84 Beech 16 N 84 E 3 - Beech 14 S 84 W 43:
E. 20.16 Hickory 24 N 14 W 10 - Hickory 16 S 27 W
S. 19.84 Beech 15 N 17 W 31: W. 20.16 to
beg. = 40 a May 10 1842 D.M.

25 9 9

S½ N.E. qr. N½ N.W. qr.

Beg. at N.W. corner Sec 25:
E. 20.20 Gum 20 N 59 E 6 - Gum 28 S 59 W 20:
S. 40.08 Maple 4 S 85 E 7 Maple 6 N 11 E 17:
W. 20.11 to ½ M.P. Aug 16 - 1844 S. L. Hopkins.

Beg. at ½ M.P. N. side: S. 40.65
W. Oak 40 S 18 W 37 - B. Oak 30 N 14 E 32:
W. 20.11 Maple 4 S 85 E 11 - Maple 6 N 11 E 17:
N. 40.08 Gum 20 N 59 E 6 - Gum 28
S 59 W 20: E. 20.20 to beg. = 81.33 a.
Aug - 16 - 44 Chas. L. Hopkins

Beg. at N.E. cor.: S 20.20 Beech 14 N 50 W 23 -
Sw Gum 8 S 44 W 43: W. 40.32 Beech 12
N 29 E 8 - W. Oak 22 S 78 W 19: N 19.80 to
½ M.P. Nov. - 4 - 57 D.M.

Beg. at ½ M.P. E. side: W. 40.42
W. Oak 41 S 18 W 37 - B. Oak 30 N 14 E 22:
N. 19.80 Beech 12 N 29 E 8 - W. Oak 22 N 78 W 19:
E. 40.32 " 14 N 50 W 23 - Sw Gum 8 S 44
W. 43: S 20.22 to beg. = 80.28 a

25 - 9 - 9 -

N.W. gr.

Beg. at ½ M.P. N side: S. (V 4° 15')
to ½ M.P. S. side: also begin
at ½ M.P. W. side E. (V 4° 18')
20.25 stone: Maple 8 N 23° E 14½ l.
Maple 6 S 6½ E 13¼: E 20.25 chs.
Set centre stone at intersection
Burr Oak 40 N - E 13 - Beech 8 S 2 inches
E to ½ M.P.: Also begin at
N.W. cor. Sec. E. to ½ M.P. 40.25
Set ¼ stone at ½ way. 20.12½
Nov. 23rd 1871 Saml. L. Anderson

Sec 26 Tp 9 R 9.

N.E. gr.

Beg. at 1/2 M.P. E side Sec 26:
W. 41.08 R. Oak 10 S 25 W 15: R Oak 7 N 14 W 19:
N. 40.15 to 1/2 M.P.: E. 41.62 to Sec cor.
Aug 21 - 1837 D.M.

E 1/2 N.W.

Beg. at 1/2 M.P. N side Sec 26:
S. 40.15 R Oak 10 S 25 W 15: R Oak 7 N 14 W 19:
W. 20.75 Maple 18 N 45 E 56: Willow 3
S 46 W 20: N. 40.10 Sugar 18 N 83 E 52 -
Beech 10 S 57 W 23: E 20.75 to beg. =
83.24 - Aug 1st 1839 D.M.

W 1/2 N.W.

Beg. at N.W. cor of Sec 26:
E. 20.75 Sugar 18 N 81 E 52 - Beech 10 S 57 W 23:
S 40.10 Maple 18 N 45 E 56 - Willow 3 S 46 W 20:
W. 20.75 to 1/2 M.P.: N 40.00 to beg. =
83.12 Acres. Aug 1 - 39 D.M.

W 1/2 S.W. gr.

Beg. at 1/2 M.P. S. side:
W. 20.55 Elm 21 N 53 E 26 - Poplar 3 S 26 W 5:
N. 40.07 Maple 18 N 45 E 56 - Willow 3 S 46 W 20:
E. 20.75 R Oak 10 S 25 W 15 - R Oak 7 N 14 W 19:
S. 40.15 to beg. = 82.82 A
Feb 26 1841 D.M.

26 - 9 - 9 -

E 1/2 S.E. & N.W. of S.E.

Beg. at S.E. cor: W 20.47 Beech 11 S 13 W 58
Maple 12 S 20 E 59: N 20.05 " 10 N 34 E 34:
Beech 12 S 28 W 17: W 20.52 Maple 10 S 85
E 6 - Maple 14 N 76 W 17: N 19.98 R Oak 10
S 25 W 15 - R Oak 7 N 14 W 19: E 41.08 to
1/2 M.P.: S 40.21 to beg. = 123.45 A
Nov 5 - 57 D.M.

S.W. of S.E.

Beg. at 1/2 M.P. S. side Sec. 26
N. 19.98 Maple 10 S 85 E 6. Maple 14 N 76 W 17:
E. 20.52 Beech 10 N 34 E 24 Beech 12 S 28 W 17:
S. 20.05 " 11 S 13 W 58 Maple 12 S 20 E 59:
W. 20.47 1/2 to beg = 41.02 A Nov 5 - 57 D.M.

Elm N.W. S.E.

Beg at 1/2 M.P. E. side: W (V 4° - 44') 41.37
to centre of Sec (found old bear)
R Oak 10 S 25 W 15 - R Oak 7 N 14 W 19.
Set 1/4 stake at 1/2 way. 20.68 1/2 -
Beech 12 S 56 1/2 E 44 - Beech 10 N 3 1/4 W 48:
Nov. 23 1866 - Saml L. Anderson.

Elm N.W.

Beg. at 1/2 M.P. N side: S (V 3° - 36') 20.25
Set 1/4 stone Beech 20 N 42 E 9 1/2 Beech 18
S 43 1/2 W 20: S 20.25 to old centre stake:
Aug 6 - 1874 Saml L Anderson.

Sec 27. Tp. 9 R. 9.

W½ S.E. E½ S.E.

Beg S.E. corner: W 20.40 Hickory 20 S67E24
Beech 16 N21W23: N 40.42 Beech 6 E16 --
" 18 S85W30: E 20.35 to ½ M.P.:
S 40.00 to beg = 81.91 A Feb 28/41 D.M.

Beg. at ½ M.P. S. side: N. 40.44 Beech 24
N8E19 - Beech 18 S60W50: E 20.35 " 6
E. 16 -- " 18 S85W30: S 40.42 Hickory
20 S67E24 " 16 N21W23: W. 20.40 to
beg. = 82.35 Feb. 25/41. D.M.

E½ SW¼

Beg. at ½ M.P. S. side: W 20.35
W. Oak 18 N26E21 - Sugar 20 S72W34:
N. 20.22 Ash 8 S46E23 - Ash 5 N9W28:
" 20.22 Beech 18 N66W20 - Elm 14 N73E22:
E. 20.35 " 24 N8E19 - Beech 18 S6W50:
S. 20.22 " 5 N33E29 Dogwood 3 N34W48
S. 20.22 to beg = 82.27 A
Feb. 25/41 D.M.

NW¼ SW¼

Beg at NE cor W½ NE¼ 27-9-9:
W 15 chs; Stake: W 15.36 3/x Stone.
W. Oak 1p N36W 25 l. and Stone
E 50: W 15.11 3/x Stone, Stone
W 57 and Stone, S 53½:
W 15.23½ to sec. cor.
Nov 14, 1888. J.A.

Sec. 28 Tp 9. R. 9.

S½ N.W. Beg. at ½ M.P. W. side: N. 20.79 Stone
Sugar 9 S 63 E 42: E. 40.34 Maple 14
N. 30 E 3½ - Beech 6 S 70 W 11:
S 21.05 Sugar 14 N 33 E 9 Beech 15 S 13
E 16: W 40.25 to beg = 82.29 A.
Sept. 5 - 1837 - D.M.

E½ S.E. Beg. S.E. cor.: W 20.08 W. Oak - S 1 W 56 -
W. Oak 12 N 25 W 93: N 38.87½ Beech 10
S 13 E 18 - Beech 7 S 37 W 17: E 20.22 to
½ M.P. Nov. 15 1853 - - D.M.

Pt. Sw. Beg at N.E. cor. S. E¼: Beech 10 S 13 E 18 -
Beech 7 S 37 W 17: S 22.36 " 14 N 22 W 7 -
Hickory 21 S 51 E 13: W 42.50 Beech 6
N 29 E 17 - B. Ash 10 S 37 E 20: N.W
with Sand Creek within 25 l. of
Creek to Sec line: N. to ½ M.P.;
E. 60.56 to beg. = 110 A Nov 16/53 D.M.

Pt. Sw. Beg. 53 l west of ½ M.P. S. side;
Ash 6 N 4 E 60 - Beech 12 S 27 E 42:
N. 15.15 Beech 10 N 65 W 23 - Beech 10 S 66 E 20:
W 23.34 " 6 N 29 E 17 - B Ash 10 S 37 E 20:
S.W with S. Creek to Sec line
S. 8.25 to Sec. cor. stone: E 39.89 to
beg = 50 A Nov. 16/53 - D.M.

28 — 9 — 9

E ½ N.E. gr.

Beg. at ½ M.P. E. side:
W. 20.08 Beech 10 S 13 E 18 - Beech 7 S 37 W 17:
N. 20.49 " 16 N 54 E 44 " 8 S 54 E 36:
" 20.49 " 10 N 29 E 4 Hickory 10 N 83 E 9:
E. 20.17 to Sec. cor.: S 20.10 Beech 18
S 76 E 42: Beech 14 W 6 -: S 20.10 to
beg. = 81.68 a Nov. 17 1853 D.M.

Pt. S.W. gr.

Beg. 53 l. W of ½ M.P. S. side (stone)
Ash 6 N 4 E 60 - Beech 12 S 27 E 42:
W 23.34 B Gum 21 N. 30 E -: N 7.50:
E. 23.34 W Oak 8 S 70 W 18 - W Oak 18
N 64 E 44: S 7.50 to beg = 17.51 a
Sept. 10/55 D.M.

Pt. S.W. gr.

Beg at a Stone 6.50 E of ½ M.P. W. side
Sycamore 12 S 51 E 36:
E 24.05½ stone Beech 14 N 32 W 54:
S 9.23 stone: W 8.72½ to centre of
Branch: W. to near bluff:
N 47° W 10.50 to beg = 15 a
Feb. 26/57 D.M.

28. — 9 — 9.

N.W. of N.W.

Beg. at N.W. cor.: E 20 14 Beech 12
N 46 W 39 - Beech 15 S 54 W. 48:
S. 20.78 " 10 S 43 - 79:
W. 20.10 (stone) " 15 N 10 E 20 - Sugar 9 S 63
E 42: N. 20.79 to beg.
Oct. 9. 1857 D.M.

Pt. S.W. gr.

Beg. ½ M.P. Stone W. side:
N. 12.93 Hackberry 10 S 3 W 16 -
Lynn 11 N 30 E 31: E 16.31 to centre
Rodney - Beech 10 N 14 E 42. Elm 30
S 85 E 27: Easterly with Rodney to
mouth of Branch, Jos. Evans line
S.E.ly with Branch to S line N.W. gr.:
W. 4.03 stone, Beech 14 N 32 W 54:
S 9.23 stone: W 8.72½ to Centre
Branch - Westerly, with Centre
Branch to near Bluff then N 47°
W 10.50 stone. Sycamore 12 S 51 E 36:
W. 8.50 to beg. = 50.

Pt. N.E. N.W.

Beg S.E. cor. N.E. gr. of N.W. gr.: W.
(V 3° 06') 6.37½: N (V 4° 31) 5.75
stone: E V 3° 06' 6.37½ stone:
S 24° 31' 5.75 to beg.
May 27th/74 Saml L Anderson.

Sec. 29 T. 9 R. 9

Beg. ½ M.P. E. side: N 20.50 R. Oak 54 S 17 W 58:
W. Oak 22 N 83 E 20: N 39.44 Beech 32 E 17 —
Ash 24 N 48 W 52: E 29.66 to Sec. cor. in
Sand Creek Mar. 30th 1836 D.M.

Beg at ½ M.P. N. side: E 20.66 Beech 30 E 17 —
Ash 24 N 48 W 52: S 39.44 R. Oak 54 S 17 W 58.
W. Oak 22 N 83 E 20: W 20.50 Beech 12 S 4 E 7 =
Beech 10 S 14 E 38: N 38.72 to beg = 80.a 18p.
March 30-1836 — D.M.

Beg. ½ M.P. N. side: S 19.36 W. Oak 22 S 84 E 21:
Beech 16 N 80 W 50: W 20.28 Beech 13 S 56 E 22 =
" 16 N 10 W 12: N 19.76 " 28 N 78 W 26.
W. Oak 20 N 51 E 18: E 20.66 to beg = 40.a 6p.
March 30-1836 D.M.

Beg. ½ M.P. W. side: E 40.66 Beech 12 S 4 - E 7.
Beech 10 N 4 E 38: S 19.33 " 5 N 3 W 26 =
W. Oak 21 N 39 W 21: W 40.36 " 15 S 46 W 11 =
Beech 13 N 9 E 23: N 20.03 to beg = 79.50a.
October 3rd 1847 D. Montague.

Beg. S.W. cor.: N 20.03 Beech 15 S 46 W 11.
Beech 13 N 9 E 23: E 20.18 " 12 S 23 E 15 —
" 14 N 83 W 15: S 19.67 Poplar 18 S 78 E 32
Maple 22 N 51 W 36: W 20.23 to beg = 40.09a.
Oct. 3 1847 D Montague —

Pl. N.C. S.E. S.E. S.E. W½ S.E. gr.

29 -- 9 -- 9 --

Beg. S.E. cor. (stone): W41.25 to ½ M.P. stone
N38.65 stone Beech 12 S4E7-
Beech 10 N14E38: E20.50 stone:
N.19.17 stone Elm - N36E52-
Beech 18 N83E43: E20.56 stone
Poplar 60 N26 W61: S18.59 to beg = 118.02 a.
Beg. at S.E. cor. N.E¼ S.E. gr. Sec 29:
stone. W. Oak - S17 W70: N60° W.10.00
Sugar 8 S25 W36: W1.75 stone
W. Oak 14 S35 E16: S5° W6.16 stone
Ash 10 N29E77-: E10.53 to beg. = 3.98¾ a.
Feb. 25 1856 D.M.

Sec 30 -- Tp 9 -- R 9 -

N.W. N.W. N.E.

Beg. 1/2 M.P. N. side: E 20.23 Hickory 16
N 2 E 47 - Beech 9 S 62 E 9:
S 19.90 Ash 20 N 7 W 37 - Beech 15 S 4 W 33:
W. 20.30 Hickory 22 S 8 E 12 - " 18 N 4 W 27:
N 20.01 to beg = 40.43 a Oct 4 - 37 D.M.

N.E. S.W. S.W. gr. S.E. S.W. S 1/2 N.E.

Beg. 1/2 M.P. E. side: W 40.38 Ash 20 S 38 E 9 -
Beech 15 N 72 W 21: N 20.01 Hickory 22 S 8 E 12 -
" 18 N 4 W 27: E 40.35 Beech 11 N 44 W 17 -
" 15 S 6 E 20: S 20.15 to beg = 81 a.
Oct 4 - 37 D.M.

Beg. at S.W. cor: W 20.25 Beech 18 S 47 W 21 -
Beech 18 S 51 E 31: N 20.21 " 17 N 8 W 30 -
" 13 N 9 E 33: S 20.03 to beg = 40.78 a.
Oct: 4 - 37 D.M.

Beg. 1/2 M.P. E. side: S 20.03 Beech 15 S 46 W 11 -
Beech 13 N 9 E 23: W 20.30 " 17 N 8 W 20 -
" 18 S 77 E 21: S 20.21 " 18 S 47 W 21 -
" 8 S 51 E 31: W 20.23 to 1/2 M.P.:
N 40.06 Ash 21 S 38 E 9: Beech 15 N 72 W 21:
E 40.38 to beg = 81.32 a. Oct 4 - 37 - D.M.

30 -- 9 -- 9 -

S.W. S.W. S.W. gr.

Beg. 1/2 M.P. N. side: S 40.02 Ash 21 S 38 E 9 -
Beech 15 N 72 W 21: W 22.47 Beech 14 S 3 E 16 -
" 12 N 74 E 14: S 20.15 " 13 N 58 E 23
" 18 S 70 W 43: W 22.56 " 16 S 9 W 14
" 9 N - W 8: N 20.13 to 1/2 M.P.:
N 40.25 to Sec. cor.: E 44.37 1/2 to beg. =
224.62 a. Oct 5 - 37 - D.M.

Pt. S.W. N.W.

Beg. at S.E. cor. (stone) of S.W. gr. N.W. gr.:
W. 8.50: N 4 E 12.37 1/2 Ash 10 N 52 E 18 -
Elm 15 - 12 1/2 W 51 - E 7.44: S 12.37 1/2 to
beg. = 10 a Jany 6 - 55 D.M.

S.W. S.W.

Beg. S.W. cor.: N 20.13 Beech 16 S 9 W 14 -
Beech 9 N 2 W 8: E 22.56 " 13 N 58 E 23 -
" 18 S 70 W 23: S 20.15 Sugar 12 S 52 W 8
" 11 N 40 E 18: W 22.95 to beg. = 45.81 a
Oct: 5 1837 - D.M.

Sec 31 -- T 9 -- R 9 --

E½ N.E.	Beg. ½ M.P. E. side: Sugar 30 N 35 W 31: Beech 8 S 51 E 31: E. April 1-1836-	W 20.23 Elm 27 S 23 E 9- N 40.66. Beech 18 S 47 W 21 20.25 to Sec. cor. D.M.
W½ N.E.	Beg. ½ M.P. N. side: Beech 8 S 51 E 31: Sugar 30 N 35 E 31: Elm 9 N 32 W 35: April 1-1836-	E 20.25 Beech 18 S 47 W 21 S 40.66 Elm 27 S 23 E 9- W 20.23 Beech 10 S 58 E 2- N 40.64 to beg = 82 a 1 R 4 p. D.M.
N½ S.E.	Beg. ½ M.P. E. side: Maple 20 S 76 E 38: Sugar 6 S 87 W 45: Elm 9 N 32 W 35:	S 20.23 Beech 21 N 80 W 32- W 40.58 Sugar 22 N 69 E 45- N. 20.32 Beech 10 S 58 E 2- E. 40.46 to beg = 82 a 26 p.
E½ N.W.	Beg. ½ M.P. N. side: Elm 9 N 32 W 35: Beech 20 S 40 E 19: " " N 40 E 18: April 1- 1836	S 40.64 Beech 10 S 58 E 12- W 26.16 " 14 N 28 W 7 N 40.60 Sugar 12 S 52 W 8- E 22.95 to beg. = 94 a 2 R 2¾ p D.M.
W½ N.W.	Beg. N.W. cor.: E. 22.95 N 40 E 18: S 20.30 Beech 15: S 20.30 Beech 14 W 23.66 to ½ M.P.: Beech 20 S 65 W 17: April 1-1836	Sugar 12 S 52 W 8- Beech 11 S 38 W 4. Beech 22 N 38 N 28 W 7- Beech 20 S 40 E 19: N 20.28 ‡ " 12 S 42 E 19: N 20.28 to beg = 94 a 2 R 8 p. D.M.

31 - 9 - 9 -

S.W. S.E. & E½ S.W.

Beg. ½ M.P. S. side: W 24.18 Beech 7 S 56 W 12
Beech 6 S 86 E 29: N. 40.50 Beech 14 N 28 W 1
" 20 S 40 E 19: E 23.66 " 10 S 58 E 2
Elm 9 N 32 W 35: S 20.32 Sugar 22 N 69 E 45
Sugar 6 S 87 W 45: E 20.29 Beech 6 S 69 E 13
Beech 18 N 14 E 28: S. 20.25 Gum 16 N 50 E 26
Poplar 20 S 85 W 30: W. 20.33 to beg = 137 a 34 p.

W½ S.W.

Beg. S.W. cor.: N 20.28 Beech 9 S 28 W 10
Beech 14 N 62 E 28 N 20.28 to ½ M.P.: E 24.66
" 14 N 28 W 7 Beech 20 S 40 E 19: S 20.25
Elm 18 S 39 E 32. " 20 N 46 W 21: " "
Beech 7 S 56 W 12 " 6 S 86 E 29: W 24.11
to beg. = 95 a 3 R 29 P.

See Plat Book for S.W. S.E. & E½ S.W. Isaac Sharp's heirs.

N. S.E. S.E.

Beg. at N.W. cor S.E. S.E.: S. 6.18
Sw Gum 14 S 8 E 5 Poplar 18 N 13 W 39:
E 20.29 Beech 18 N 3 W 38 Woak 20 S 85 E 33:
N. 6.18 " 21 N 80 W 32 Bapler 20 S 76 E 38:
W. 20.29 to beg. = 12.54 a Feb. 11 - 53 - D.M.

Sec. 32.. Tp 9.. R 9..

E½" S.E.

Beg. at S.E. cor.: W. 20.12 R. Oak 15 S 24 W 11.
Cherry 12 N 10 E 24: N 40.54 W Oak 48 S 68-30-
Beech 15 N 62 W 22: E 20.34 to ½ M.P.
Oct. 2-1837 D. Montague

S.W. N.W. S.W.

Beg. 20.34 W. of ½ M.P. E. side: W Oak 48
S 68-30- Beech 15 N 62 W 22:
S. 20.27 Sugar 15 S 23 W 23- Beech 18 S 51 E 38:
W. 20.30 Beech 9- E 18 " 27 S 84 W 8:
N 20.28 " 7 S 44 W 8 " 7 S 82 E 5:
E 20.34 to beg. = 41.18 A Oct-2-37- D.M.

S.W. S.E. & S.E. S.W.

Beg. ½ M.P. S. side: E 20.12 R. Oak 15 S 24 W 11
Cherry 12 S 10 E 24: N 20.27 Sugar 15 S 23 W 23
Beech 18 S 51 E 38: W. 40.60 Beech 11 N 24 W 18
Dogwood 6 S 32 E 34: S 20.05 Ash 10 N 88 W 61:
E. 20.30 to beg. = 81.66 A. Oct-2-37 D.M.

S½" N.E.

Beg. ½ M.P. E. side: W 40.68 Beech 7 S 48 W 8
Beech 7 S 82 E 5: N 20.46 Dogwood 4 S 73 W 14-
Dogwood 3 S 83 E 18: E 41.00 Poplar 10 S 43 W 9-
Poplar 10 N 52-4: S 20.11 to beg. = 82.82 A.
Aug 16-1839 D. Montague.

W½" N.W.

Beg. at N.E. cor.: E 20.23: S 40.41
Beech 10 S 22 W 17- Beech 19 N 39 W 41:
W 20.40 to ½ M.P. Oct 29-45 D.M.

32 - - 9 - - 9 - -

E½ N.W. & N.W.

Beg ½ M.P. (stone) N. side: S 41.25
Poplar- N 47 E 93- W Oak 6 N 66 W 77: W 20.52
Beech 10 S 22 W 17- Beech 19 N 39 W 41:
N. 40.41: E. 20.23 to beg. = 83.33 A.
Feb-4-1853 D.M.

Sliver of Sec.

Beg. S.E. cor. W (v —) 20.27½. Set ¾
stone: W 20.72½ to ½ M.P. set stone: W
1 ch. to ½ M.P. N side Sec. 5-8-9-: W
39.80 to S.W. cor. Sec 32-9.9- also
set N.W. cor. of S.W. of S.E. ¼ 32-9-9-
by old bearings stone,
Mar. 18-1874 Saml. Anderson

Sec 33. T 9 R 1.

Beg. ½ M.P. S. side: W 20.13 Beech 14 N 7 E 11 -
Beech 20 S 5 E 19: N 20.00 " 17 S 31 W 19 -
Poplar 11 N 19 E 3: E 20.41 " 15 N 87 E 18 -
Beech 10 S 62 W 18: S 20.04 to Sec. cor.
Sept. 30 1847. D.M.

Beg. 19.93 N. of ½ M.P. S side Sec 33:
Beech 15 S 88 E 18 - Beech 4 N 57 W 8: N 20.14
" 17 S 31 W 19 - Poplar 11 N 19 E 3: N 20.00
Cherry 14 N 10 E 10 - Cherry 7 S 42 W 10:
E 20.14 Beech 24 S 52 E 17. Sassafras 9
N 56 W 6: S 19.93 to beg = 40.27 a.
Sept. 30th 1839 D.M.

Beg. S.E. corner. Sec 33:
W 20. Beech 15 N 23 E 14 - Beech 16 S 25 W 6:
N 19.96 " 21 N 2 W 3 - Beech 15 S 39 W 16:
E 20.00 " 15 N 87 E 18 " 10 S 62 W 15:
S 20.04 to beg. = 40 a Aug 15 - 39 - D.M.

Beg. ½ M.P. E. side: S 20.04 Beech 15 N 87 E 18
Beech 10 S 62 W 18: W 40.21 " 15 S 88 E 18
" 4 N 57 W 8: N 19.93 " 24 S 52 E 17
Sassafras 9 N 56 W 6: E 20.07 " 7 S 9 E 33
Beech 12 N 9 W 17: N 20.20 stone: E 20.10 stone
Sugar 30 N 12 Beech 11 S 87 W 14: S 19.96
to beg. = Aug 15 - 1839 D.M.

33 — 9 — 9 —

N½ N.E. qr.

Beg. at N.E. cor.: S 19.96 stone
Sugar 30 N 12 Beech 11 S 87 W 14:
W 40.10 R Oak 11 N 27 Ash 8 S 53 W 12:
N 20.35 to ½ M.P. Aug. 15-39 D.M.

S.W. N.E.

Beg. 20.35 S. of ½ M.P. N. side: R Oak - N 2,
Ash 8 S 53 W 2: E 20.10 stone:
S 20.20 Beech 9 S 9 E 33 - Beech 9 S 9 W 19:
W 20.07 " 24 S 32 E 17 - Sassafras - 9 N 56
W: N 20.35 to beg. = 40.68 a
Aug. 15-39 D.M.

N.W. N.E.

Beg. ½ M.P. N. side: S 20.35 R Oak 11
N 27 - Ash 8 S 58 W 12: W 20.20 Ash 15 N 84
E 14 - " 5 - W - 13 -: N 20.09 Beech 15 N 62 E 32
Beech 15 S 67 W 31: E 21.22 to beg. =
40.86 a Aug. 15-39 D.M.

N.W. N.W.

Beg. at N.W. cor.: E 20.22 Beech 15 N 62 E 32
Beech 15 S 67 W 31: S 20.09 Ash 15 N 84 E 14
Ash 5 - W - 13: W. 20.20 Poplar 10 S 43 W 9
Poplar 10 N 52 E 4: N 20.11 to beg. = 40.62 a
Aug 15-39 D.M.

33 — 9 — 9 —

S.W. S.W.

Beg. S.W. cor.: N 20.11 E 2 S 10 Beech 17 S 31 W 19:
Poplar 11 N 9 E 3: S 20. Beech 19 N 7 E 11
Beech 20 S 5 E 19: W 20.13 to beg. = 40.72 a
Aug. 15-1839 D.M.

S.E. N.E.

Beg. at ½ M.P. N. side: E 02½° 10.00 stone
marked + on S side in old Indian Road:
S 9½° W (mm) 9.82, stone marked + on
top in Road: W 02½° 13.33 Beech 8
S 49½ W 6 Hickory 18 N 49½ E 26:
N 87¾° E 9.73 to beg. = 10 a
Aug 12-1861 O.T.

Beg. at the N.W. Corner of Sec. East 20.29
chs Stone,
South 28.28 to Center of Painter Creek
+ on Stone N 87° W 3.09 S 32° + 45' W
2.54 S. 2° + 30' E 0.60 + on Stone S 17° W 0.00 chs
to ½ Sec. line Thence 17.54 to ½ M.P.
North 20.28 to old Stone North 20.28
to beg. Aug 14th 1890
Legal Survey by 10 Days Notice John
Bennett & Wm Baldwin Chain Carriers
W. W. Lowe
Co. Surv. Deputy

33 - 9 - 9.

~~Beg at ½ M. P. N side: E (V 2½°) 10.00 chs stone marked + on S side old Vernon road. S 9½ W mm 9.82 Stone marked + on top in road. W (V 2½°) 13, 33, Beech 8 S 49½ W 6, Hickory 18 N 49½ E 20 l: N (V 7¾°) E 9.73 to beg = 10 Acres. Aug 12, 61, O. T.~~

Beg at SW cor. 33-9-9: E 20.24 chs, stone: N 20.05 chs Stone: 20.15 chs: S 20.34 to stone at beg. = 40.78 a.
Nov 12, 1888 J.A.

Sec. 34. Tp. 9. R. 9.

S.E. Beg at ½ M.P. W. side: N 19.96 stone Sugar 3 N 12 - Beech 11 S 87 W 14 W 20.08 Beech 21 S 62 - 3 " 13 N 45 W 34: S 20.09 W. Elm 15 S 4 W - W. Oak 15 N 39 W 68: W 20.18 to beg = 40.22 a Aug 14 - 39 - D.M.

W.S.E. Beg. ½ M.P. W. side: E 20.18 W. Elm 15 S 4 W 19 - W. Oak 15 N 39 W 68: S 40.18 B. Gum 44 S 70 E 66 Beech 5 N 84 W 60: W. 20.13 to Sec. cor: N. 40.08 to beg = 80.86 a Aug. 14 - 39 - D.M.

S.E. S.W. Beg ½ M.P. S side: W 20.13 B Gum 44 S 70 E 66 Beech 15 N 84 W 66: N 20.07 Elm 24 S 49 E 30 " 11 N 17 E 41: E 19.98 Sw. Gum 8 S 23 E 34 " 14 S 1 W 14: S 19.96 to beg = 40.16 a. May 9 - 1842 D.M.

N.E. S.E. Beg. ½ M.P. E. side: S 20.03 Sycamore 5 S 70 W 14. W. Oak 6 S 21 E 14: W. 20.34 Ash 8 S 7 E 25 Oak 8 N 50 E 42: N 20.03 Beech 10 N 40 E 27 Beech 10 S 18 E 28: E 20.34 to beg. = 40.74 a Oct 6. 1843 S. L. Hopkins -

S.E. S.E. Beg. at S.E. cor.: N 20.03 stone Sycamore 14 N 86 W 59. W. Oak 6 S 21 E 14: W. 20.34 Ash 8 S 7 E 25. Oak 8 N 50 E 42: S 20.03 stone Beech 15 N 14 E 14 - Cherry 10 N 79 E 16: E 20.28 to beg. = 40.68 a

34 - 9 - 9 -

N.E. N.W. gr.

Beg. at 1/2 M.P. (stone) N side Sec 34:
S. 20.06 Beech 12 S32 W11 - Sw Gum 5 N15 E18:
W. 20.16 " 16 S22 E23:
N 20.09 Sugar 20 S72 W34. Weak 18
N26 E21: E20.35 to beg. 40.56 a -
Nov. 15-53 - D.M.

Centre cor.

Beg. 1/2 M.P. E. side: W to 1/2 M.P. W. side:
also beg. at 1/2 M.P. N side: S to 1/2
M.P. S. side. Set a centre stake
at intersection. Beech 8 S38 E11 1/2 -
Oak 3 N24 1/4 E21. Oct. 31-71 S.L.A.

Sec 35 Tp. 9 -- R 9 --

S.W. gr. — Beg. at S.W. cor.: E. 20.00 Hickory 30
S 31 W 13 - Beech 15 N 36 E 30:
N. 40.05 Poplar 8 S 33 W 31 2 asp 8 N 25 W 35:
W. 20.28 to ½ M.P.: S. 40.06 to beg. = 80.60 a
October 6 - 1843. S.L.He.

N. line S.W. W ½ — Beg. ½ M.P. W. side: E. v. 4° - 41' - 38"
81.46 to ½ M.P. E side set stake at ½
way 40.48: Nov. 29 - 1866 S.L.A.

Pt. S.W. N.E. — Beg. at ¼ stake on S. line N.E. gr.:
N. v 4° - 15' 6.34: also from same
W. v 4° - 09' - 10.75 = in Triangle
3.67 acres. Nov. 22 - 71 - S.L.A.

Centre cor. — Beg. at ½ M.P. N. side: S v 4° - 20' to ½ M.P.
S. side: beg. at ½ M.P. W. side: E -
v 4° - 09' - 40.97 to intersection (stone):
Poplar 8 S 2 E 38½. W Oak 12 S 60¾ W 38.:
E 20.59 ¼ stone Ash - S 78½ E 28 -
Oak 6 S 23¾ W 12½: E 20.59 to ½ M.P.
Nov. 22nd 1871. S.L.A.

S line S.E. — Beg. S.E. cor. Sec.: W to ½ M.P. 40 83:
Set stone ½ way: S Gum 8 S 56 E 19 -
Beech 12 S 34¼ W 33
Oct - 1 - 77 J. W. C.

Sec 36 Tp. 9. R 9.

N. line S. W. gr.

Beg. at 1/2 M. P. W. side: E v 4° 00 - 29 -
2 0.33 Set 1/4 stone. Poplar 5 W - 9 -
Beech 15 S 74 E - 19 1/2: E 2033 set
stone centre Sec. 30: N 75.74
E 36. Beech 12 S 51 3/4 W 87.
Nov 22nd - 66 S. L. A.

Sec. 3 Fugit Up. Up. Road

Beg. at sta. 80

	175.15	4.55		170.6		Grade at 82.
80			4.6	170.6		
1			2.2	173.0	C 2.2	
2			4.6	170.6	70.3	
3			9.0	166.2	72.2	
4			11.3	163.9	72.2	
5			9.1	166.1	C 1.9	
Beg 6	164.15	0.20	11.20	163.95	C 2.0	150 73.1
7			6.9	157.3	72.2	
8			4.5	159.7	C 2.3	
9			8.1	156.1	C 1.5	
Beg	157.23	0.08	13.00	151.15		
90			0.2	151.0	C 0.8	
1			11.2	139.8	7 4.8	
2			14.1	137.1	70.3	
3			9.5	141.7	0.0	
4			5.3	145.9	C 0.4	

Electric Gas line

B.M.	106.60	6.60		100.0			Field Alinry 70' East of No 5
0			2.6	104.0	101.2	x 2.8	
1			2.1	104.5	101.1	3.4	
2			2.8	103.8	101.0	x 2.8	
3			4.0	102.6	96.5	6.1	
4			11.8	94.8	92.0	x 2.8	
5			14.6	92.0	90.0	x 2.0	
6			12.8	93.8	90.8	3.0	
7			12.1	94.5	91.6	x 2.9	
Peg	108.00	12.65	11.25	95.35			
8			10.2	97.8	95.0	2.8	
9			3.6	104.4	99.6	4.8	
Peg	116.15	8.35	0.20	107.80			
10			7.1	109.1	103.6	5.5	
1			7.2	109.0	+50 106.0 106.6	x 2.4	
2			6.4	109.8	107.0	2.8	
3			5.1	111.1	108.0	3.1	
4			3.8	112.4	109.0	3.4	
5			3.6	112.6	110.0	x 2.6	
6			1.6	114.6	112.0	2.6	
Peg	123.50	7.95	0.60	115.55			
7			6.1	117.4	114.0	x 3.4	
8			7.2	116.3	114.0	2.3	
9			6.8	116.7	114.0	x 2.7	
20			4.6	118.9	115.0	3.9	

	123.50						
21			4.1	119.4	116.0	3.4	
2			3.6	119.9	117.0	2.9	
3			2.7	120.8	118.0	2.8	
Peg	127.22	5.42	1.70	121.80			
4			4.8	122.4	119.0	3.4	
5			4.1	123.1	120.0	× 3.1	
6			4.5	122.7	119.4	3.3	
+70			5.4	121.8			Road
7			6.1	121.1	118.8	× 2.3	
8			5.6	121.6	118.5	3.1	
9			6.2	121.0	118.2	2.8	
Peg	126.32	4.30	5.20	122.02			
30			5.7	120.6	118.0	× 2.6	
1			5.5	120.8	118.0	× 2.8	
1			4.3	122.0	119.2	× 2.8	
2			4.0	122.3	118.8	3.5	
3			5.6	120.7	118.4	× 2.3	
4			4.0	122.3	119.3	3.0	
Peg	127.85	4.50	2.97	123.35			
5			4.3	123.6	120.2	3.4	
6			3.3	124.5	121.2	× 3.4	
7			4.2	123.7	120.1	3.6	
8			6.1	121.8	119.0	× 2.8	
9			6.5	121.4	118.9	2.5	
40			6.5	121.4	118.9	2.5	62.3

	127.85						
Peg	131.23	8.95	5.57	122.28			
41			9.9	121.3	118.8	×	2.5
2			7.4	123.8	120.4		3.4
3			4.7	126.5	122.0	×	4.5
B.M.			4.88	126.35			
4			8.6	122.6	119.4		3.2
5			12.1	119.1	116.8	×	2.3
6			8.8	122.4	118.8		3.6
Peg	127.93	4.20	7.50	123.73			
7			3.1	124.8	120.8	×	4.0
8			4.6	123.3	120.0		3.3
9			6.2	121.7	119.2		2.5
50			7.1	120.8	118.4		2.4
1			6.8	121.1	+50 118.0 118.6	×	2.5
Peg	127.19	4.94	5.68	122.25			
2			4.3	122.9	119.2		3.7
3			3.9	123.2	+50 120.0 119.6	×	3.6
4			5.4	121.7	118.8	×	2.9
5			5.4	121.8	118.9		2.9
6			3.0	124.2	121.0	×	3.2
Peg	134.19	7.60	0.60	126.59			
7			5.2	129.0	123.0		6.0
8			3.0	131.2	126.0	×	5.2
9			4.7	129.5	126.5		3.0
60			4.4	129.8	127.0		2.8

on locust at 43+50

67.5

	134.19						
61			3.9	130.3	127.5	2.8	
2			3.2	131.0	128.0	× 3.0	
Peg	138.94	7.00	2.25	131.94			
3			5.7	133.2	129.3	3.9	
4			5.6	133.3	130.5	2.8	
5			4.2	134.7	131.8	2.9	
6			3.3	135.6 +50	132.4 / 131.1	× 4.5	
7			7.7	131.2	128.4	× 2.8	Center Road
B.M	135.32	0.13	3.75	135.19			Lower hinge of gate opposite 664
8			5.7	129.6	127.3	2.9	
9			5.8	129.5	126.2	3.3	
70			6.7	128.6	125.1	3.5	
1			8.5	126.8	124.0	× 2.8	
Peg	134.42	6.70	7.60	127.72			
2			7.8	126.6	124.4	2.2	
3			6.8	127.6	124.8	× 2.8	
4			5.7	128.7	126.1	2.6	
5			3.0	131.4	127.4	4.0	
+ 35			1.7	132.7 +50	128.0	× 4.7	
6			4.1	130.3	127.0	3.3	
7			6.9	127.5	124.8	× 2.7	
8			7.3	127.1	124.8	2.3	
Peg	130.22	2.15	6.35	128.07			
9			1.9	128.3	124.8	× 3.5	
80			4.5	125.7	122.6	3.1	

61.1

	13022						
81			6.7	123.5	120.4	×	3.1
2			7.3	122.9	120.2		2.7
3			7.5	122.7	120.1		2.6
Peg	128.47	4.95	6.70	123.52			
4			5.7	122.8	120.0	×	2.8
5			3.9	124.6	121.2		3.4
6			2.0	126.5	122.4	×	4.1
7			4.5	124.0	121.0		3.0
8			5.8	122.7	119.6	×	3.1
9			5.9	122.6	119.5		3.1
90			6.0	122.5	119.4		3.1
1			4.9	123.6	119.2		4.4
Peg	125.77	1.15	3.85	124.62			
2			3.3	122.5	119.1		3.4
3			4.3	121.5	119.0		2.5
4			4.3	121.5	118.8		2.7
5			4.5	121.3	118.6		2.7
6			4.2	121.6	118.4	×	3.2
7			3.1	122.7	119.3		3.4
8			1.5	124.3	120.2		4.1
Peg	127.15	2.10	0.72	125.05			
9			0.6	126.6	121.2	×	5.4
100			2.6	124.6	120.6		4.6
1			4.4	122.8	120.0		2.8
2			5.2	122.0	119.2	×	2.8

fence line

73.0
70.0

	127.15					
103			4.7	122.5	119.6	2.9
4			2.8	124.4	120.0	4.4
5			2.8	124.4	120.4	× 4.0
6			4.0	123.2	119.7	3.5
7			5.0	122.2	119.0	3.[illegible]
Reg	124.72	1.72	4.15	123.00		
8			3.0	121.7	118.4	3.3
9			3.5	121.2	117.8	3.4
110			4.8	119.9	117.1	2.8
1			5.2	119.5	116.4	× 3.1
2			4.0	120.7	117.8	3.4
3			2.4	122.3	118.2	4.1
Reg.	127.17	5.70	3.25	121.47		
4			4.3	122.9	119.1	3.8
5			2.9	124.3	120.0	× 4.3
6			4.5	122.7	119.6	3.1
7			5.1	122.1	119.2	× 2.9
8			4.3	122.9	118.2	4.7
9			5.3	121.9	117.2	4.7
120			6.6	120.6	116.2	4.4
Reg	122.30	0.70	5.57	121.60		
1			4.3	118.0	115.1	2.9
2			5.5	116.8	114.0	× 2.8
3			6.0	116.3	113.7	2.6
4			6.0	116.3	113.4	2.9

77.2

	122.30						
125			5.9	116.4	113.7	3.2	
Peg	120.17	2.67	4.80	117.50			
6			3.7	116.5	112.9	3.7	
7			3.9	116.3	112.7	3.6	
8			4.8	115.4	112.4	x 3.0	
9			7.2	113.0	110.6	2.4	
130			8.4	111.8	108.8	x 3.0	
1			8.4	111.8	109.5	2.3	
Peg	121.30	8.38	7.25	112.92			
2			6.8	114.5	110.2	4.3	
3			5.2	116.1	110.9	5.2	
4			6.3	115.0	111.6	3.4	
5			6.3	115.0	112.4	x 2.6	
6			4.8	116.5	113.3	3.2	
7			3.5	117.8	114.2	3.6	
8			2.3	119.0	115.1	3.7	
9			2.1	119.2 +50	115.6 114.1	x 5.1	
Peg	120.20	0.40	1.50	119.80			
140			6.6	113.6	111.0	2.6	
1			9.3	110.9	108.0	x 2.9	
2			10.7	109.5	106.5	3.0	
3			11.7	108.5	105.0	x 3.5	
4			13.0	107.2	105.0	2.2	166.7 Water level
+50			13.1	107.1			Bottom
			14.1	106.1			

Muddy Fork S creek

	120.70					
145			11.8	108.4	105.0	3.4
6			10.1	110.1 +50	105.0 106.4	× 3.7
7			5.3	114.9	109.7	5.2
8			1.4	118.8	113.2	5.6
Reg	126.80	7.05	0.45	119.75		
9			6.0	120.8	116.8	× 4.0
150			7.0	119.8	116.9	2.9
1			7.3	119.5	117.0	2.5
2			6.8	120.0	117.2	× 2.8
3			5.4	121.4	117.8	3.6
4			4.0	122.8	118.4	4.4
5			4.8	122.0	119.0	3.0
6			3.5	123.3	119.7	3.6
7			2.1	124.7	120.4	× 4.3
Reg	127.55	1.85	1.10	125.70		
8			5.2	122.4	119.2	3.2
9			7.5	120.1	118.0	2.1
160			7.8	119.8	116.8	× 3.0
1			6.8	120.8	117.2	3.6
2			6.1	121.5	119.6	3.9
3			6.2	121.4	118.1	3.3
4			6.0	121.6	118.5	3.1
5			6.1	121.5	118.9	2.6
Reg	129.85	7.25	4.95	122.60		
6			7.4	122.5	119.4	3.1

75.9

	129.85					
167			6.2	123.7	119.8	3.9
8			6.0	123.9	120.2	3.7
9			5.6	124.3	120.7	3.6
170			5.9	124.0	121.2	× 2.8
1			4.9	125.0	122.1	2.9
2			4.0	125.9	123.0	2.9
3			3.0	126.9	123.9	3.0
Peg	137.70	9.90	2.05	127.80		
4			9.6	128.1	124.8	3.3
5			7.9	129.8	125.7	4.1
6			6.5	131.2	126.7	4.5
7			5.2	132.5	127.6	4.9
8			5.5	132.2	128.6	3.6
9			5.1	132.6	129.6	× 3.0
180			4.5	133.2	129.6	3.6
1			5.1	132.6	129.6	× 3.0
Peg	134.95	1.40	4.15	133.55		
2			4.1	130.9	128.2	2.7
3			5.3	129.7	126.8	2.9
4			6.6	128.4	125.2	× 3.2
5			7.6	127.4	124.8	2.6
6			8.0	127.0	124.4	2.6
7			8.4	126.6	124.0	2.6
Peg	130.98	3.05	2.02	127.93		
8			4.4	126.6	123.5	3.1

72.5

	130.98						
189			4.4	126.6	123.2	3.4	
190			5.3	125.7	122.8	2.9	
1			6.0	125.0	122.4	2.6	
2			6.5	124.5	122.0	2.5	
3			6.5	124.5	121.5	3.0	
+40			4.7	125.3	121.1	4.2	Moscow Road
4			6.5	124.5	120.7	3.8	
5			7.7	123.3	120.4	× 2.9	
Peg	124.53	0.00	6.40	124.53			
6			2.0	122.5	119.1	3.4	
7			4.2	120.3	117.8	2.5	
8			5.1	119.4	116.5	2.9	
9			5.8	118.7	115.1	3.6	
200			6.0	118.5	113.7	4.8	
1			9.7	114.8	112.4	× 2.4	
Peg	123.83	7.80	8.50	116.03			
+80			10.5	113.3	112.4		Logan Branch
2			7.8	116.0	112.4	× 3.6	
3			6.7	117.1	113.3	3.8	
4			6.8	117.0	114.2	2.8	
5			5.9	117.9	115.2	2.7	
6			4.7	119.1	116.1	3.0	
Peg	129.38	8.85	3.30	120.53			
7			8.5	120.9	117.0	3.9	
8			5.7	123.7	118.0	5.7	66.2 70.4

	129.38						
209			6.1	123.3	119.0	4.3	
210			6.5	122.9	120.0	2.9	
1			5.8	123.6	120.1	3.5	
Peg	128.63	3.90	4.65	124.73			
2			4.7	124.0	120.2	3.8	
3			4.5	124.2	120.4	3.8	
4			5.0	123.7	120.6	3.1	
5			4.4	124.4	120.8	3.6	
+38			3.0	125.7			
B.M			2.50	126.13			

240.

Door Step on Reg House

Average 3' – 3½ in

Court House Square

North & West sides

	H.I.	Curb line	Center St				
BM. 0.9	20.9			20.00		20.4	cor Woodfills
0		1.0	-0.5	19.9	21.4	20.4	NE cor Square
1		2.0		18.9			
2		2.5	1.1	18.4	19.8		
3		3.2	1.9	17.7	19.0	17.8	
4		3.9	2.3	17.0	18.6		
5		4.3	2.6	16.6	18.3		
6		4.8	3.1	16.1	17.8		
+52-8		5.1	3.3	15.8	17.6	16.0	NW. Cor
7		6.0	5.2	14.9	15.7		
8		6.4	5.8	14.5	15.1		
10		7.0	6.3	13.9	14.6		
10		7.5	6.8	13.4	14.1		
12		8.0	7.2	12.9	13.7		
3		8.5	7.6	12.4	13.3		
+45.4		8.4	7.9	12.5	13.0	12.5	
BM		7.90		13.00			an Boulder by Bco

Court House Square East + South

13.00
4.6
17.6
12.4
5.5

+45=4	13.00	Curb line	Center St.					
4	6.10	19.10	7.0	5.9	12.1	13.2	12.1	~~N.E. cor~~
3			6.7	5.7	12.4	13.4		
12			6.4	5.4	12.7	13.7		
10			6.0	5.1	13.1	14.0		
10			5.5	4.7	13.6	14.4		
8			5.0	4.3	14.1	14.8		
8			4.6	3.7	14.5	15.4		
+45=8			4.2	2.9	14.9	16.2		
BM	6.45	22.75	2.80		16.30			cor Seitz House
+45				6.0		16.8	15.4	
6			8.0	5.6	14.8	17.2		
5			7.2	4.8	15.6	18.0		
4			6.2	4.2	16.6	18.6		
3			5.3	3.3	17.5	19.5		
2			4.3	2.3	18.5	20.5		
1			3.5	1.1	19.3	21.7		
0			2.5	0.4	20.3	22.4	20.4	

		Orphans	Home			ditch	
BM	54.40	4.40		50.0		Top Hydrant	Cor Miller & Walnut
0			0.3	54.1	50.0		
1			1.7	52.7	48.7		
2			3.0	51.4	47.3		
3			4.5	49.9	46.0		
4			6.0	48.4	44.6		
+ 10			5.7	48.7		Center St Walnut	
5			6.6	47.8	43.9		
6			7.3	47.1	43.2		
Beg 7	49.15	2.85	8.10	46.30	42.5		
8			3.5	45.7	41.8		
9			4.1	45.1	41.1		
10			4.9	44.3	40.4		
1			5.5	43.7	39.7		
2			6.1	43.1	39.0		
3			6.9	42.3	37.7		
4			7.4	41.8	36.4	On Crossing	
5			8.5	40.7	35.2		
Beg 6	43.50	3.70	9.35	39.80	33.9		
7			4.9	38.6	32.6	Michigan Road	
8			7.1	36.4	31.4		
9			9.7	33.8	30.1		
20			10.6	32.9	28.8		
1			11.8	31.7	27.8		
Beg 2	32.93	2.63	13.20	30.30	26.8		

	32.93						
23			4.0	28.9	25.8		3.1
4			5.0	27.9	24.8		3.1
5			6.1	26.8	23.8	X	3.0
+40			4.0	28.9			R.R.
6			5.2	27.7	22.8		4.9
7			8.1	24.8	21.8		3.0
8			9.3	23.6	20.8		2.8
Reg 9	23.71	0.85	10.07	22.86	19.8		3.06
30			1.9	21.8	18.8		3.0
1			2.7	21.0	17.8		3.0
+ 40 2			2.4	21.3	16.8		3.7
			3.2	20.5			
3			3.7	20.0	15.8	X	4.2
4			4.6	19.1	15.7		3.4
5			5.0	18.7	15.6		3.1
6			5.8	17.9	15.5		2.4
7			5.7	18.0	15.4		2.6
8			5.8	17.9	15.3		2.6
9			6.6	17.1	15.2		1.9
40			6.4	17.3	15.1		2.2
1			6.7	17.0	15.0		2.0
Reg 2	22.42	4.96	6.25	17.46	14.9		2.6 in Road
+ 14			5.4	17.0	14.9		2.1
3			6.7	15.7	14.8		.9
4			7.0	15.4	14.7		.7
5			7.2	15.2	14.6		.6
6			7.4	15.0	14.5	X	C.0.0