
35
36
Sec. Cor.
1/2 m.p.
Sec. Cor.
1/2 m.p.
20.13
20.13
40.12
40.77
21.10
20.35
20.45
21.33
21.33
20.13
20.13
40.56
21.10
20.35
20.45
1/2 m.p.
Sec. Cor.
35-11-8
36-11-

18 — 10 — 8

Beech 24 N 32 W 4
" 3 S 34 W 12

34.00

1/2 M.P. Beech 20 S 26 E 15
Sugar 28 N 17 W 18

Beech 5 N 37 E 6
" 6 S 8 W 10

Elm 14 S 28 E 21
Oak 7 N 37 W 16

Elm 18 S 16 W 21
Beech 16 N 65 E 17

Beech 5 S 49 E 3
" 3 N 59 W 10

40 10

Beech 16 S 2 W
" 9 N 18 W

17.12

Stone 20.05

20.05

Sugar 18 S 54 W 25
Beech 20 S 18 E 29

1/2 M.P.

~~33.~~ ~~50~~ 12

40 07

40

17.~~12~~ 08

33 50

20.03

20.03

Chiefery 15 S 45 E 10
Beech 3 N 7 W 8

Chiefery 5 N 21 E 36
Beech 21 N 21 W 56

Niggerhead S 10 W 73
1/2 M.P. Sugar 5 S 10 W 10
N. Beech 3 N 24 E 3

Sugar 22 N 52 E 30
" 14 S 4 E 80

Sugar 60 N
Beech 4 S



60.13
20.13
18039
6013
12026
121.04

OFFICE OF

STANTON GUTHRIE

SURVEYOR OF DECATUR COUNTY

GREENSBURG, INDIANA

Sec 1 Tp 15 R 8

Beg at N. E. Cor Sec 1: W 7.60 to
1/2 M.P.: S 42.50 ash 16 S 77 E 22.
Sm ash 17 N 57 W 33: S 41.39 to 1/2 M.P.:
E 21.41 Buch 15 N 39 E 100, Buch 20 N 12 W 47:
N 40.40 " 22 S 39 W 31, " 22 N 42 E 15:
E 21.18 to 1/2 M.P. Oct 14/34 D. M.

Beg at S. E. Cor. of Sec 1:
W 21.41 Buch 15 N 39 E 100, Buch 20 N 12 W 47:
N 40.40 stone " 22 S 39 W 31, " 22 N 42 E 15:
E 21.18 to 1/2 M.P. Oct 14/34 D. M.

Beg at 1/2 M.P. N side Sec 1:
S 41.25 Buch 25 S 27 W 54, Buch 18 N 19 1/2 E 25:
W 21.24 " 20 N 44 E 14 " 15 S 26 W 29:
N 21.80 " 9 S 61 E 7 " 11 S 66 W 7:
E 21.30 to beg = 45 77/100 a Oct 14/34 D M

Beg at N. W Cor Sec 1:
E 20.30 Buch 9 S 61 E 7, Buch 11 S 66 W 7:
S 19.73 " 10 N 52 - 43 " 12 S 84 E 43:
W 21.24: N 20.22 to beg = 42 48/100 a
Oct 14 1834 D. M.

See Plat Book for E 1/2 S E 1/4
S Brown Heirs
See Plat Book for Pt N W 1/4
T H Myers Heirs

1 — 10 — 8

Ch N W 1/4

Beg 4.14 N of 1/2 M. P. W side Sec
N 20.22 : E 21.24 Buch 10 N 52 E 43.
Buch 10 S 83 E 43 : S 2.07 Buch 20 N 44
E 14, Buch 15 S 26 W 29 : E 21.24 Buch 12
S 25 W 54, Buch 18 N 19 1/2 E 25 : S 21.25
Ash 18 S 77 E 22, S Ash 17 N 57 W 33 :
W 21.18 Buch 24 S 81 W 16, Buch 30
S 88 E 29 : N 4.14 B Walnut 4 N 65
W 30 Hackberry 30 S 13 W 23 : W 21.19
to beg = 87 98/100 a. Oct 14/34 D M

Ch W 1/2 N W 1/4 S W 1/4

Beg at 1/2 M. P. W side Sec :
N 4.14 : E 21.19 B Walnut 4 N 65 W 20,
Hackberry 30 S 13 W 23 : S 4.14 Buch 24
S 81 W 16, Buch 30 S 88 E 29 : E 21.19
Ash 16 S 77 E 22, S Ash 17 N 57 W 33 :
S 40.39 to 1/2 M. P. Oct 14/34 D M

Ch S W of S W 36 + N W of N W 1

Beg at S W Cor Sec 36 — 11 — 8 :
N 19.98 stone Buch 11 W 10, Buch 22
N 79 — 7 : E 7.00 " 10 S 54 E — : S 40.00
W 11.00 : N 20.22 to N. W. cor 1 :
E 4.00 to beg = 36 a Jan 3 1851 D M

1 — 10 — 8

Beg at 1/2 M. P. N side Sec 1 :
S 19.12 : W 31.43 : N 40.00 Buch 10
S 45 E 7 : E 33.60 stone Sugar 24 S 80
E 55, Buch 24 N 87 W 46 : S 20.20 to 1/2
M. P. S side Sec 36 : W 2.17 to beg.
= 131 4/100 a Feb 28/55 D. M.

Sec 2 Tp 10 R 8

Beg. 19.87 W. of ½ M.P. E. side sec. 2:
B. Walnut 48 S. 67 W. 80, Ash 24 S. 84 E. 148:
W. 39.74 Beech 18 N. 85 W. 35 Beech 8 S. 86 E. 30:
N. 44.07 W. Oak 32 N. 1 W. Oak 24 S. 4 W. 24:
E. 19.87 Beech 9 N. 58 E. 13 Beech 11 S. 68 W. 24:
S. 11.99 Beech 16 S. 79 W. 4 Beech 20 S. 84 E. 27:
E. 19.87 B. Walnut 36 S. 53 E. 242 " 12 S. 28 W. 130:
S. 10.07 to beg. (63.87/100 a) Sep. 24/34 O. Montague C.S.

Beg. at ½ M.P. N. side S. 2:
S. 22.06 Beech 9 N. 58 E. 13 Beech 11 S. 68 W. 24:
W. 19.87 W. Oak 32 N. 1 W. Oak 24 S. 4 W. 24:
N. 22.07 Ash 36 S. 63 W. 6 Beech 16 N. 43 E. 18:
E. 19.87 to beg = 43.86/100 A. Sep. 24/34 O. M.

Beg at N. W. cor Sec 2:
E. 19.87 Ash 36 S. 63 W. 6, Beech 16 N. 43 E. 16:
S. 44.14 Beech 18 N. 85 W. 35. " 8 S. 86 E. 30:
W. 19.87 to ½ M.P. Sept 24 1834 D.M.

See Plat Book for pt 2. A Stark Hrs.
" " " " pr NE¼ T H Myers "

over

2-10-8

Beg at the N.E. corner 2-10-8
South 6.01½ set stone; South
43.43 to ½ M.P. West 10.44
set corner stone.
North 38.26½ set stone
North 44.27 to stake
East 10.52 to beg —

March 9 1899

Sec 3 Tp 10 R 8

Beg at N.E. Cor sec 3;
W 19.82 Elm 27 S 84 E 12. Beech 14 S 87 W 31;
S 44.17 Beech 12 N 59 E 4. " 26 N 81 W 13;
E 19.87 to ½ M.P. Aug 6 1828 D.M.

Beg at stake on Bank of Clifty. B Ash
6 N 43 E 21. Sugar 18 S 35 E 8; S 26° E 1.62;
S 47 W 19.50 with N W side of road;
S 50° W 4.60. Poplar stump 60 S 24 W 10;
N 39½° W 6.00 to Clifty. Sugar 18
N 62 E 49. Lynn 17 S 30 E 31; N.E.
with Clifty to beg. Mar 28/40 D.M.

Beg S.E. Cor stone sec 3;
W 39.52 to ½ M P (stone); N 40.15
stone; E 39.71 to ½ M.P. stone;
S 40.30 to beg = 159 13/100 A. Mar 5/57
See Plat Book for W ½ N E ¼
and pt N W ¼ Marshall Ave

g at the Center sec. 3-10-8 stone.
est 19.72. stone North from
enter sec. 44.45 to ½ M.P.
et stake at 32.25
East 6.96. center King St.
17.71. South 6.25 E 2.00
South 25.62

Sec 4 Tp 10 R 8

Beg at 1/2 M. P. S side Sec 4;
N 40.20 Hickory 20 N 2 W 9, Ironwood 10
S 18 W 10; E 18.53. Ironwood 4 N 14
W 8, Ironwood 4 S 56 E 11; S 40.36
Beech 20 S 14 E 7, R Oak 4 N 80 W 36;
W 18.64 to beg = 74 86/100 a. Mar 1/31 D M B

Beg at N. W. Cor. of Sec 4;
E 39.75 to 1/2 M P; S 45.64 to centr
of Sec. Hickory 20 N 2 W 9. Ironwood 10 S 18 W 12;
S 4.20 Beech 22 S 7 W —: Mulberry 6 N 39 W 20;
S 62° W 4.10 to Elm 20 on Bank Clifty;
S 17° W 3.25; S 61° W 4.50; S 82° W 3.00;
S 80° W 2.50; N 89° W 13.67 to a Sycamore
17 on bank Clifty; W 8.75; S 45°
W 3.60 to a Hickory 28; S 62° W 3.80
to a Sugar tree 20 in on Sec line;
N 15.82 to 1/2 M P. Mar 1/31 D M B

Beg 1/2 M. P. E side Sec 4;
S 40.24 to Sec Cor; W 6.50 stone;
N 40.24 stone; E 6.50 to beg
= 26 156/1000 a Sept 18 1862 D M B

4 — 10 — 8

Beg 1/2 M.P. S side Sec 4: N 36.01 Buck 22 S 7 W 29: Mulberry 6 N 39 W 29: S 62° W 4.10 to an Elm 20 on bank clifty: S 17° W 3.25: S 61° W 4.50 S 82° W 3.00: S 80° W 2.50: S 89° W 13.6 to a Sycamore 17: W 8.75: S 45° W 2.5 to a Hickory 28: S 62° W 3.80 to a Sugar 20 on Sec line: S 24.36 to Sec Cor: E 39.94 to beg = 116 3/100 a. Mar 10/3

Beg at 1/2 M.P. E side Sec 4: N-V 5° 10'-37.65 to stone, Ash 6 Hk clifty Oak 20 N 15 W 15. Poplar - N 65 E 30:

1	N 80 W	2.40	
2	S 48 1/2 W	1.80	
3	S 29 1/2 W	2.15	containing 6 26/100 a
4	S	1.80	
5	S 7 1/2 E	6.80	
6	S 16 1/4 E	1.15	
7	S 33 1/2 E	3.30	
8	S 35 1/2 E	2.90	
To Sec line			S 2.50

1	S 68 1/2 W	2.40
2	W	2.20
3	S 84 1/2 W	3.205
4	N 11 1/2 W	1.90
5	S 87 1/2 W	2.40
6	S 68 W	4.60
7	S 57 W	1.90
8	S 34 1/2 W	6.80
9	S 40 W	5.50
10	S 35 1/2 W	5.80
15 stake in clifty.		

35 33/100 a

Hickory 8 N 2 W 5.3. Elm 15 N 40 1/2 W 65 1/2: E-V 5° 30' - 26.32 to beg = 41 6/10 a July 1/60

Thomson

4 — 10 — 8

Beg at Center of Sec 4: Rch stone from old bearings: E-V 5° 07' - 13.82 stake 1.76 S of cor. Sugar: S 42 1/4° W 10 l: S-V 4° 26' - 40.33 to Sec line: S 20.14 -V 4.17' Buch 12. cor: W-V 5° 04 1/2' - 13.82 stake: Buch 20 N 72 1/2 E 43. Buch 16 S 42 1/4 E 75 1/2 l: N-V 4° 17' - 20.17 1/2 M.P. N side Sec. 9-10-8: N-V 4° 26' - 40.21 to beg = 83 45/100 a. Feb 26-69 S & A

g. 17.50 chs West of 1/2 M.P. E side st 2.50 chs stone: North [illegible] chs ne: East 2.50 chs stone: North [illegible] chs to beg = 1 a

May 10 1899

Craig

g at Center 4-10-8 N 25.37 E 20.85 [illegible] S 34 1/2 W 0.52 S 40 W 5.50: S 25 1/2 W 5.80 [illegible] 18.32 to beg = 49.53 A

March 27 1901

Craig

y 17.50 West and North 5.00 of 1/2 M.P. side 4-10-8 N. 57 W. 2.80 North to a point [illegible] 4.40 from Beg

Sec 4 - 10 - 8

Beg at 1/2 M.P. North side 4-10
S 38.64 ; S 41 W 4.83 ; S 4° W
; East 26 links ; S 17° W 2.69 ;
4.50 ; S 82° W 3.00 ; S 80 W 2
N 89° W 0.96 ; North 57.60 ;
13.47 to beg = 70 a
March 26 1907 B. C

Sec 5 Tp 10 R 8

Beg at 1/2 M.P. E side Sec 5 ;
W 9.77 Sugar 18 S 7 E 39, Sugar 15 N 41 W 33 ;
N 22.83 Beech 12 N 45 E 19, Elm 30 N 59 W 17 ;
N 22.83 " 5 S 49 E 24, Beech 24 S 73 W 41 ;
E 9.74 to Sec Cor = 44 56/100 a.

Beg at 1/2 M.P. E side Sec 5 ;
W 39.08 Buck 7 N 56 W 45 ; Cherry 9 N 4 E 36 ;
Mar 20. 1833. D. M.

Beg at N.W. Cor of Sec 5 ;
E 19.44 Elm 30 N 89 E 10 ; S 46.50
Beech 26 S 33 E 61, Beech 16 N 35 W 43 ;
W 19.41 to 1/2 M.P. Aug 11/35 D M

Beg 1/2 M.P. W side Sec 5 ;
E 19.41 Beech 26 S 33 E 61, Beech 16 N 35 W 43 ;
S 40.41 stone " 4 S 76 E 11 " 20 N 47 W 27 ;
W 19.62 to Sec. Cor, Aug 11/35 D M

Beg 1/2 M.P. E side Sec 5 ;
S 20.00 to Cliffy, Sugar 8 N 12, Sugar 12 N 34 E 19 ;
S 36° W 12.75 Sugar 8 N 31 W 11, Oak 17 S 3 W 13 ;
S 71 W 6.00 Buckeye 10 N 9 ; N 79 W 6.66
stone ; N 28.75 ; E 19.42 to beg = 56 1/4 a
June 6 1844 S L H

5 — 10 — 8

Ph S E 1/4

Beg 1.00 E of 1/2 M P S side Sec; N 13.50 to center Clifty: N 61° E 11.00 in Creek: N 27° E 5.00: N 55° E 3.25: N 31° E 5.25 in creek: N 71° E 3.87: S 31° E 12.00: S 59° E 1.00 in creek to E. line W 1/2 S E 1/4 S 12.00 to stone in Road: W 18.40 to beg = 34 97/100 a
Oct 27 1846 D. M.

Ph S W 1/4

Beg 1/2 M. P. S side Sec 5: W 14.18 stone on W bk Clifty "*" on Rock S 46° W 14 1/2: N 14 E 4.97 "*" on Rock. Oak N 88° W 26 —: N 37 W 5.50 stone Sugar 10 N 57 E 13, Beech 16 S 31 W 31, N 62 E 3.71 stone Sugar 10 N 58 W 21, Beech 16 N 20 E 40: S 37 W 5.34 to center of Clifty: N. E. to E line S W 1/4: S 11.50 to beg = 12 a. Aug 17/53 D M

N W 1/4 & Ph N E 1/4

Beg at N. W 1/4 Sec 5: (stone) E 68.37: S 45.62 stone: W 68.30 to 1/2 M. P. stone: N 46.37 to beg = 31 4 31/100 a
Jan 18 1859 D M

See Plat Book for N 1/2 Sec

5 — 10 — 8

Beg 1/2 M. P. W side Sec 5 E 19.50 stone: S 40.48 stone Beech 19 S 5 E 30, Beech 20 N 47 W 27.
Mar 1 1861 D M

Beg 1/2 M. P. W side Sec 5: N — V 4° 35' — 46.30 sec cor.: E — V 5° 50' — 19.48 stone: S V 4 1/2 — 46.14 stone: W 19.41 to beg = 89 9/10 a. Nov 2/61 O. P.

Beg 8.50 N of S W Cor. E 1/2 S W 1/4: N — V 5° 10' — 31.98 to stone: E 12 ft: S 27.54 stone, Beech 10 N 14 1/2 E 13 1/2, Beech 12 S 70 3/4 E 58 1/2 m m: E V 5° 10' — 8.10 Beech 6 N 72 1/2 W 33, Beech 12 N 39 1/2 E 33: S 37° E 5.25: N 71 1/2 W 2.75: N 37 W 4.00: S 75 W to beg.
July 1863 O. P.

Sec 6 Tp 10 R 8

Beg at S. E. Cor of Sec 6:
W 20.00 B. Walnut 42 S 42 E 19, Ash 30
S 78 W 40: N 20.00 Sm Ash 26 S 16 E 55:
E 20.00 Dogwood 6 N 34 W 25, Sugar 22 S 42
W 43: S 20.00 to beg = 40 a Aug 11/35 D M

Beg at N. E. Cor of Sec 6:
S 46.19 to 1/2 M. P.: W 40.21 stone: N
45.25 to 1/2 M. P.: E 40.48 to beg = 184 45/100 a
Oct 30 1851 D M

Beg at S. W. Cor. N. E. 1/4 Sec 6:
E 9.00 stone Locust 8 N 38 E 38: N 8 1/4 W 7.48 stone
on bank Duck Creek, Sugar 21 N 20 E 3.01;
S. W with S side Duck Creek to a
stone on W line N E 1/4. Sycamore
15 N 83 W 168: S 4.62 to beg = 5 7/100 a
Oct 30 1851 D M

Beg at N. W. Cor Sec 6:
E 15.75 Sugar 10 m 14 W 51.5: S 18.93 stone
Sugar 9 S 24 E 29, Beech 16 N 46 W 42:
W 15.45 Apple 5 S 26 E 24: N 18.93 to beg
= 30 a

See Plat Book for S 1/2 Alley

6 — 10 — 8

Ch N W 1/4

Beg 1/2 M. P. N side Sec 6:
S 15.78 stone, Sugar 10 S 37 W 38:
W 15.95 Bush 12 S 52 W 20:
N 15.78 Sugar 10 S 14 W 51: E 15.75
to beg = 25 A. Oct 31 - 1851 D M

Ch N E 1/4

Beg 1/2 M. P. N side Sec 6:
E 13.75 stone Sugar 10 S 26 E 55: S 31.00
to Center of Duck Creek: S W to
stone on S Bank, Sugar 21 N 20 E
301: S W to stone on W line N E
Sycamore 15 N 83 W 168: N 40.62 to beg
= 50 95/100 A. Oct 31/51. D M

Sec 7 Tp 10 R 8

N E of N E

Beg at N. E. cor of Sec 7:
S 9.75 Sugar 14 S 35: S 9.75 stone
Cherry 12 S 85 E 7, Beech 8 N 65 W 35:
W 20.00 stone Hickory 16 S 4 W 66, Sugar 10
N 24 E 60: N 9.87 stone: N 9.87 B Walnut
S 42 E 19. Ash 20 S 78 W 40: E 20.00 to
beg = 39 44/100 a Oct 30/46 D. M.

S E of N E

Beg 1/2 M. P. E side Sec 7
W 20.00 stone: N 19.94 stone
Hickory 16 S 4 W 66, Sugar 10 N 26 E 60:
E 20.00 Cherry 12 S 85 E 7, Beech 8 N
65 W 35: E 19.50 to beg = 39 44/100 a
Oct 30 1846 D. M.

W 1/2 N E 1/4

Beg at 1/2 M. P. N side Sec 7:
E 20.00 B. Walnut 42 S 42 E — Ash
30 S 78 W 40: S 39.88 stone: W 20.00
stone: N 40.00 to beg = 79 88/100 a.
Oct 30 1846 D. M.

Ch S W 1/4 S E

Beg 1/2 M. P. S side Sec 7:
W 16.95 stone, Beech 15 N 67 E 48: N 39.75
stone Beech 14 S 70 W 38: E 14.58 stone
(center): E 20.00 stone: S 15.00 Lynn
10 N 89 W 77: W 20.00 stone Poplar 50 E
175: S 25.00 to beg = 96 93/100 a. Oct 30
D. M.

7 — 8 — 8

Beg 1/2 M. P. S side Sec 7:
W 16.95 stone Beech 15 N 67 E 48:
N 29.75 Ash 20 S 67 W 48:
E 16.66 Elm 36 S 72 E 115:
S 29.00 to beg = 48 52/100 a Dec 16-56
D. M.

Sec 8 Tp 10 R 8

Beg 1/2 M. P. N side Sec 8;
E 16.05 Sugar 18 S 35 W — Sugar 5 N 55 W 17;
E 3.50 Paplar 60 N 38 W 43; S 20.50 ash
36 S 8 W 61. Beech 20 S 39 E 56; S 3.50 Beech
28 N 76 E — Sugar 15 S 26 W 23; S 14.50
Beech 18 S 84 E — Beech 22 S 68 W 20; W
19.50 Sugar 5 N 17 W — Elm 11 S 52 E 398;
N 14.50 Beech 20 S 84 E 4. Sugar 10 S 8 W 33;
N 11.25 Sugar 5 S 46 E 43. Sugar 8 of 68 E 59;
N 14.36 to beg = 78 70/100 a. From 1st
stake S 14.60 Beech 4 S 44 W 49. Sugar 8
S 79 W 15; S 5.90 Cherry 5 S 10 E 29. Blue Ash
33 S 76 W 34; E 3.50 to 3rd stake.
March 31 1833 D M

Beg 1/2 M. P. stone N side Sec 8;
S 40.11 stone Sugar 5 N 17 W 10. Elm 11 S 52 E 39;
W 19.54 " " 18 S 43 E 46. Beech 20 W 47;
N 40.15 " Beech 4 S 76 E 11. " 30 N 27 W 27;
E 19.59 to beg = 78 53/100 a Oct 27/46 D M

See Plat Book for N E 1/4
Craig & Hauck

Sec 9 Tp 10 R 8

Beg 1/2 M. P. N side Sec 9;
S 40.28 Hickory 20 S50 W – Lynn 17 N67 E 8;
W 20.02 Beech 18 S8 W 21, Beech 16 N60 E 25;
N 40.22 " 22 N55 E 24, B Ash 16 S58 W 33;
E 19.87 to beg = 80 50/100 A, Mar 2 81 D M

Beg 1/2 M. P. S side Sec 9;
N 40.28 Beech 4 N3 W 21, Beech – S3 W 29;
W 40.04 to 1/2 M. P.; S 40.44.
Mar 2 81 D M

Beg 1/2 M. P. N side Sec 9;
E 20.13 Beech 5 N6 W 20, Beech 20 S42 E 11;
S 40.17 Hickory 10 S46 W 17, " 5 N2 E 82;
W 20.13 Beech 4 N3 W 21, " 8 S31 W 29;
N 40.28 to beg = 80 77/100 A Mar 22/83 D M

Beg 1/2 M. P. S side Sec 9;
N 160 p 14 L B Oak 36 N 42 E 134;
W 80 p 9 L stone S 22 1/2 L. N 14 1/2 L;
S 161 p 3 1/2 L stone N 17 1/2 L. S 23 L;
E 80 p 3 L to beg. Feb 7/76 D.B.A –

Sec 10 Tp 10 R 8

See Flat Book for W 1/2 N W 1/4
A Stark Hrs

See Sec 11 for Pt N E and pt S E 1/4
Beg at 1/2 M P N side Sec 10:
E 19.83 Beech 12 N 38 W 14, Beech 9 S 9 E 9:
S 40.25 stone Sugar 10 N 6 W 7, Sugar 20 S 46 W 9:
W 19.72 Peach 2 S 50 W 26. Peach 4 N 15 E 16:
N 40.18 to beg = 79 50/100 a Nov 27/38 D M

Beg at 1/2 M. P. S side Sec 10:
N 20.09 Beech 28 S 55 W 59:
N 20.09 Peach 2 S 50 W 26, Peach 4 N 15 E 16:
E 19.72 Sugar 10 N 6 W 7, Sugar 20 S 46 W 9:
S 40.25 Beech 14 S 28 W 19, Beech 18 N 37 E 23:
W 19.85 to beg = 79 56/100 a Nov 27/38 D. M.

Beg at 1/2 M. P. S side Sec 10:
W 19.95 stone Beech 14 N 58 E 48, Sugar 12 N 6 W 31:
N 20.09 " Poplar 36 N 9 E 35, Beech 18 N 16 E 213:
E 19.88 " Beech 28 S 55 29: S 20.09 to beg
= 40 a Jany 22 1842 D. M.

Beg at 1/2 M. P. N side Sec 10:
S 20.09 Sugar 15 N 70 E 16. Beech 18 N 5 E 11:
W 19.87 Beech 8 N 82 E 32, " 6 S 33 E 26:
N 20.13 stone " 33 S 60 E 75: E 19.95 to beg.
= 40 4/10 a Sept 4 1849 D. M.

10 – 10 – 8

Ah S E 1/4

Beg ah S. E. cor Stone Sec 10: W 19.83 stone: N 20.09 stone; E 10.14 stone: S 1.75 stone; E 2.37 stone: N 2.37 1/2 stone: E 7.25: S 20.14 to beg = 39 39/100 a Och 3-57 DWC

S E of S E Error

Beg ah S. E. cor of Sec 10: N – V 4° 43' – 80.45 ~~5~~ 1/2 M. P. set stone ah 1/2 way on line. From thence W (V 6° 26' – 7.20. W 12.64 1/4 stone: N – V 4° 21' – 20.20 stone; E – V 6° 15' – 10.79: E 8.97 to 1/2 M. P. on E line

Feb 4 1869 S. L. A –

Sec 11 Tp 10 R 8 — 11 — 10 — 8

E½ of W½

Beg at ½ M.P. N side Sec 11;
S 39.94 Beech 4 S 83 E 16, Beech 18 N 46 W
W 19.95 " 18 S 43 W 25. " 15 N 83 E 17;
N 39.90 Ash 30 N 62 E 57. Ash 15 S 78 W 43;
E 19.79 to beg = 79 30/100 a Nov 28/38 D.M.C.

W½ of NW¼ & E½ of NE¼ 10

Beg at N. W. cor of Sec 11;
E 19.79 Ash 30 N 62 E 57, Ash 15 S 78 W 43;
S 39.90, Beech 18 S 43 W 25, Beech 15 N 83 E 17;
W 19.95 to ½ M.P; W 19.72 stone Sugar
10 N 60 W 7; Sugar 20 S 46 W 9; N 40.25
Beech 12 N 38 W 14, Beech 9 S 9 E 9;
E 19.82 to beg = 158 84/100 a Nov 28/38 D.M.C.

W½ of NW¼ & E½ of SE¼ 10

Beg at S. E. cor of Sec 10;
W 19.85 stone Beech 14 S 78 W 19, Beech 18 N 37 E 25;
N 40.25 " Sugar 10 N 60 W 7, Sugar 20 S 46 W 9;
E 19.72 to ½ M.P; E 19.85 Beech 18
S 43 W 25 Beech 15 N 83 E 17; S 40.25
Ash 32 S 47 W 51, Paplar 50 S 22 E 84;
W 20.02 to beg = 160 7/100 a Nov 28/38 D.M.C.

W½ of SW¼ & W½ of SE¼ 10

Beg at S. W. cor of Sec 11;
N 20.14; W 7.25 stone; S 1.75 stone; W 2.37
stone; N 1.75 stone; W 10.14 stone; N 20.09
E 19.52 to ½ M.P; E 19.90 stone Beech 18
W 25, Beech 15 N 83 E 17; S 40.15; W 19.95
= 120 26/100 a. Oct 3 1857 D.M.C.

See Plat Book for Tp & E½
J Braden Atty

at N.W. Cor 11-10-8 East 59.37 to
Stone Set stake at 19.79.
outh 40.26 to Stone Nesh 20.05
ch 14-0 8.17 to center Turnpike
45° E 5.26 North 25.24
41° + 30' E 12.17½ South 51° + 45'
0.34 to ½ M.P. = 97 78/10 Acres
Ed M.P.
April 7th 1904 D.M.C.

Sec 12 Tp 10 R 8

E½ NE¼

Beg at ½ M. P. E side Sec 12:
W 21.17 Beech 16 S69 W23, Beech 7 N1 E30:
N 40.54 " 15 N39 E100, " 20 N12 W47:
E 21.41 to Sec cor. Aug 5/35 D M

W½ NE¼

Beg at ½ M. P. N side Sec 12:
E 21.41 Beech 15 N39 E10, Beech 20 N12 W47
S 40.54 " 16 S69 W23, " 7 N1 E30:
W 21.17 " 10 S3 W31, " 22 N5 E24:
N 20.26 Elm 17 S30 E8, " 14 N. E. 13:
N 20.26 to beg = 86 75/100 a. Aug 5/35 - D M

Pt W½ NE¼

Beg 12.88 S of N. E. Cor. W½ NE¼:
Beech 18 S32 W28, Beech 24 N83 W7:
S 3.33 Beech 15 S13 W16, Beech 18 N60 W18:
W .75 " 26 N59 E19, " 20 S40 W25:
N 3.33 " 18 S33 W25, " 14 N56 E34:
E .75 to beg = 25/100 a. Aug 5 1835 D. M.

W½ SE¼

Beg ½ M. P. S Side Sec 12:
N 40.52 Beech 10 S3 W31, Beech 22 N5 E24:
E 21.17 " 16 S69 W23, " 7 N1 E30:
S 40.44 " 34 N12 E48, " 11 S79 E11:
W 21.04 to beg - 85 48/100 a Aug 5 1835 D M

See Plat Book for S W¼ & pt W½ S E¼. J Woodwards N

12 - 10 - 8

Beg at ½ M. P. S side Sec:
N 19.51 Poplar 27 N87 E55: E 21.04
Beech 11 N3 W18, Beech 15 S43 W30:
S 19.51 Beech 34 N12 E48, Beech 11 S79 E11:
W 21.04 to beg = 20 40/100 a Jan 19-42 - D M

Beg at S. E. cor. Sec. 12: W 20.51 stone
N 40.69 stone Beech 7 N1 E30: E 21.32
to ½ M. P.: S 40.49 to beg = 85 90/100 a
Feb 17 1860 D M

Beg at Center of Sec:
E 21.27 old stone cor: S 28.30 stone W. Beech
4 S41 W7, Ash 12 N30 W15½: S 2.70
chs. stone cor: S 9.60 chs old ¼ stone:
W 21.06 chs stone at ½ M. P: N 9.51
chs to cor. of 20 acres off South
End: N 2.82 chs stone: N 28.30
chs to beg. N end = 60 a. middle
track = 5 96/100 a. Mar 4/74 S. L. A -
See Sec 13 for pt S E¼

Beg at SE cor NE¼ NW¼: N 20.26
chs: W 21.26 chs to stone; S 20.26
chs to stone: E 21.29 chs to beg.
Oct 17, 1891 - H. C. P.

Beg at Center 12-10-8 W: 21.70
North 20.18 Chs East 21.709 Ch
South 20.355 Chs. To beg = 44 a
April 6th 1906 J.W.C.

Sec 13 Tp 10 R 8

Beg at 1/2 M. P. E Side Sec 13:
W 20.72 Elm 6 W 6, Elm 5 S 81 E 26:
N 39.97 Beech 34 N 12 E 45, Beech 11 S 79 E 31:
E 21.04 to Sec. cor: S 40.34 to beg
= 83 88/100 a Nov 27 1834 D.M.C.

Beg at 1/2 M. P. N side Sec 13:
E 21.04 Beech 34 N 12 E 48, Beech 11 S 79 E 11:
S 39.97 Elm 6 W 6, Elm 5 S 81 E 26:
W 41.45 Beech 15 S 30 W 13, Ash 22 N 37 W 49:
N 40.60 Ash 30 N 23 W 14, Beech 18 S 52 E 26:
E 20.72 to beg = 167 52/100 a. Nov 27-34 - D.M.C.

See Plat Book for N W 1/4. Brader Hrs

Beg at 1/2 M. P. S side Sec 13:
N-V 3°53' - 20.26 3/4 stone Sugar 18 S 47 3/4 E 58 1/2.
+ Sugar 15 N 89 1/4 E 56 1/4, N 20.26 3/4 (old Center
stone): E-V 7°17' - 20.68 stone: Elm 20 N
72 3/4 W 2: E 20.68 1/2 M. P. E side:
S-V 4°14' - 20.23 stone, W Oak 48 N
8 W 48 l: S 20.23 Sec. cor. Also beg
at 1/4 Stone on S side said 1/4 Sec:
N-V 4°23' - 40.49. set stone at 1/2 way
20.24 1/2 Sugar 12 N 72 1/2 W 48 + Beech - S
37 E 63. Sept 27 1867 S.L.A.

See Sec 13.

13 – 10 – 8

W½ NE & pt S.E. ¼-12

Beg at ½ M.P. N side Sec: S 39.55 Chains: E 20.70 Chains: N 52.08 Chs: W 21.08 Chs: S 12.1[illegible] chs to beg – Exceph a burying ground beg 25 L. S and 4.40 chs Eash of said ½ M.P. at stone; thence S 70 L: E 75 l: N 70 l: W 75 l to beg.
Nov 2 1877 J. W. C

E½ NW¼

Beg at ½ M.P. N side Sec 13 S 9.88 Chs set stone: S 29.66 Chs to old Center stone: W 20.75 Chs to Stone: N 30.05 Chs set stone N 10.02 Chs to stone: E to beg.
Nov 2 1877 J. W. C

Ch SE of SE

Beg at N.E. cor of SE of SE sec S 79 ft 8 in. stake: W 50 ft stake S 160 ft stake S. W 96 ft 4 in stake N parallel with Range line [illegible] ft. E 140 ft to beg. Sept 9 1881 J. C. P

13 – 10 – 8

Beg at stake 80 p 17 L N. from S.E. cor. Sec 13: N 29 p 8 L. to a stake: W 8 p 12 L: thence S 29 p 12 L: E 8 p 12 L to beg.
Sept 9 1881 J. C. P.

Beg at NE cor of NW¼ SW¼ of sec: N 19.96 chs: W 50 l set stone: Stone west 25 links: S 19.96 chs: E 50 links to beg = 1 a.
Oct 10 1891 H. C. D.

Beg at stone 5 rods west of NE cor NW¼ SW¼: S ¼ W 96 rods, set stone Elm & S 32 W 47: E 5 rods to stone. Oak 30 S 12¾ W 55 l: N 96 rods: W 3 rods to beg. 21 2/5 ac.
Oct 10 – 1891 H. C. D.

Aug 29 1904

[illegible] at ½ M.P. S side 13-10-8 North Hamilton 40.61 to [illegible] sec. (found center by measuring [illegible] the SE cor of W½ of NE¼ W 41.40 [illegible] cor E½ NW¼ on line at 20.70 [illegible] stone also set corners Beg at S line [illegible] off N end of W½ NE¼ Beg at stone [illegible] cor 12 a S 10.496 E 20.96 N 10.496 [illegible] 22.9[illegible]

Sec 14 Tp 10 R 8

Beg 20.32 S of 1/2 M.P. N side sec:
Beech 24 N 48 E 15. Sugar 18 S 29 W 13:
E 20.10 Sugar 14 N 63 E 19, Sugar 4 S 67 W 23:
S 20.40 " 11 S 72 W 65, " 4 N 70 W 45:
W 20.10 Beech 20 N 10 W 38. " 24 N 77 E 17:
N 20.32 to beg = 41 $\frac{22}{100}$ a Sept 29/36 D.M.

Beg 1/2 M.P. N side Sec 14:
E 20.10 Beech 18 S 32 W 7, Beech 18 N 34 E 20:
S 20.40. Sugar 14 N 63 E 19, Sugar 14 S 67 W 23:
W 20.10 Beech 24 N 48 E 15. " 18 S 29 W 13:
S 20.32 " 20 N 10 W 38. Beech 24 S 77 E 17:
W 20.03 " 9 S 38 E 17. Sugar 16 N 57 W 20:
N 40.37 ash 32 S 47 W 51. Poplar 50 S 22 E 84:
E 20.02 to beg = 122 $\frac{2}{100}$ a. Sept 29/36 D.M.

Beg at 1/2 M.P. S side Sec 14:
N 20.32 stone Beech 14 S 11 E 14, Beech 11 N 2 W 33:
E 40.30 " Sugar 8 S 42 W 12. Sugar 9 N 60 E 28:
S 20.06 Sec. cor.: W 40.16 to beg
= 81 $\frac{22}{100}$ a. Sept 29 1836 D.M.

Beg at 1/2 M.P. S side Sec 14:
W 20.15 Beech 18 N 29 E 33. Dogwood 6 N 20 W 39:
N 40.68 " 9 S 38 E 17. Sugar 16 N 57 W 20:
E 20.03 " 20 N 10 W 38. Beech 24 S 77 E 17:
S 40.64 to beg = 81 $\frac{68}{100}$ a Sept 29/36
D.M.

Beg at center 4-10-8
North 7.00 to center Clifty
S41°W 4.83
S4°W 10.18
East 76
N 17 E 0.56
N 62 E 4.10
North 4.20 to beg

3.95
.55
19.75
5
21.25

19.79
3
59.37

3.02 2.62
.60 .52
2 2
3.64 3.16

9.98 0.70
.10 1
10.08 0.71
1
10.09 0.71

3.53 1.88
.09 .05
3.62 1.93

19.79
19.95
5

39.90

39.5

to pay ... sa
for not less than
appraised value thereof, fo
of the purchase money cash in hand on day of sal
and the residue thereof in months

from date of sale, taking the purchaser's note for the deferred payments, with approved security, and bearing inter
est from the day of sale at the rate of six per cent. per annum, waiving valuation and appraisement laws of th
State of Indiana, or the purchaser may pay all cash on day of sale at his option, and that he give
weeks' notice of the time, place and terms of such sale by publication in some weekly newspape
of general circulation, printed and published in said County of Decatur and State of Indiana, and by posting u
notices thereof in at least five public places in said County, three of which shall be in the township where such Re
Estate is situated and that he ...



14 — 10 — 8

W 1/2 S W 1/4

Beg ah 1/2 M. P. W side sec.
E 20.03 stone Beech 9 S 38 E 17.
Sugar 16 N 57 W 20: S 40.68 Beech
18 N 29 E 33. Dogwood 6 N 30
W 39: W 20.15 to Sec Cor.
Sept 29 1836 D. M.

Lines of S W 1/4

Beg ah Stone ah S W Cor:
E 6° N 20.05 chs seh stone, Stone
N 42 1/2 E 34 L. stone W 71 1/2 N 24 L
January 28 1882 J. C. P

Beg ah stone S.W. Cor. Sec 14;
N 4° E - 20.28 chs seh stone,
Jany 28 1882 J. C. P

Sec 15 Tp 10 R 8

W½ S E¼ + N W¼
N E of S E

Beg at ½ M.P. N side sec 15;
S 40.23 Buch 18 S 60 E 19. Buch 11 N 48 W 36;
W 39.88 to ½ M.P. Aug 7/35 S M.

Beg. at ½ M.P. S side sec. 15;
N 40.08 Buch 18 S 60 E 19. Buch 15 S 48 W
E to ½ M.P.; S 20.06 " 12 S 57 E 4
Buch 18 S 67 W 58; W 19.88. Sugar 18 N 47 W
S 20.00; W to beg. May 13/43 S.L.H

See Plat Book for N E of S W ¼
H Sefton Heirs –
See Plat Book for N E of S E &
W ½ S E ¼. S Beggs Heirs –

Sec 16 Tp 10 R 8

See Plat Book for N W of N W
Johnson Heirs –

S 1/2 S E ¼ N E of S W

Beg at S. E. Cor. of Sec 16;
N 20.12 Beech 28 N 22 W 60, Beech 15 S 64 W 58;
W 40.32 Ash 21 N 66 E 14, Ash 25 S 87 W 17;
S 20.16 to 1/2 M. P. From 2 station
N 20.16 Beech 12 S 27 E 16. Ash 18 N 32 W 24;
W 20.05 Hickory 17 S 45 W 21, Beech 4 N 24 W 15;
Aug 6 1835 D. M.

E 1/2 N W 1/4

Beg 1/2 M. P. N side Sec 16;
S 40.32 Beech 12 S 27 E 16, Ash 18 N 32 W 24;
W 20.05 Hickory 17 S 45 W 21, Beech 4 N 24 W 15;
N 40.50 Elm 6 S 60 E 47, B Oak 24 N 86 W 94;
E 20.07 to beg = 81 6/100 A Aug 6/35 D. M.

N 1/2 N E 1/4

Beg at N. E. Cor of Sec;
S 20.12 stone Beech 10 N 52 W 59, Beech 30 S 54 W 75;
W 40.32 " 36 S 26 " 3 N 40 E 22;
N 20.16 to 1/2 M. P. Aug 26/36 D. M.

N 1/2 N E 1/4

Beg 1/2 M. P. E side Sec 16;
S 20.12 Beech 28 N 22 W 60, Beech 15 S 64 W 68;
W 40.32 Ash 21 N 66 E 14, Ash 25 S 87 W 17;
N 20.16 stone Beech 16 N 86 W 48, Beech 10 S 86 E 45;
E 40.46 to beg – Aug 25/36 D. M.

16 – 10 – 8

Beg at 1/2 M. P. stone E side Sec 16;
W 40.46 stone Beech 16 N 48 W 48, Beech 10 S 86 E 45;
N 20.16 " 36 S 36 " 3 N 40 E 22;
E 40.32 " " 10 N 52 W 29 " 30 S 54 W 75;
S 20.12 to beg = 81 34/100 A Aug 25 1836 D. M.

Beg at N. W. 1/4 Sec 16;
E 20.07 Elm 6 S 60 E 47, B Oak 24 N 84 W 94;
S 20.14 Beech 12 N 76 W 23. Beech 12 S 13 E 29;
W 19.91 W Oak 14 N 15 W 36, S Ash 16 N 76 E 44;
N 20.11 to beg = 40 21/100 A. Jan 22 1842 D. M.

Beg at 1/2 M. P. W side Sec
N 20.11 W Oak 14 N 15 W 36, Sm Ash 16 N 76 E 44;
E 19.91 Beech 12 N 76 W 23, Beech 12 S 13 E 29;
S 40.24 " 16 S 23 E 18, " 12 N 21 E 32;
W 19.88 " 13 N 85 E 19, Sugar 16 W 25;
N 20.08 to beg = 80 A. Jan 22-42 D. M.

Beg at Staki 20.16 N of 1/2 M. P. S. side Sec;
Ash 21 N 66 E 14, Ash 25 S 87 E 17;
W 19.88 Beech 16 S 23 E 18, Beech 12 N 21 E 32;
N 20.10 Hickory 17 S 45 W 21, " 4 N 24 W 14;
E 20.05 Beech 12 S 27 E 16, Ash 18 N 32 W 24;
S 20.16 to beg = 40 20/100 A Jan 22/42 D. M.

16 — 10 — 8

N 1/2 N E & N 1/2 of S 1/2 N E

Beg at 1/2 M. P. N side sec 16;
E 40.10 to sec cor; S 30.17 stone;
W 40.21 stone, Beech 15 S 71 W 102;
N 30.06 to beg = 120 92/100 a. Sept 9/53 D. M.

N 1/2 S E & S 1/2 N E

Beg at 1/2 M. P. Stone E side sec;
S 20.12 Beech 28 N 22 W 60, Beech 15 S 64 W 68
W 40.32 Ash 21 N 66 E 14. Ash 25 S 87 W 17;
N 30.06 Beech 15 S 71 W 102; E 40.21 stone;
S 10.02 to beg = 121 4/100 a. Sept 9/53 D. M.

Beg at center section 16-10-8
South 0.68 chs stone & stone
East 28 South 9.318 chs
Stone Stone East 24 1/2
South 20.11 1/2 chs old stone

Sec 17 Tp 10 R 8

E½ of E¼

Beg at ½ M.P. E side Sec 17;
W 19.62 Beech 12 S 2 W 31. Beech 11 N 19 W 15;
N 40.09 " 4 N 74 E 52; E 19.49 to Sec.
Cor: S 40.11 to beg = 78 82/100 a Jan. 21/42 D.M.

W½ NE & N.W. of S.E.

Beg at ½ M.P. N side Sec 17;
E 19.49 Beech 4 N 74 E 52; S 40.09 Beech
12 S 2 W 31, Beech 11 N 19 W 15; S 20.08 "
14 S 16 W 7. " 12 N 4 E 13; W 19.93 Elm
21 N 70 W 4. " 12 S 6 E 24; N 20.08 (Center)
Beech 14 N 83 E 47, Beech 12 N 86 W 9;
Jany 21 1842 D.M.

N E of S E

Beg at ½ M.P. E side Sec 17;
S 20.08 Beech 13 N 85 E 19, Sugar 16 W 25;
W 19.73 " 14 S 16 W 7. Beech 12 N 46 E 13;
N 20.08 " 12 S 2 W 31 " 11 N 19 W 15;
E 19.62 to beg = 39 57/100 a Jan 21-42 D.M.

S E of N.E.

Beg ½ M.P. E side Sec 17;
W 19.62 Beech 12 S 2 W 31, Beech 11 N 19 W 15;
N 20.00 Ash - S 25, Beech 15 N 50 E 20;
E 19.62 W Oak 14 N 15 W 36. S Ash 16 N 76 E 44;
S 20.11 to beg = 39 35/100 a. Apr 9-52 D.M.

See Plat Book for S½ S E¼ - Garton H
" " " " W½ & ph E½ S.W¼
Fix Heirs -

Sec 18 Tp 10 R 8

Ch N W 1/4

Beg at 1/2 M. P. N side Sec 18:
S 23.40 Beech 28 N 80 E 2. Beech 12 N 80 W 25:
W 34.12 Hickory 24 N 60 E 20. Ash 40 N 67 W 21:
N 23.40 to Sec. Cor: E 34.25 to beg = 80 a
Jany 28 1838 D. M.

Ch N W 1/4

Beg 1/2 M. P. W side Sec 18:
N 16.81 Hickory 24 N 60 E 20. Ash 40 N 67 W 21:
E 34.12 Beech 28 N 80 E 2. Beech 12 N 80 W 25:
S 16.75 stone Elm 18 S 16 W 21. " 16 N 65 E 17:
W 34.25 to beg = 57 25/100 a. June 28/38. D. M.

Ch W 1/2 S W 1/4

Beg 1/2 M. P. W side Sec 18:
E 16.62 stone Beech 16 S 2 W — Beech 9 N 18 W —:
S 22.07 " W Oak 30 S 29 E — Sugar 12 N 44 W 17:
S 63 1/4° W 19.12 Sugar 5 S 53 E 16, Sugar
9 N 57 W 29: N 30.60 to beg = 45 7/100 a
June 28 1838 D. M.

Ch W 1/2 S W

Beg at S. W. Cor of Sec 18:
N 9.61 Sugar 5 S 53 E 16, Sugar 9 N 57 W 29:
N 63 1/4° E 19.12 stone. W Oak 30 S 29 E 13:
Sugar 12 N 44 W 17: S 18.05 stone. Cherry
5 N 21 E 36, Beech 21 N 21 W 56: W 17.12
to beg = 23 69/100 a June 28/38 D. M.

18 — 10 — 8

Beg 1/2 M. P. S side Sec 18:
W 17.12 stone Cherry 5 N 21 E 36.
Beech 21 N 21 W 56: N 40.12 stone Beech
16 S 2 W — Beech 9 N 18 W — E 37.17 stone
Sugar 18 S 54 W 25, Beech 20 S 18 E 29: S 40.07
stone Sugar 22 N 52 E 30. Sugar 14 S 4 E 80:
W 20.03 to beg = 149 a Jan 29/35 D. M.

Beg at S. E. Cor of Sec 18:
W 20.03 stone Sugar 22 N 52 E 30, Sugar 14 S 4
E 80: N 40.07 stone " 18 S 54 W 25. Beech 20 S 78 E 29:
E 20.05 to 1/2 M. P. June 29 1838 D. M.

Beg at 1/2 M. P. E side Sec 18:
W 40.10 stone Elm 18 S 16 W 21, Beech 16 N 65 E 17:
N 15.00 Sugar 15 N 22 W 30, Sugar 11 S 75 E 21:
E 6.29 Hickory 16 S 32 E 10: Maple 10 N 63 W —:
N 30° E 2.75 W Oak 25 N 28 W 2, Beech 11 S 46 E 18 "
E 32.80 Beech 30 W 25, Sugar 15 S 68 E 13:
S 17.50 to beg = 68 49/100 a. June 29/38 D. M.

See Plat Book for E 1/2 S E 1/4
Fix. Estate — Nov 20 1872 S. L. A —

18 — 10 — 8

Cor. S.W. Cor.

Beg at S.W. Cor: N (S 4°57') W M 9.66 Chs old stone Cor: N 61° E M M to old stone Cor. on N Bank Chifly, sugar stump 12 N 44 W 17: S to Sec line, found als bearing Cherry 5 N 21 E 36. Nov 6 1874. S.L.A.

Cor S E 1/4

Beg at S.E. Cor of Sec: W 10.554 Chs stake: W 9.996 Chs 1/4 stone: N 40.70 Chs 1/4 stake: E 9.996 Chs stake Beech 24 S 85 W 16: E 10.554 Chs to 1/2 M.P.: S 40.24 Chs to beg = 80 64/100 acres: 40 26/100 acres in W side including grave yard Nov 6 1874 S.L.A.

Sec 19 Tp 10 R 8

E½ S W¼

Beg at ½ M. P. S side Sec 19;
W 17.09 Beech 9 N 75 E 45. Gum 4 S 85 W 18;
N 40.25 stone " 18 N 18 E 10. Beech 20 S 49 W 12;
E 17.10 Ash 20 S 32 E 46. " — N 62 W 48;
S 40.23 to beg = 68 $\frac{79}{100}$ a June 20 1838 D. M.

W½ S W¼

Beg at S. W. Cor of Sec 19;
N 40.29 to ½ M. P; E 17.10 stone Beech
18 N 18 E 10 Beech 20 S 49 W 12; S 40.25
Beech 9 N 75 E 45. Gum 4 S 85 W 18;
W 17.09 to beg = 68 $\frac{86}{100}$ a June 30/38 D M

Pt W½ N W¼

Beg 10.43 W of N E Cor. W½ N W¼;
S 37½ W 1.39 stone; W 2.07 stone;
N 2.10 stone; E 2.92 to beg = $\frac{27}{100}$ a.
Oct 17 1849 D M

W½ S E¼

Beg ½ M. P. S side Sec 19;
N 40.23 stone, Ash 21 S 32 E — Beech — N 62 W 48
E 20.12 " Beech 18 S 44½ — 34. Elm 5 S 61 W 14;
S 40.25 "; W 20.07 to beg = 80 $\frac{86}{100}$ a
Aug 27 1851 D M

E½ S E¼

Beg at S. E. Cor. Sec 19;
W 20.07 stone; N 40.25 stone Beech 18
S 44½ E 34, Elm 5 S 61 W 14; E 20.12
to ½ M. P. Stone, Aug 27/51 D M

See Plat Book for W½ S W¼
W Fin Ent —

19 — 10 — 8.

Beg at S W Cor of Sec 19:
E — v 4¾° E 17.18 stone; N v 5° E 40.40
stone; W 17.20 to ½ M. P.; S 40.32 to
beg = 69 $\frac{35}{}$ a Dec 14 1861 O. T.

Sec 20 Tp 10 R 8

See Plat Book for S E qr
A Murphy Heirs -
Beg at 1/2 M.P. Stone N side Sec
Error See Sec 21

Sec 21 Tp 10 R 8

See Plat Book N W 1/4 Kennedy Hrs-
" " " for N E of S W Lowry Hrs-

N E of N E

Beg at N E cor of Sec 21;
S 20.11 Hickory 19 S 66 W 14 Hickory 17
N 76 E 41; W 20.17 Poplar 50 S 83 W 46,
Beech 13 S 31 E 32; N 20.08; E 20.12
to beg = 40 48/100 a Feb 9/65 D M

W 1/2 N E

Beg 1/2 M. P. W side Sec 21;
E 20.12 1/2; S 40.16 Beech 10 N 28 W 20,
Sw Ash 12 S 19 E 20; W 20.11 stone;
N 40.42 to beg = 81 42/100 a Feb 9/48 D M

N E of S E

Beg 1/2 M. P. E side Sec 21;
S 20.08 Poplar 72 S 75 E 42; W 20.24 Sw Ash
14 N 43 E 28, Elm 5 — 64 W 19; N 20 — Beech
10 N 28 W 20. Sw Ash 12 S 19 E 20; E 20.20
to beg = 40 52/100 a Feb 9 1848 D. M.

W 1/2 S E

Beg at 1/2 M. P. S side Sec;
N 40.43 stone; E 20.20 Beech 10 N 28
E 20, Sw Ash 12 S 19 E 20; S 40.00 Sw
Green 20 N 79 E 58; Beech 14 S 65 W 36;
W 20.28 to beg = 81 38/100 a
Feb 9 1848 D M

Sec 22 Tp 10 R 8

N W of S E + N E of S W

Beg 19.81 W of 1/2 M. P. E side, Sec:
W 39.81 Beech 5 S 55 E 20, Beech 18 N 55 W 13:
S 20.00 " 5 S 40 E 14 " 10 S 40 W 8:
E 39.81 " 10 S 58 W 10: N 20.27 to beg
= 79 83/100 a. May 13 1843 D.M.

N W of N W

Beg at N W Cor of Sec 21:
E 19.98 stone Sugar 14 S 32 E 45, Beech 14
N 3 W 49: S 20.20 stone Beech 10 N 86
E 11, Beech 10 N 80 W 25: W 20.02 Hickory
19 S 66 W 14, Hickory 17 N 76 E 41: N
20.11 to beg = 40 3/100 a Feb 10 1848 D.M.

Beg 1/2 M. P. W side Sec 22:
N 20.11 Hickory 19 S 66 W — Hickory 17 N 76 E 41:
E 20.02 Beech 10 N 86 E — Beech 10 N 80 W 25:
S 20.20 Hickory 10 N 58 E 79: W 20.07 to beg
= 40 4/10 a Feb 10 1848 D.M.

See Plat Book for N E of S E + W 1/2 S E 1/4
of 15 + N W of S E + N E of S W 22
S Biggs Heirs

Set Cor To 21-22-27-28 by
Measurement.
Beg at Cor 15-16-21-22 South
20.85 To 1/2 M.P. between 27 + 28
Set Cor at 80.58 South
Beg at S W Cor of E 1/2 of S E 1/4 21
West 60.41 To 1/2 M.P. between 22
27 Set sec. Cor at 20.35 also
Set 1/8 Cor at 40.37. J.W.C
April 17th 1899

Sec 23 Tp 10 R 8

E½ N E & N W of N. E.

Beg at ½ M. P. E Side Sec 23:
W 20.06 Beech 16 S76 E16. Beech 8 S58 W22:
N 19.99 B Oak 36 N50 E12. Hickory 18 S58 W25:
W 20.07 Beech 16. W 11. Beech 24 S83 E21:
N 20.02 to ½ M. P.: E 40.16 to Sec. Cor.
Sept 30 1836 D. M.

E½ N W

Beg at ½ M. P. N side Sec 23:
S 40.04 Beech 22 N72 E24. Beech 22 N57 W8:
W 19.95 " 16 N43 W11. " 20 N73 E24:
N 40.20 " 18 N29 E33. Dogwood 6 N30 W39:
E 20.15 to beg = 80 44/100 A Sept 30. 36. D. M.

W½ N. W.

Beg at N. W. Cor. Sec 23:
E 20.15 Beech 18 N29 E33. Dogwood 6 N30 W39:
S 40.20 " 16 N43 W11. Beech 20 N73 E24:
W 19.95 to ½ M. P. Sept 30 1836 D. M.

N E of S W & N W of S E

Beg at stone 20.01 E of ½ M. P. W side:
Beech 6 N87 W54: E 40.00 Beech 6 S76
E16. " 8 S58 W22: S 19.90 " 14 N44 W26
" 10 S8 E35: W 40.00 stone Sugar 12
S20 E12. Beech 14 S70 W67: N 20.12 to
beg = 80 6/100. Jan 18 1851 D. M.

23 — 10 — 8

Beg ½ M. P. S side Sec 23:
W 20.02 stone Poplar 50 N82 E95. Beech 18
N55 W56: N 20.12 stone Sugar 12 S20
E10. Beech 14 S70 W67: E 40 — Beech
14 N44 W26. Beech 10 S8 E35: S 19.90
Beech 22 S40 E54: W 20.01. to beg
= 80 11/100 A. Jan 18 1851 D. M.

Beg at ½ M. P. E side Sec 23:
W — V 7° — 10 34 stone. Beech 12 S89¼ W48:
S to Sec line, stone " 12 S65 W65:
E 1024 — V 5¼ — to Sec Cor. Nov 1864 O. T.

Sec 24 Tp 10 R 8

See Plat Book for pt N E of S E 1/4
J Braden Heirs -

Beg at 1/2 M. P. E side Sec 24;
W 20.57 Beech 14 N 70 E 40. Hickory 19 S 38 W 36;
N 20.10 W Oak 18 N 71 E 33. Beech 16 S 54 W 5;
N 20.10 Beech 16 S 82 E 41 " 14 S 57 W 29;
E 20.75 to Sec cor; S 20.22 Beech 24 N 22 W 8;
Elm 6 S 4 W 21; S 20.22 to beg = 82 58/100 a
May 27 1835 DM

Beg. at 1/2 M. P. W side Sec 24;
E 20.56 Beech 24 N 42 W 31, Beech 15 S 10 W 2;
S 40.05 Hickory 18 N 77 W 49, Hickory 17 N 54 E 25;
W 20.42 to Sec cor. July 18 1837 DM

Beg at S. E. Cor Sec 24;
W 20.54 S Ash 14 N 60 E 125, Beech 18 N 15 E 144;
N 40.88 Beech 14 N 70 E 44, Hickory 19 S 38 W 36;
E 20.57 to 1/2 M. P. Dec 13 1838 DM

Beg at 1/2 M. P. S side Sec 24;
N 20.37 Beech 15 S 33 W 26, Beech 24 N 30 E 29;
E 20.58 " 18 S 29 W 12 " 18 N 11;
S 20.44 S Ash 14 N 60 E 125. " 18 N 15 E 144;
W 20.54 to beg = 41 96/100 a Dec 1838
DM

24 — 10 — 8

W ½ N E ¼

Beg at ½ M. P. N side Sec 24;
E 20.75 Beech 16 S 82 E 41, Beech 14 S 57 W 29;
S 40.20 " 14 N 70 E 40, Hickory 19 S 38 W 36;
W 20.55 W Oak 27 N 86 W 22, Ash 30 N 74 E 24;
N 40.04 to beg = 82 $\frac{84}{100}$ A. Dec 1838. D M

Ch N W ¼

Beg at ½ M. P. W side Sec 24;
N 26.50 stone Beech 8 S 38 E 36, Elm 16 N 20 E 30;
E 29.48 " " 21 S 53 E 8 Beech 24 N 74 W 45;
E 11.52 " Poplar 24 N 85 E 29 " 20 N 74 W 24;
S 26.50 " W Oak 27 N 86 W 22, Ash 30 N 74 E 24;
W 11.52 " Beech 12 S 20 W 22 Beech 27 N 20 E 19;
W 29.73 to beg = 111 A Jan 1842 D M

S E of S W

Beg at ½ M. P. S side Sec 24;
W 20.42 stone Hickory 18 N 77 W 49, Hickory 17 N 54 E 25;
N 20.08 " Elm 18 S 71 W 9, Beech 14 S 35 E 29;
E 20.66 " Beech 15 S 33 W 26, " 24 N 30 E 29;
S 20.37 to beg = 41 $\frac{51}{100}$ A Jan 1842 D M

Ch ~~S W~~ S E ¼

Beg at S. W. Cor ¼ of Sec 24;
E 20.48 stone; N – v 4¾° E – 24.42 Beech
8 N 83 W 18, Beech 6 S 80 E 42 m m;
W 20.56; S – v 4¾) 24.42 to beg
= 50 A Mar 1864 O. F.

N line of N E ¼

Beg at N. E Cor Sec 24;
W to ½ M. P. set ¼ stone ½ way
20.68½ stone S 10 L. May 18 1867
S L A

Sec 25 Tp 10 Rg 25 25 – 10 – 8

Ph N E 1/4

Beg 1/2 M. P. N side Sec 25
E 19.90 stone Hickory 24 N 14 E 38. Hickory 30 [illegible]
S 40.20 " Sugar 18 S 76 W 12, Beech 10 [illegible]
W 19.90 " Beech 10 N 26 W 14 " 12 [illegible]
N 20.40 to beg

Ph N E 1/4

Beg ah N. E. cor Sec 25:
S 23.18 Elm 21 S 26 E 15, Maple 24 [illegible]
W 21.35 Ash 30 S 45 E 30 Beech 21 [illegible]
N 22.78 stone Hickory 24 N 14 E 38, [illegible]
30 S 28 W 48: E 21.19 to beg – 54 [illegible]
Mar – 1840 D. M.

Ph N E 1/4

Beg 1/2 M. P. E Side Sec 25
W 21.46 stone Sugar 18 S 76 W 12, Beech 10 [illegible]
N 14.92 Ash 30 S 45 E 30, Beech 21 [illegible]
E 21.35 Elm 21 S 26 E 15, Maple 24 [illegible]
S 14.92 to beg = 32 A Mar 1840 D. M.

N. E. of N. W.

Beg 1/2 M. P. N side Sec 25
S 19.98 stone Beech 11 N 46 W 28, Beech 18 [illegible]
W 20.22 " " 8 N 55 E 22, " 18 S 6 W 34
N 20.13 " Hickory 18 N 77 W 49, Hickory 17 N 54 E 25
E 20.42 to beg = 40 86/100 A. Jan 19 – 42 D. M.

Beg ah N. W. Cor Sec 25:
[illegible] 2 Hickory 18 N 77 W 49, Hickory 17 N 54 E 25:
[illegible] 3 Beech 18 S 6 W 34:
[illegible] Ash – N 63 E 103. Beech 20 N 63 E 5:
[illegible] to beg = 41 40/100 A Oct 13 1842 D. M.

[illegible] ah 1/2 M. P. W side Sec 25:
[illegible] 9 stone Beech 14 S 45 E 12, Beech 15 S 28 W 17:
[illegible] " " 16 N 15 E 14, " 12 S 36 W 10:
[illegible] to Sec cor. Apr 7 1847 D. M. –
[illegible] ah 1/2 M. P. E side Sec 25 or 28
[illegible] 57 Beech 12 S 16 W 58: S 20.25 Beech 2
[illegible] W 10 " 8 S 53 W 24: S 20.25 stone:
[illegible] to beg = Feb 16 – 1860 D. M.

[illegible] g N E cor Sec. 25 – 10 – 8
[illegible] th 40.50 1/2 old Stone
[illegible] st 20.65 " "
[illegible] th 14.83 " "
[illegible] th 40.27 " "
[illegible] st 20.64 to beg = 83.38/100 A
May 15th 1893

25 — 10 — 8.

Pt. NW 1/4

Beg. SW cor. 25-10-8: E 40.00 to 1/2 M.P. S 40.00 to cor stone, set stone at 20.00 also begin at NE cor SE NW 1/4 25-10-8: S 40.00 stone west 36: W 20.56 stake B Walnut 5 N 16 1/2 l and B Walnut 10 N 69 1/2 E 55 1/2: N 40.00 to stone: E 20.56 a.
Mar 1888 J.O.

Sec 26 Tp 10 R 8

See Plat Book for SW 1/4
C Smith Hrs

Beg 1/2 M.P. N Side Sec 26: S 13.33 Poplar 16 N 61 E 28: W 7.50 N 13.33: E 7.50 to beg = 10 a
Aug 14 1850 D.M.

Beg at S.E. Cor Sec 26: W 20.06 Elm 30 W 14 Beech 28 S 2 E 26: N 40.10 Beech 17 S 24 W - 11 20 S 17 E 24: E 19.98 to 1/2 M.P. Apr 9 1852 D.M.

Beg 8.82 E of 1/2 M.P. N Side Sec 26: Beech 14 N 38 E 39: S 19° E 5.70 Beech 10 S 53 W 29: E 1.23 Beech 12 S 43 E 33: N 5° W 5.52: W 2.50 to beg. May 22 1854 D.M.

Beg at S.E. Cor. Sec 26: W - V 6° 5' - 20.10 to old Corner: N 26.87 stone: E to Sec. line: S 26.87 to beg = 54 a. Mar 26-64 O.T.

Sec 27 Tp 10 R 8

Beg at N.E. cor Sec 27:
W 30.15 stone Sugar 20 N 29 E 21, Sugar 6 N 23 W 51:
S 40.07 " B Walnut 10 S 89 E 29:
S 40.38 " Sugar 18 N 69 W 73, Hickory 12 N 61 E 39:
E 10.19 " Beech 14 N 39 W 14, Beech 16 N 58 E 85:
N 20.30 Sugar 12 N 44 W 18, " 14 S 13 E 16:
E 20.32 " 18 N 31 W 170: N 20.32 to beg.
March 18 1858 D.M.

Beg at 1/2 M.P. N side Sec 27:
E 10.15 stone Sugar 20 N 29 E 21, Sugar 6 N 23 W 51:
S 40.07 " B Walnut 10 S 89 E 29:
S 40.38 " Sugar 18 N 69 W 73, Hickory 12 N 61 E 39:
W 10.19 to 1/2 M.P.: N 40.50 stone Cherry 22
N 18 W 83: W 40.53 to 1/2 M.P.
Mar 18 1858 D.M.

Beg at 1/2 M.P. S side Sec 27:
N 40.50 stone Cherry 22 N 8 W 83: W 20.26:
S to Sec line Poplar 50 N 50 W 57,
Elm 28 S 40 W 77: E 20.33 to beg.
Mar 18 1858 D.M.

Beg at N.E. cor Sec: W - v 6° E -
30.26 stone: S - v 5° E - 6.61 stone, Sugar 12
N 28 1/2 E 167 1/2: E - v 6° - 30.32 1/2 stone: N v 5 E -
6.61 to beg = 70 a. Aug 11 1860
O.M.

Sec 27 Tp 10 R 8

Beginning at center of Sec. 27
West 20.15½ Set stone
West 40.31 to ½ M.P.
South 22.21 Set plow point for
corner ash 5 S 45° W 3 links
East 40.74 Set stone
North 22.21 to beg = 90 a.
Oct 21, 1899
J. W. Craig

Sec 28 Tp 10 R 8

Beg at S.E. Cor of Sec 28;
W 20.69 Sugar 5 S51 E 20, Buch 15 S40 W 33;
N 20.10 Bx Elder 6 S77 E 25. Elm 10 S75 W 20;
E 20.62 Buch 16 N65 W 11. Buch 8 S18 E 13;
S 20.10 to beg = 40 70/100. Feb 16 - 42 D.M.

Beg at ½ M.P. S side Sec 28;
N 20.10 Buch 10 N13 W 35. Buch 7 S87 W 20;
E 20.52 Bx Elder 6 S77 E 25. Elm 10 S75 W 20;
S 20.10 Sugar 5 S51 E 20, Buch 15 S40 W 33;
W 20.19 to beg = 41 70/100 Feb 16 - 42 DM

Beg 20.10 S of ½ M.P. N side Sec;
Buch 5 N36 E 43, Buch 17 N47 W 53;
S 20.10 Buch 6 S61 W 42;
S 20.10 " 10 N13 W 35. Buch 7 S87 W 20;
E 20.52 Bx Elder 6 S77 E 25. Elm 10 S75 W 20;
Feb 16 1842 D.M.

Beg at ½ M.P. N side Sec;
S 20.10 Buch 5 N36 E 43; W 10.13 Elm —
N 2 W 30; N 20.10 Elm 27 S70 E 29,
Elm 15 S48 W 47; E 10.08 to beg = 20 31/100 a
Jan 7 1857 DM

28 — 10 — 8

Ch N W 1/4

Beg ah N.W. Cor. of Sec 28; E 30,00 Elm 27 S 70 E 29, Elm 15 S 48 W 47; S 20,10 " 6 N 2 W 30; E 10,13 Beech 5 N 46 E 43; S 20,10 stone; W 40,42 to 1/2 M.P. June 7 1851 D M

Ch S W 1/4

Beg ah old, center stone; S 20 15 Ch old stone; W - N 5° 01' - 17,905 Chs stone Beech 15 N 27 W (about 35 L) & Beech 20 N 49 E about 36 1/2; W 20,345 Chs 1/4 stone on Sec line; N 19,96 Chs 1/2 M.P. sch stone; E 22,495 Chs stone; E 17,905 Chs to beg. all = 80 87/100 a Each end = 36 a. May 6 1872

S. L. A.

Sec 29 Tp 10 R 8

Beg at 1/2 M.P. S side Sec 29;
W 19.80 Beech 8 S 45 E 12 Beech 6 N 54 W 31;
N 59.87 " 14 N 48 W 32;
E 18.60 " 10 S 6 E 61;
S 19.97 B Walnut 60 E 66;
S 39.94 to beg = 117 98/100 A Feb 1.42. D.M.

Beg 19.97 S of 1/2 M.P. N side Sec;
E 19.97 Beech 15 S 54 E 38, Beech 14 N 77 W 19;
S 20.14 Sugar 15 S 8 E 25 Sugar 9 N 2 E 46:
W 19.77 B. Walnut 60 E 66 N. 19.97 to beg.
39 57/100 A. Feb 3 1842 D. M.

Beg. at S.E. cor. of Sec. 29:
W. 19.82 Beech 11 S 60 E 49, Beech 14 S. 51 W 41:
N. 40.11 Sugar 15 S 8 E 25 Sugar 9 N. 2 E 46:
E 19.77 to 1/2 M.P. Feb. 3 1842 D. M.

Beg. at 1/2 M.P. South side Sec. 27.
N. 39.94 B. Walnut 60 E 66:
E. 19.77 Sugar 15 S. 83 E 25 Sugar 8 N 2 E 46:
S. 40.11 Beech 11 S 60 E 49, Beech 14 S 51 W 41:
W. 19.82 to beg. 79 21/100 A Feb 3/42 D. M.

Beg. at N.W. cor: E 19.74 Beech 21 N. 11 W 20:
Beech 14 S 3 E 32: S. 20.04: W 19.85 W. oak 30 S 30 E 97
N. 20.10 to beg. 39 78/100 A Aug 1851 D. M.

See Plat Book for W 1/2 S W 1/4
A Smoothus Esh

N.W. of N.W. 1/2 of S.E. E 1/2 of S.E. S.W. of N.E. E 1/2 S W 1/4 & S E of N W 1/4

29 — 10 — 8

Beg. at 1/2 M.P. N. side Sec. 29
E 19.79 W. Oak 40 S 75 E 5
S 20.14 Beech 15 S 54 E 38 Beech 14 N 77 W 19
W. 39.37 " 14 N 48 W. 32 N. 19.91 Beech 21 N 11 W 20
Beech 14 S 3 E 32. E 19.79 to beg. 79 94/100 A. D. M.

Beg at 1/2 M.P. W side Sec 29;
N 20.10 White oak 30 S 30 E 97:
E 19.85: S 20.04: W 19.91 to beg
= 39 89/100 A Aug 27 1851 D.M.

Sec 30 T 10 R 8

Beg. at 1/2 M.P. N. side Sec. 30:
S. 40.00 Beech 21 N 85 E 9. Beech 16
N. 48 W 23: W. 17.25 Beech 22 S 44 W. 1
Beech 8 N. 80 E 35: Aug 4/38 D.M.

Beg. at the S.W. cor of Sec 30
N. 40.19 to 1/2 M.P. E 25.93 Beech 9
N 65 W 36 Beech 6 S 88 E 20: S 40.00
Beech 12 S 74 E 10 Beech 14 N 88. W 25
Aug. 4 1838 D.M.

Beg. at the 1/2 M.P. E. side Sec. 30:
S. 40.20 to Sec. cor.: W. 20.94 Beech 15
S 13. W. 15 Sugar 16 N 45 E 49:
N. 20.67 E. 1.64: N 19.55 Ash 9 N 41 E 13.
Sugar 12 S 54 W 41: E 19.30 to beg. =
81 1/100 A. Aug 28 1851 D. M.

Beg. at N.W. cor of S.E. qr. Sec 30:
E 20.79 ash 9 N 41 E 13 Sugar 12 N 54 W 41:
W. 29.47 Beech 10 N 14 Dogwood 5 S 12 W 72:
N 19.55 Stone Ash 36 S 63 E 35: E 8.38 to beg
= 57 56/100 Acres Aug 28 1851 D M

Beg. at 1/2 M.P. South side Sec. 30
W. 8.59 (Stone) Beech 12 S 74 E 10 Beech 14 N 88 E 25:
N 20.57 Beech 10 N 14 Dogwood 5 S 12 72:
E 27.83: S 20 67 Beech 15 S 13 W 15 Sugar 16 N 45 E 49
W. 19.34 to beg = 57 57/100 A. Aug 28/51 D.M.

30 — 10 — 8

Pl. N.E.

Beg. at N.E. cor. S. 15.00 Stone Oak 30 S45 W91: W. 40.11 Stone Ash 15 S80 E81: N. to ½ M.P. 15.00: E 40.14 to beg. = 60 19/100 A Jan. 10/52 D.M.

Pl. N.E. ¼

Beg. at ½ M.P. E. side Sec. 30: W. 9.92 Sugar 11 N22 W9: N 25.15 Beech 15 S27 E31: E 9.92 Oak 30 S45 W91: S 25.20 to beg = 24 28/100 Feb 10/52 D.M.

Pl. N.E. ¼

Beg. at ½ M.P. N. side Sec 30: S. 20.25 Stone Hickory 27 N49 E38: E 39.79 Stone W. Oak 30 S50 E93: N 20.35 Stone 25 W of Sec cor Beech 16 S32 W. 47½: W 39.89 to beg. = 80 87/100 A. Sept 7 1853 D.M.

Beg. at ½ M.P. E. side Sec 30 W. 20.04 Stone Beech 16 N33 W13. Beech 14 S31 14: N. 19.80 Stone: E 20.02 Stone W. Oak 3 S63 E83 E25: S 19.85 to beg = 39 78/100 A Sep. 7th 1853 D.M.

S ½ Sec

Beg ½ M.P. S side Sec 30: set stone: E. as per former Survey 19.34 Set stone by old bearings Beech 15 S13 W15: Sugar 16 N45 E49: E 20.04 to S.E. Cor of Sec. set stone: N as per old Survey 40.21 ½ M.P.: W 19.30 set stone by old bearings. Ash 9 N41 E13, Sugar 15 S 54 W41: S 19.55 set stone: W 1.64 set stone

30 — 10 — 8

S 20.67 to stone on S line ¼ Sec. Also set Center stone by intersection of Center lines: W. from Center stone 8.58 on line of ¼ sec. set stone: S 19.55 set stone by old bearings. Beech 10 N14: S 21.12 old stone: E 8.59 to ½ M.P. All the measurements given in this are taken from former Surveys, some of which are not strict measurements. Also beg at S.W. cor of Sec. set stone: E 17.46 set stone: E 17.46 to ½ M.P.

Oct 12 1871 S. L. A.

Sec. 31 Tp. 10 R. 8.

S. E ¼

Beg. at ½ M.P. S. side Sec 31:
N. 40.62 Sugar 16 S. 23. W 49 Beech 27
N 30 W 85: E 40 40. to ½ M.P.
Aug 23 1836 D.M.

W ½ N.W. ¼ E ½ N.W. ¼ & E ½ S.W. ¼

Beg. at ½ M.P. S. side Sec 31:
W. 17.24 Beech 16 N. 55 E Beech 19
N 53 W 57: N 40.59 Beech 16 S 84 E 18
Beech 16 N 87 W 44: N 40.67 Ash 10 S 73 W
" 8 S 9 E 138: E 17.42 to ½ M.P.: S 80.80
to beg = 140 $\frac{43}{100}$ A Apr. 3/56 D.M.

Beg. at N.W. cor. of Sec 31.
E 17.42 Ash 10 S 73 W 90 Beech 8 S 9 E 138
S 40.67 Beech 16 S 84 E 18 " 16 N. 87 W 44
W. 17.35 to ½ M.P. N. 40.84 to beg = 70 $\frac{87}{100}$ A
Apr. 3 1856 D.M.

W ½ S.W. ¼

Beg at S.W. cor. of Sec 31.
N. 40.82 to ½ M.P.: E 17.35 Beech 16 S 84 E 18
Beech 16 N 87 W 44: S 40.59 " 16 N 55 E
" 19 N 53 W 57: W 17.24 to beg = 70 $\frac{98}{100}$ A
Apr. 3 1856 D.M.

Sec. 32 Tp. 10 R. 8.

Beg. at 1/2 M.P.N. side Sec. 32:
S 40.06 Beech 14 N 85 E 33, Beech 15
S 79 W 33: W. 20.03 Beech 11 S 10 E 26
Beech 6 N 28 W 15: N. 40.42 Beech 8
S 45 E 12 Beech 6 N 54 W 31: E 19.90 to beg.
80 A. Febry 2. 1842 D.M.

W 1/2 S.E. & E 1/2 of S.W. E 1/2 N.W 1/4

Beg at 1/2 M.P. S side Sec. 32
W. 20.16 Beech 19 S 35 W 4 Beech 14 N 42 E 29
N 40.09 Sw Gum 30 S 4 E 5 Elm 21 W 11:
S 40.34 Beech 20 S 57 W 24 Ash 5 N 45 E 32
W. 20.32 to beg. = 161 84/100 A. Mar. 2/49 D.M.

S.E. of S.E.

Beg. at S.E. cor. Sec. 32
W. 20.32 Beech 20 S 57 W 24 Ash 5 N 45 E 32:
N. 20.13 " 16 N. 49 E 14 Beech 12 S 24 W 6:
E. 20.19 Cor. in creek. Stake 75 West of C
Hickory 24 N 88 W 61 1/2: E 20.16 Beech 1
N. 10 E 23 Beech S 66 E 12: S 20.16 Beech
E 7, Poplar 50 N 61 W 42: W 20.29 to beg
= 81 56/100 A. March 3rd/48 D.M.

Sec. 33. Tp. 10 R 8.

N.W. of N.E. N.E. of N.E.

Beg. at N.E. cor. Sec. 33:
S 20.16 Beech 5 S 25 E 15 Beech 6 N 56 W. 22
W 20.72 " 6 S 66 W 24 " 24 N 80 E 17:
N 19.93 Sugar 5 S 51 E 20 Beech 15 S 40 W
E 20.69 to beg. = 41 $\frac{48}{100}$ A Feb. 15/42 D.M.

Beg at ½ M.P. N. side Sec 33:
E. 20.69 Sugar 5 S 51 E 20 Beech 15 S 4 N.
S. 19.94 Beech 6 S. 66 W. 24 " 22 N. 80 E 17
W. 20.72 " 22 N 48 E 13 " 18 S 27 W 37
N 20.18 to beg = 41 A Feb. 15/42 D.M.

SW. NE of NE. S.E.

Beg at a Stake 20.18 S of ½ M.P. N. si
Beech 22 N 48 E 13 Beech 18 S 40 W 37:
E 20.72, Beech 6 S 66 W 24 Beech 22 N 80 E 1
S 19.93 Sugar 12 N. 44 E 5 Sugar 6 S 20 E
S 20.24 Beech 10 S 26 W 10 Beech 10 N 35 W
W. 20.55 Sugar 24 S 69 E 72: N 40.36 to beg =
82 $\frac{8}{10}$ A Feb. 15/42 D.M.

E ½ S.E.

Beg. at S.E. cor. Sec. 33.
W 20.35 Beech 10 S 54 E 15 Beech 10 N. 24:
N 40.48 Sugar 12 N 44 E Sugar 6 S 20 E 3.
E 20.75 to ½ M.P. Feb. 15/42 D.M.

33 – 10 – 8

Beg. 20.18 (Sugar 24 S 69 E 72) N of
½ M.P. S. side Sec 33: W 20.16 Beech
10 N 10 E 23 Beech 14 S 66 E 12:
N 20.18 Sugar 30 W. 47: E 20.03: S 20.18:
to beg = 40 $\frac{94}{100}$ A. Mar 3/64 D.M.

See Plat Book for S W of N E
and N.E of S W G Garten.
Oct 1872

Sec 34 Tp. 18 R. 8.

Beg. at S.E. cor. Sec 34;
W. 40.57 to ½ M.P.: N 20 28 Beech 21
N 24 W. 36 Beech 14 S 21 E 32: E 40.44
Beech 12 N 16 E 63 S 20.05 to beg. =
81 $\frac{68}{100}$ a March 4/48 D.M.

Beg. at ½ M.P. S. side Sec 34 –
W 20.29 Beech 14 N 27 E 13 Beech 12 S 57 W 27:
N. 19.68 " 14 N. 35 E 62 Hickory 16 N 8 W 51½:
E 20.37 " 14 S 56 E 29 S 19.68 to beg. =
40 a. March 4/48 D.M.

Beg. 19.68 (Beech 14 S 56 E 29) N of ½ M.P. S. side
W. 20.37 Beech 14 N 35 E 62 Hickory 16 N 8 W 51:
N 20.75 " 14 S 57 E 106 " 2 N 71 W 21:
E 20.44 Sugar 16 N 48 W 20 Ash 5 S 34 E 38:
S 20.88 to beg. = 4 $\frac{25}{100}$ a Mar 31/48. D.M.

Beg. at ½ M.P. W. side Sec 34:
E 20.44 Hickory 9 N 71 W 21, Beech 14 S 57 E 106:
S 40.43 Beech 14 N 27 E 15. " 12 S 57 W 27:
W 20.29 to Sec. Cor. Mar 4 1848 D.M.

Beg at N.E. Cor of Sec:
W 20.39 Beech 14 N 39 W 44 ~~Beech 16 S 58 E 85~~:
~~S 60.14 Ash 36 N 61 E 14~~; E 20.16 Beech
12 N 16 E 63: S 40.05 to ½ M.P.
Nov 12. 1857 D.M.

34 — 10 — 8

W 1/2 NE & N W of SE

Beg ah 1/2 M. P. N Side Sec 34;
E 20.39 Beech 14 N 39 W 14, Beech 16 N 58 E 8[illegible];
S 60.14 Ash 36 N 61 E 140: W 20.16 stone
N 60.14 to beg = 121 9/10 A Nov 12/57 D M[illegible]

Rt SE 1/4

Beg 9.64 N 11 3/4 W of SE cor 34
10-8; N 3 to stone; W 5 sto[illegible]
S 3.00 stone; E 5.00 stone; [illegible]
50 and stone; S 62 3/4; W [illegible]

J.A.S.

Sec 35 Tp 10 R 8

Beg. at 1/2 M.P. N. side Sec 35:
E 20.06 Elm 30 N 14, Beech 28 S 2 E 36:
S 19.97 Ash 35 N 16 E 37 " 12 S 52:
S 39.97 Sugar 36 S 11 E 17 " 30 N 10 E 75:
W 20.27 Beech 12 S 55 W 26 " 22 N 58 E 24:
N 40.06 " 15 S 59 E 70 " 14 N 25:
N 20.03 to beg = 120 1/2 a Aug 15/37 D.M.

Beg. at 1/2 M.P. Stone E side Sec:
W 19.93: N 39.96 Elm 30 N 14 Beech
S 2 E 36: E 20.06 to Sec. cor.: S 40.20 to
80 5/100 a. Apr. 10/52 D. M.

Beg. 2.50 S of 1/2 M.P. N. side Sec 35
Beech 12 N 70 E 9, Beech 21 S 46 W 24
E. 17.56 Elm 30 W 14 Beech 24 S 2 E
S 39.96: W 17.68: N 39.96 to beg
69 93/100 Apr. 10/52 D. M.

Beg. at 1/2 M.P. N. side Sec. 35
E. 2.50 Beech 12 N 70 E Beech 21 S 46 W 24
S. 39.96 Stone: W. 22.50 " 14 S 9 W
W. Beech 8 N 61 E 62: N. 40.20 Beech 16 N
W 21, Beech 16 S 56 E 11: E 20.20 to beg
90 70/100 a Sep. 26/53 D. M.

Beg. at N.W. cor. of Sec 35
E 20.20 Beech 16 N 29 W 21 Beech 16 S 54 E 11:
S 40.20 " S 9 W 46 Beech 8 N 61 E 62:
W. 20.06 to 1/2 M.P. Sep 26/53 D. M.

Sec 36 Tp. 10 R. 8.

Beg. at the 1/2 M.P. E side Sec 36:
W 20.37 Beech 18 S77 W.14 Beech 20 S50 E11:
N.40.34 " 36 N32 W19 " 20 S8 E32:
E.20.41 to Sec. cor. July 30/34. D.M.

Beg. at the 1/2 M.P. S side Sec 36:
N.39.92 Beech 12 S40 E19 Beech 10 N50 W22:
E.40.73 to 1/2 M.P. Aug. 14/37 D. M

Beg. at 1/2 M.P. S. side Sec 36:
W.20.29 Beech S80 W27 Beech 9 S81 E13:
N.20.12 " 12 S10 E18 " 16 N28 E85:
N.20.12 " 18 S.59 W12 Sugar 9 S54 E9:
E.20.36 " 12 S40 E19 Beech 10 N50 W22:
S.19.96 " 20 N.80 E25 " 16 N65 W45:
S.19.96 to beg = 81 44/100 A. Aug/37 D. M.

Beg. at 1/2 M.P. N. side Sec 36:
S50. 23 Beech 16 N21 E15 Beech 15
S.33 W.20: W.40.78 Beech 28 N77 W8,
Beech 4 N.64 E17: N.20.10 to Sec. cor.
Aug. 1837. Errors corrected D. M.

Beg. at N.W. cor. Sec. 36:
E.20.28 W. Beech 4 S67 E16. W Beech 4 N36 W.14:
S. 20.12 " 16 S52 E59 Sugar 11 N66 W41:
W.20.37 " 28 N77 W8 Beech 4 N64 E17:
N.20.12 to beg. = 40 87/100 A. Apr. 1832 D. M.

36 — 10 — 8

See Plat Book for E 1/2 N E 1/4

J. E. Toothman Hrs

Beg at 1/2 M. P. W side sec:
E - v 5° 39' - found old center
stone, 1/4 stone on line to 1/2 M P
E side: S - v 3° 21' - to sec cor
Apr 24 1868 S L A

E & W center line &
E line S E 1/4

Sec 1 Tp 11 R 8

Beg. at ½ M.P. N. side Sec. 1:
E. 20.08: S 19.40 Beech 18 S 19 E 17 Beech 30 N 17 E 25:
S. 19.40 Beech 21 S 24 W 22 Sugar 10 N. 83. E. 22:
W. 20.43: N 20.17 Hackberry 12 N 21 E Ash 28
S 1 E 35: N. 20.17 to beg = 80 $\frac{12}{100}$ a. Oct 30 D. M.

Beg. at ½ M.P. S. side Sec. 1: N. 40.93:
E 20.43 Beech 21 S. 24. W. 22 Sugar 10 N. 83. E 22:
S 40.93 " 16 N 52 W. 16. Beech 40 S. 48 E 33:
W. 21.15 to beg = 84 $\frac{55}{100}$ a. Mar. 1831 D. M.

Beg. at ½ M.P. E side Sec. 1: W. 20.50 Beech 21
S 24 W 22, Sugar 10 N. 83 E 22: N. 39 70
Poplar 26 N 72 E 27: E 20.13 to Sec. cor.
Nov. 9. 1836 D. M.

Beg. at N.W. cor Sec 1: E 21.46: S 42 36 Sycamore
8 S. 54 E. 20: W. 210 p to ½ M.P. N. 44.12 to beg. =
91. $\frac{88}{100}$ a. Feb. 25 1848. D. M.

Beg. at S.E. cor. Sec 1: W 21.18 Beech 22 N 65 W. 64:
N. 20.50 Beech 18 S. 66 W. 39 Cherry 11 N. 41 W. 78:
N. 20.50 " 18 S. 4 W. 67 Beech 12 N. 20 W. 25:
E. 20.60 to ½ M.P. S 20.66 to beg. = 85 $\frac{98}{100}$ a
Aug. 30. 1854 D. M.

	1.		11.		8.	
Pt. W½ S.E. ¼	Beg. at S.E. cor. W½ S.E. ¼ Sec. 1: W. 3.50 Buckeye 10 N. 49 E 114: N. 4° E 13.7[illegible] Stone: N. 30° W. 2.52 Stone: N. 45° E 2.50 stone: S 37° E 3.09 Stone: S. 14.50 to beg. 5 a. Aug. 30. 1854. D. M.					

Sec 2 Tp 11 R 8

N.E. 1/4.

Beg. at N.E. cor. of Sec. 2;
S. 44.12 to 1/2 M.P.: W. 40.94 Beech 12 N. 17 W
Beech 6 S. 34 E 32: N. 43.50 to 1/2 M.P.:
E. 40.78 to beg = 179 a. Apr. 1832 D.M.

Pt. N.E.

Beg. at 1/2 M.P. E. side Sec. 2: W. 20.00
Beech 7 N. 63 W. 7. Beech 8 S. 82 E. 9:
N. 12.50 Beech 18 N. 74 E 6 Beech 24 S 64 W
N. 59° E 4.18: N. 36° E 4.00: S. 54° E. 4.50:
N. 36° E 2.75: S 54° E 8.25 N 36° E 2:
S. 54° E 73: S 13.85 to beg. D.M.

Pt. N.E.

Beg. on W. line N.E. qr. on N side of
Bloomington Road: N. 18.06 to
Michigan Road: S 54° E 9.50: S 36° W
S 54° E. 5.00: S. 36° W 2.00: S. 54° E 25:
S 36° E 7.44: W 2.23 to beg.

Pt. N.E. 1/4.

Beg. at the Centre of the Sec. 2:
N. 24.67: E 4.50: N. 83° E 10.44: S 57° E
N. 36° E 38: S 54° E 10.55: S. 36° W. 4.50:
S. 59° W. 4.19: S. 12.50: W. 20.94 to beg.
March 28. 1833. D.M.

Pt. N.E.

Beg. at Centre of Sec. 2: N. 35.44: E 4.00
S 44° E 212: N. 54° E. 200: S. 54° E. 5.00:
S. 36° W. 2.00 S. 54° E 21.87: S. 36° W 4.00:
S 59° W. 4.18: S. 12.50: W. 20.94 to beg.
67 42/100 a Feb 17th 1858 D.M.

Sec 2 Tp 11 R 8

Beg. at 1/2 M.P. E. side Sec. 2.
W. 20.47 Beech 14 N 61 W 64 Beech 16 S 51 E 11:
S. to stone on Sec. line. R. Oak 36
N. 39 E 26. Beech 44 S. 32 W 15: E 20.12 to
Sec. cor.: N 41.30 to beg. Mar. 23/53 D.M.

Beg at S.W. cor Sec 2: N. 0 4 3/4 W mag.
40.50 to 1/2 M.P.: S 86° E mag 13.51
stake: S 4 3/4° E to S. line 1/4 Sec: W to
beg = 54 75/100 a. Also beg. at same cor:
N 4 3/4° W mag 15.83 to high water mark:
S 67 3/4° E 5.92: S 25 1/2° E 5.00: at 2 chs
offset to water 75 lks & at 3 chs offset
to water 75 lks: S 10° W 6.14: S 19° W
3.52 to sec. line: N 86 1/2° W 4.19 to beg
= 8 70/100 a, and to low water 9 25/100 a
Mar 1 1871 S. L. A

Sec 3 Tp 11 R 8

Beg. at the ½ M. P. N. side Sec. 3:
W. 8.75 Poplar 54 N 80 W 24 Beech 30
N. 46 E 22: S. 22.86 Beech 18 N 4 E 47.
Beech 5 S 16 E 10. Mar. 13/28 D. M.
Beg. at Centre (Beech) Sec 3.
Sycamore 22 S 3 E 32. Elm 28 N. 8 E 17:
W. 9.25 Beech 17 N 37 W 72 Buckeye 10.
N 43 E 6: N 19.34 Beech 18 N 6 E 42.
Beech 30 N. 77 W. 5 Mar. 13/28. D. M.
Beg. at a stake 9.75 W of ½ M. P. N. side
Poplar 54 N 80 W 24 Beech 30 N. 46 E 22:
S. 20.86 Beech 18 N. 4 E 7." 5 S 61 E 10:
W. 50 Beech 18 N 6 E 42 Beech 30 S 77 W. 5:
S. 19.34 " 17 N. 37 W 72 Buckeye 10 N 43 E 61:
W 12.12 " 13 S 18 E 27 Ash 3 S 34 W 13:
N. 42.00 " 18 N 43 W. 31. Beech. 28 S 47 E 29:
E. 13.02 to beg. = 51 $\frac{83}{100}$ A Mar. 18/28. D. M.
Beg. at N. W. cor. Sec. 3: E. 19.08,
Beech 18 N. 43 W. 31. Beech 28 S 47 E 29:
S. 42.00 Beech 13 S 18 E 27 Ash 3 S 32 W. 13:
W. 19.00 to ½ M. P. N. 41.91 to beg = 80 A.
March 13 1828 D. M.

See Plat Book for ph N W 1/4
J Paramore Hrs



66
8.-0
528.
60
12
600

9,09
66
5454
5454
59994

3. 11. 8.

W 1/2 N E 1/4

Beg. at 1/2 M.P. N. side Sec. 3:
E. 20.25: S 43.00 stone: W 20.26
W Bech 4 (cor) Sycamore 22 S 3 E 32:
N 42.35 to beg = 86 41/100 a Apr 20/49 DM.

Beg at N. E. Cor. Sec 3:
S - v 5° - 18.20, Bech 24. S 5 1/2 — 23, Bech 18
N 52. E 18 m.m.: S. from N W cor of
E 1/2 N. W 1/4 - v 5° - 18.18 = 36 8/10 a
O.P.

Beg at the N.W. cor. E 1/2 N
3 - East 12.75 set cor
East 21.33 old stone
South from 1st cor 17.54
set cor
South 42.56 to S. line of
1/4 sec.
West 12.63
North 17.60 = 22.30 a

Sec 10 Tp 11 R 8

E½ NE

Beg ½ M P, E, side Sec 10
W 20.29 Poplar 60 S55 W49, Ash 30 S44 E94;
N 40.66 Sugar 15 S75 W6, Dogwood 4 S65 E8;
E 20.55 to Sec. Cor. Feb 12/46 D.M.

W½ NE & E½ NW

Beg at ½ M. P. N side Sec 10;
E 20.55 Sugar 15 S57 W6. Dogwood 4 S65 E8;
S 40.66 Poplar 60 S55 W49, Ash 30 S44 E94;
W 40.54 B Walnut 4 S72 E26; N 40.72 (in
Flat Rock) stake 50 N of cor. Sycamore
22 E15, Beech 18 S80 W15; E 20.37 to beg
= 165 77/100 A. Feb 12 1846 D.M.

W½ NW¼

Beg at N W Cor of Sec 10;
E 20.37. cor in Flat Rock, stake 2 p
N; Sycamore 22 S14 E15, Beech 18 S80
W15; S 40.72 B Walnut 4 S72 E26;
W 20.29 to ½ M. P. Feb 12 1846 D.M.

E½ SE

Beg at S.E. Cor of Sec 10;
W 20.26 Cherry 5 S30 E12, Beech 20 N53 W11;
N 40.25 Poplar 60 S55 W49. Ash 30 S44 E94;
E 20.29 to ½ M.P. Feb 12/46 D.M.

W½ SE¼

Beg at ½ M. P. S side Sec 10;
N 40.58; E 20.29 Poplar 60 S55 W49.
Ash 30 S44 E94; S 40.25 Cherry 5 S30
E12 Beech 20 N53 W11; W 20.26 to beg
= 81 95/100 A. Feb 12/46 D.M.

Sec 10 Tp 11 R 8

Beg at ½ M.P. S side Sec 10: N 40.58:
W. 21.25 N. 18.85 Ash 30 S.88 W. 41:
E. 21.25 Beech 12 N23 E19. Beech 11
N84 W.50: S18.85 to beg. = 40 5/100 A
Feb. 12 1846 D.M.

Beg. at S.W. cor. Sec 10: N. 26.00
Popolar 48 S32 W23 Beech 18 S88 42
Beech 20 S55 W49: S26.00: W. 19.25 to
beg = 50 5/100 A Feb. 12th 1846 D.M.

Beg. at ½ M.P. W. side sec 10: E40.58
Centre: S 21.73 Beech 12 N23 E19 Beech 11
N.84 W.50: W. 18.94: N 7.18 Beech 18 S.88 W.42
Beech 20 S55 W.49: 19.25 to Sec line.
Poplar 48 S.32 W.23. Beech 10 N32 E10
Feb. 12 1842 D.M.

Beg. at ½ M.P. N. side Sec. 10:
S. 10.00 to Centre Railroad N: W14.94
E11.12 to beg. 5 56/100 A. Feb. 27/60 D.M.

Beg. at S.E. cor of No. 3 this page,
North V 4°50: E 24.00: W V 5° 10.83⅓:
S V 4°50' 24.00: E V 5° 10.83⅓ = 26 A.
May 5th/64 O.T.

10 — 11 — 8.

Beg. 10 $\frac{83\frac{1}{3}}{100}$ Chains W and 11.07 Chains
N. of S.E. cor. W½ N.W. gr. Sec. 10
a stone. no wit. available —
March 11th 1875. D. Alley.
Beg at ½ M.P. S side Sec 10:
N-v 4°08'-40.35 Center stone: W-v 4°16½'
40.53 ½ M.P. W side: S-v 4°11½-
40.58 Sec cor: E-v 4°39'-40.50 to beg.
set stone at 19.25 on last line: Also
beg. at center stone: S-v 4°08'-26.50
stone: W-v 4°16½-14.73 stone: N-v 4°08'
21.60 stone Locust 12 N 34¾° E 45½ lks
E-v 4°16½-14.73 to beg = 39 $\frac{74}{100}$ a.
Also beg. at ½ M.P. W. side:
E-v 4°16½-13.22 stone NW cor of
Germantown: S-v 4°16½'-7.00 stone
S.W. cor of same: E-v 4°16½'-9.00
stone: N-v 4°16½'-7.00 stone N.E.
cor. town Plat: E-v 4°16½-3.49 stone
S-v 4°08'-21.60 stone: W-v 4°39'
stone: N-v 4°08'-7.15 stone: W-v 4°39'
19.269 stone: N-v 4°11½'-14.58 to
beg = 35 $\frac{74}{100}$ a. Also set ¼ on N. line
of ¼ Sec — N line of 50 a. 1.9 longer
than Record. Apr 2 1868 S. L. A

10 — 11 — 8

See Plat Book for W½ NW
S.E. & NW¼ G Garten Est.

Beg NE cor Germantown S 7.00
West 4.32 E from last point
3.51 S 14.63½ W 6.56
7.15 N 9° W 7.55 to = 10 $\frac{08}{100}$ a
March 1st 1893

Beg at NE cor W½ NE¼ 10-11-8
— 4.00 stake
70.00 "
20.43 "
31.00 "
61.75 to Sec. Cor. Set ½ M.P.
at 20.70 10.00 S of Center
R.R. track

Sec 11 Op 11 R 8.

Beg at 1/2 M. P. E side Sec 11:
S 40.50 Sec. cor: W 20.36, Buch 12 S 26
E 15, Buch 14 N 11 W 12: N 40.65 " 12 S 61
W 15. " 20 N 45 E 26: N 40.42 R Oak 36
N 39 E 26 " 14 S 32 W 15: E 20.12 to sec
cor. Feb 13 1846 D.M.

Beg at S. E. Cor Sec 11:
N 40.50 to 1/2 M. P.: W 6.76: S to sec
line: E 6.78 to beg = 27 4/10 a

Beg at S. W. Cor. E 1/2 S E 1/4 Sec 11:
N 40.65: E 13.58: S to sec line: W
13.48 to beg = 54 8/10 a. Aug 16/64 O.T.

Beg at 1/2 M. P. N side Sec 11:
E 20.12 R Oak 36 N 39 E 26. Buch 44 S 32 W 15:
S 40.42 Buch 15 S 61 W 15. " 20 N 45 E 26:
W 40.56 Sw Gum 36 N 34 E 46: N 40 65
Hickory 19 S 41 E 3. Hickory 15 S 73 W 17:
E 20.62 to beg. = 164 75/100 a. Feb 13 1846 D.M.

Beg at N. W. Cor Sec 11: E 20.52.
Hickory 19 S 41 E 3, Hickory 15 S 73 W 17:
S 40.65 Sw Gum 36 N 34 E 46: W 20.28 to 1/2
M. P. Feb 13. 1845 D.M.

11 — 11 — 8

W½ S E & E½ S W¼

Beg at ½ M. P. S side sec 11;
W 20.42 Beech 11 S 16 W 33, Beech 11 N 52 W 1½;
N 40.47 Sw Gum 36 N 34 E 36;
E 40.56 Beech 15 S 61 W 15; Beech 20 N 45 E 26;
S 40.65 " 12 S 26 E 15; " 14 N 11 W 12;
W 20.36 to beg = 164 $\frac{43}{100}$ A Feb 1846 D.M.

W½ S W¼

Beg at ½ M. P. W side sec;
E 20.28 sw Gum 36 N 34 E 46;
S 40.65 Beech 11 S 16 W 33, Beech 14 N 52 W 1½;
W 20.42 to sec. cor. Feb 1846 D.M.

See Plat Book for E½ S W¼
J Townsend

Rp E½ S. E.

Beg at ½ M. P. E side sec 11;
S 40.50 to sec. cor.; W 13.56 set stone;
W 6.78 to stone; N 40.42 to stone;
E. set stone 6.76; E 13.53 to place
of beg - June 8 1877 J. W. C

Sec 12 Tp 11 R 8

Ch N E 1/4

1 Beg at N.E. Cor of Sec 12:
W 4.12 Buch 18 S 50 E 83. W Buch 6 S 45 W 45:
S 41.35 " 24 N 3 W 12, " 20 N 28 E 38:
E 4.12 to 1/2 M.P.: N 41.39 to beg = 17 [illegible]

Ch N E 1/4

2 Beg at N.W. Cor. of No 1:
S 41.35 Buch 24 N 3 W 12, Buch 20 N 28 E 38:
W 10.20 Buckeye 18 N 20 E 27. " 5 N 62 W 64:
N 41.23 Buch 18 S 83 W 48. Ash 5 S 34 E 38:
E 10.20 to beg = 42 17/100 a

Ch N E 1/4

3 Beg at N.W. Cor of No 2:
S 41.23 Buckeye 18 N 20 E 27. Buch 5 N 6 W 64:
W 10.00 B Walnut 3 S 88 E 38 " 30 S 32 W 71:
N 41.14 Buch 22 N 14 E 15. " 10 S 10 W 33:
E 10.00 to beg = 41 13/100 a

Ch N E 1/4

4 Beg at N.W. cor No 3: S 41.14
B Walnut 3 S 88 E 38, Buch 30 S 72 W 71:
W 17.50 Buckeye 10 N 75 W 21. " 27 N 45 E 66:
N 40.91 to 1/2 M.P.: E 17.98 to beg = 72 75/100 a
March 18 1831 D.M.

Ch N W 1/4

Beg at 1/2 M.P. (stone) N side Sec:
S 40.91: W 41.25 to 1/2 M.P. stone:
N 20.27 Buch 14 S 46 E 25, Buch 14 S 54 W 28:
N 20.27 to sec. cor.: E to 1/2 M.P.
Feb 25 1848 D.M.

12 — 11 — 8

Beg at 1/2 M.P. W side Sec 12:
E 20.44 Buckeye 14 S 24 E 16, Elm 21 S 60 W 47:
S 40.50 Sugar 24 N 54 E 53, Buch 10 N 10 W 63:
W 20.31 to Sec cor. May 6/52 D.M.
See Plat Book for S E 1/4 & E 1/2
S W 1/4 Sec. J M Robinsons Hrs

Beg 1/2 M.P. on E side South
41.60 to 1/2 M.P. E side 13-11-8
Set Sec cor at 1/2 way on line 40.80

Beg at S E cor sec 12-11-8 East
41.55 to 1/2 M.P. old stone
Set stone 1/2 way at 20.77 1/2

Beg at 1/2 M. Post West side
[illegible]-11-8 East 9.28. N 25 1/2 W 6.00
[illegible] W 2.40. West 6.56: S 7.80
to beg = 6 a

Jan 19th 1903
E.M.H
Craig Dept

Sec 13 Tp 11 R 8

Beg at 1/2 M. P. N side sec 13;
E 20.97 Beech 18 N 76 E 43, Beech 11 S 46 E 56;
S 40.98 " 9 N 84 W 5, Sugar 19 N 51 E 19;
W 20.73 " 36 E 17 Beech 20 N 74 W 23;
N 40.70 to beg = 85 $\frac{52}{100}$ a. May 1834 DM

Beg 1/2 M. P. N side Sec 13;
S 20.35 Beech 17 N 80 E 15, Beech 7 S 70 W 37;
W 40.58 " 14 S 16 W 14, " 16 N 13 W 8;
N 20.30 to sec cor; E 41.25 to beg = 83 $\frac{11}{100}$ a
May 22 1834 DM

Beg 20.75 N of 1/2 M. P. S side sec 13;
Beech 21 N 15 E 7, Beech 36 S 18 E 43;
N 20.25 Beech 36 E 17, Beech 20 N 74 W 23;
E 20.73 " 9 N 84 W 5, Sugar 19 N 51 E 19;
S 20.32 " 18 S 67 W 27, Beech 18 N 24 W 75;
W 20.60 to beg = 41 $\frac{86}{100}$ a. July 1/48 DM

Beg at 1/2 M. P. S side sec 13;
W 20.62 Hickory — S 78 W 9, Beech 16 S 77 E 39;
N 40.27 ash 8 N 74 W 42, " 6 — 20 E 23;
E 20.02 Beech 36 E 17, " 20 N 74 W 23;
S 40.50 to beg = 82 $\frac{57}{100}$ a June 1/49 DM

Beg 1/2 M. P. W side sec 13;
E 20.23 ash 8 N 74 W 42, Beech 6 N 20 E 23;
S 40.47 Hickory 15 S 78 — 9 " 16 S 77 E 39;
W 20.62 to sec. cor. June 1/49 DM

13 — 11 — 8

N W of N W N E of N W

Beg ah 1/2 M. P. N side Sec 13;
S 20.35 Beech 17 N 80 E 15, Beech 7 S 70 W 37;
W 20.14; N 20.32 Sugar 24 N 54 E 53; Beech
10 N 10 W 63; E 20.31 to beg = 41 $\frac{10}{100}$ a
May 6 1852 DM

Beg ah N. W. Cor of Sec 13;
E 20.31 Sugar 24 N 54 E 53. Beech 10 N 10 W 63;
S 20.32; W 20.14 stone; N 20.30 to beg.
= 41 $\frac{6}{100}$. May 6 1842 DM.

Beg ah 1/2 M. P. S side Sec 13;
N 4.55 to within 40 ft of Center of
R.R.; N.W. within 40 ft of R.R. to
W line of 1/2 qr; S 23.90 stone;
E 20.50 to beg = 29 $\frac{15}{100}$ a. Mar 1865
O.S.

See Plat Book for S W 1/4 S E 1/4.
M Stark Hrs

Sec 14 Tp 11 R 8

N ½ of N E

Beg at N. E. Cor. of Sec. 14;
S 20.30 S. E. Cor. School House N 3/4 W 36;
W 20.43 Maple 24 N 67 W 20. Maple 22 S 88 E 44;
N 20.08 Beech 12 S 36 E 15. Beech 14 N 11 W 12;
E 20.11 to beg = 41 16/100 a. Sept 1847 DM

S. E. ¼ of N. E.

Beg at ¼ M. P. E side Sec. 14;
W 20.50 Ash 36 N 36 E 35. Beech 11 S 69 W 83;
N 20.08 Maple 24 N 67 W 20 Maple 22 S 88 E 47;
E 21.53 S. E. Cor School House N 3/4 W 36;
S 20.30 to beg = 41 3/10. Sept 4/47 DM

W ½ N. E.

Beg ¼ M. P. N side Sec 14;
E 20.36 Beech 12 S 36 E 15. Beech 14 N 11 W 12;
S 40.16 Ash 36 N 36 E 35. " 11 S 69 W 83;
W 20.50 W Oak 22 S 42 E 40. " 16 S 77 W 65;
N 40.25 to beg = 82 12/100 a Sept 14/47 DM

E ½ S E

Beg at S. E. Cor. Sec 14;
W 20.39 Beech 14 S 78 E 10. Beech 14 N 22 W 34;
N 40.50 Ash 36 N 36 E 35. " 11 S 69 W 83;
E 20.50 to ¼ M. P. Sept 4/47 DM

W ½ S W

Beg at ¼ M. P. S side Sec 14;
N 40.56 W Oak 22 S 42 E 40. Beech 16 S 77 W 65;
E 20.50 Ash 36 N 36 E 35. " 11 S 69 W 83;
S 40.50 Beech 14 S 78 E 10 " 14 N 22 W 34;
W 20.39 to beg = 82 87/100 a. Sept 1847 DM

14 — 11 — 8

Beg at ¼ M P W side Sec 14;
E 41.00 W. Oak 22 S 42 E 40. Beech 16 S 77 W 65;
S 20.28 Beech 10 N 35 E 12. " 9 S 27 W 32;
W 20.44 Sycamore 6 S 60 E 40;
S 20.40 Sugar 16 W 6. Sugar 10 S 82 E 45;
W 20.39 to Sec Cor. Sept 4/47 DM

Beg at ¼ M. P. S side Sec 14;
W 20.39 Sugar 16 W 6. Sugar 10 S 82 E 45;
N 20.40 Sycamore 6 S 60 E 40;
E 20.44 Ash 16 N 39 E 33. Beech 16 S 67 E 32;
S 20.28 to beg = 41 57/100 a Sept 4/47 DM

Beg at ¼ M. P. N side Sec 14;
S 40.25 W Oak 22 S 42 E 40. Beech 16 S 77 W 65;
W 20.25 " 5 S 85 W 22. " 18 N 46 E 20;
N 40.40 Beech 11 S 16 W 33. " 11 N 58 W 1½;
E 20.42 to beg = 82 26/100 a Sept 1847 DM

See Plat Book for W ½ S E ¼. Diams Add
" Sec 15 for fr W ½ N W 14

Beg ¼ M.P. E side sec (15) W 20.37. Stone. Beech 18 S 72 E 24. Beech 8 N 84 W 74: N 20.91 Beech 16 S 66 W 8: E 40.78 Ash 24 N 73 E 23: S 20.72, W 14/5 S 85 W 22, Beech 18 N 4 E 20: W 20.50 to beg. = 84 94 a. Mar 10. 48 DM.

Sec 15 Tp 11 R 8

Beg ah N. E. cor of Sec 14;
E 20.42 Beech 11 S 16 W 33, Beech 11 N 52 W 1 1/2;
S 19.68 Ash 24 N 23 E 23, Hickory 14 S 70 W 32;
W 40.78 Beech 36 S 66 W 8;
N 19.68 Cherry 5 S 30 E 12, Beech 20 N 53 W 11;
E 20.26 to beg = 80 15/100 a. Mar 10 1848 D.M.

Error ah starting point I think

Beg ah 1/2 M. P. E side Sec 15;
W 20.37 stone Beech 18 S 72 E 24, Beech 8 N 84 W 74;
N 20.91 " 36 S 66 W 8; E 40.78, ash 24 N 23 E 23;
S 20.72 W Oak 5 S 85 W 22, Beech 16 N 4 E 20;
W 20.50 to beg = 84 94/100 a. Mar 10 1848 D.M.

Beg 5.00 E of 1/2 M. P. N side Sec 15;
ash 40 N 49 W 22; E 15.16 cherry 5 S 30
E 12, Beech 20 N 53 W 11; S 40.59 stone Beech
18 S 72 E 24, Beech 8 N 84 W 74; W 10.50;
N 4.00. Beech 14 S 26 E 10, Beech 18 N 43 E 13;
W 10.00 ash 16 N 22 E 35, B Oak 50 S 49 E 50;
N 16.43 stone, ash 22 N 22 E 26, Beech 14
S 23 E 31; E 5.00 Beech 18 N 53 E 17, Beech
25 S 3 W 38; N 20.00 to beg = 68 55/100 a
Mar 10 1848 D.M.

15 — 11 — 8

S.E. 1/4 & pt N.E. 1/4

Beg at S.E. Cor of Sec 15;
W 40.62 to 1/2 M.P.; N 40.38 Oak
N 31 W 103; N 4.00 Ash 16 N 22 E 35;
B Oak 50 S 49 E 50; E 10.00 Beech 14 S 26
E 10, Beech 18 N 43 E 13; S 4.00; E 31.00
to 1/2 M.P. Mar/48 D.M.

Ch N.E. & " N.W. 1/4

Beg at 1/2 M.P. N side Sec 15;
E 5.00 stone Ash 40 N 48 W 22;
S 20.00 Beech 18 N 53 E 17, Beech 25 N 3 W 38;
W 12.00; N 20.00 Beech 18 S 60 E 60; E 7.00
to beg = 24 a. Mar 10 1848 D.M.

Ch N.W. 1/4

Beg at N.W. Cor of Sec 15;
E 33.50 Beech 18 S 60 E 60; S 12.00 Ash 33 N 41
W 63. " 15 N 29 E 28; W 33.50. " 3 N 52 E 2 1/2
Beech 14 S 20 E 18; N 12.00 to beg = 40 28/100 a
Mar 10 1848 D.M.

N.E. of S.W.

Beg 20.22 N of 1/2 M.P. S side Sec 15;
Beech 8 N 43 E 23, Ash 18 S 55 W 12;
W 20.28 Beech 33 S 11 W 17, Beech 19 N 14 W 36;
N 20.23; E 20.35 Oak — N 31 W 103;
S 20.22 to beg = 41 9/100 a. Mar 10 1848 D.M.

15 — 11 — 8

Beg at 1/2 M.P. S side Sec 15;
S 20.32 Elm 21 S 25 W 47; W 10.25 Ash 22
N 20 W 22 Beech 30 S 38 E 49; N 20.40 Sugar 14
S 53 W 82; N 20.23 Beech 14 S 57 W 11, Beech
15 S 65 E 50; E 10.14 " 8 N 43 E 23. Ash
18 S 55 W 12; S 20.22 to beg = 41 35/100 a
Mar 1848 D.M.

Beg 10.10 W of 1/2 M.P. S side Sec 15;
Sugar 14 S 53 W 82; W 10.10 Red Oak 33 S
77 E 71; N 20.23 Beech 23 S 11 W 17,
Beech 19 N 14 W 36; E 10.14 Beech 14 N
57 W 11, Beech 15 S 65 E 50; S 20.23 to beg.
= 20 47/100 a. Mar 10 1848. D.M.

Beg at 1/2 M.P. W side Sec 15;
N 28.71 Ash 3 N 52 E 2 1/2, Beech 14 S 20 E 18;
E 33.64 " 33 N 41 W 63. " 15 N 29 E 78;
S 8.00; E 7.00 stone Ash 22 N 22 E 26,
Beech 14 S 23 E 31; S 20.43 Oak — N 31
W 103; W 20.35; S 40.46 " 33 S 77
E 71; W 20.20 to Sec Cor. Mar 10/48 D.M.

Beg at S.E. Cor (stone) Sec 15;
W 20.59 stone Beech 18 N 79 W 112; N 3.20 W 18.37 stone Beech
14 S 77 E 58, Beech 14 S 88 W 44; E 30.41 stone Beech 16 S 9
E 22. Ash 10 N 72 W 7; S 13.18 to beg = 40 a
Mar 28 1856 D.M.

N W 1/4 S W 1/4

15 — 11 — 8

Beg ah S. W. Cor. Sec 15:
N 40.40 1/2 M.P.: N 40.42 sec
cor: E 40.50 1/2 M.P.: S 40.38 old
Center stone: W 20.25: S 40.36
1/4 stone: W 20.19 to beg -
Nov 16 1866 S.L.A.

Sec 22 Tp 11 R 8

See Sec 15 for pt NW & pt NE 1/4

N E of N E

Beg at N. E. cor Sec 22;
S 20.33 Beech 15 S 48 E 28, Beech 14 N 70 W 30;
W 20.50 R Oak 30 S 73 E 70
N 20.33 Beech 12 N 18 E 66; E 20.31 to beg
= 41 16/100 a. Mar 9 1848 D.M.

S E of N E

Beg at 1/2 M.P. E side Sec 22;
W 20.19 Elm 21 N 86 E 75, Beech 18 S 18 W 81;
N 20.29 R Oak 30 S 73 E 70; E 20.25
Beech 15 S 48 E 28, Beech 14 N 70 W 31;
S 20.33 to beg = 41 6/100 a. Mar 9-48 D.M.

W 1/2 N E 1/4

Beg at 1/2 M.P. N side Sec 22;
E 20.31 Beech 12 N 18 E 66; S 40.66
Elm 21 N 86 E 75, Beech 14 N 70 W 30;
W 20.19 S Gum 12 S 76 E 30, Hickory 30 N 78
E 55; N 40.64 to beg = 82 8/100 a.
Mar 9 1848 D.M.

N E of S W & S E of N W

Beg 20.32 S 1/2 M.P. N side Sec;
S 40.64 Beech 16 S 41 E 34, Elm 18 N 63 E 46;
W 20.33 " 16 S 84 E 12, Beech 11 S 17 E 26;
N 40.73 Ash 22 N 20 W 22 " 30 S 38 E 49;
E 20.50 to beg = Mar 9 1848 D.M.

See Plat Book for E 1/2 S E 1/4 David [illegible]
" " " " S E of N W & N E of S W
Sumpter

22 — 11 — 8

Beg at N. W. cor Sec 22;
E 30.30. Sugar 14 S 53 W 82;
S 20.36 Beech 18 S 45 W 61;
W 10.25 Ash 22 N 20 W 22 Beech 30 S 83 E 49;
S 20.40 " 16 S 85 W 29. Ash 16 N 46 W 37;
W 20.23 to 1/2 M.P. Mar 9/48 D.M.

Beg 1/2 M.P. W side Sec 22;
E 20.23 Ash 16 S 85 W 29. Ash 16 N 46 W 37;
S 20.33 Beech 16 S 84 W 12, Beech 11 S 17 E 26;
E 20.33 " 16 S 41 E 34, Elm 18 N 63 E 46;
S 20.32 to 1/2 M.P.; W 40.66 to Sec. cor.
Mar 9 1848 D.M.

Beg at 1/2 M.P. W side Sec 22;
S 13.55 stone; E - v 5° - 20.18 stone
N - v 4 1/2° E 13.55 stone; W 20.18 to beg
= 27 1/3 a Apr 16 1861 O.P.

Beg at NE cor of W 1/2 NW 1/4
22-11-8 South 40.72 1/2 chs
Rep Stake at 13.84 and at
1/2 way 20.36 1/4 chs set Stone; Stone
S 81° W 24 links for witness
Legal notice April 9th 1898
J.W.C.

Beg at the SW cor of NE of NW
22-11-8 East 20.25 Set
Stake at 10.12½ chs.
Also Begining at NW cor E½ NW¼
22-11-8 East 10.10 Set Stake
South 13.84 Set Stake
April 9th 1898
J.W.C

Beg at the center of 22-11-8
East 20.21½ set stone. Stone
N 72½ E 17½ links. Stone N 37½ W
E 20.21½ to ½ M.P.
April 9 98
J.W.C

Beg at SE cor NW¼ SW¼ 22-11-8
North 20.31½ Stone West 20.22
South 20.33½ Set Stone
East 20.14 Se
March 29 1900
J.W. Craig

Sec 23 Tp 11 R 8

Beg at S. W. Cor. Sec 23:
N 40.58 Ash 16 S 2 E 21, Maple 15 N 32 W 41:
N 18.70 to ½ M.P: E 20.34 Beech 18
S 8 W 6, Beech 12 N 21 E 12 (stone): S 18.70
Beech 16 N 50 W 16, Beech 14 S 78 E 42:
S 21.50 Beech 15 N 80 E 10, Ash 40 N 56 W 41:
W 20.39 to beg = N part 38 5/100 a. S. part = 43 89/100 a
May 11 1839 DM

Beg at N. E. Cor of Sec 23:
S 40.26 to ½ M.P. (stone)
W 40.96 stone Poplar 48 N 85 W 125:
N 20.14 " Ash 40 N 72 E 63:
E 20.43 " Beech 14 S 46 W 63, Sycamore 6 N 2 E 22:
N 20.10 " 14 S 78 E 10, Beech 14 N 22 W 24:
E 20.39 to beg = 123 32/100 a Mar 14 1851 DM

Beg at ½ M.P. S side Sec 23:
N 40.50 stone, Poplar 48 N 85 W 125:
E 40.96 to ½ M.P: E 20.44 Beech 6 S 51 E 8,
Beech 18 N 37 W 25: N 40.22 " 10 N 52 E 18,
" 12 S 78 W 21: W 20.26 to Sec cor.
Mar 1851 DM

23 — 11 — 8

N W of N E and E 1/2 N W 1/4

Beg at 1/2 M. P. N side sec 23:
E 20.39 Beech 14 S 78 E 10, Beech 14 N 22 W 24:
S 20.10 stone " 14 S 46 W 63, Sycamore 6 N 2 E 22:
W 20.33 " Ash 40 N 72 E 63: S 20.14 stone
Poplar 48 N 85 W 125: W 20.48 stone
Beech 18 S 8 W 6, Beech 12 N 21 E 12:
Mar 14 1851 D. M.

E 1/2 S W 1/4

Beg at 1/2 M. P. S side sec:
W 20.39 Beech 15 N 80 E 10. Ash 40 N 56 W 41:
N 40.20 stone " 18 S 8 W 6. Beech 12 N 21 E 12:
E 20.48 " Poplar 48 N 85 W 125; S 40.50 to beg
= 82 43/100 a. Mar 14 1851 D. M.

Sec 24 Tp 11 R 8

See Sec 23 for W½ S W¼ 24.

E½ N.E¼

Beg at ½ M. P. E side Sec 24:
W 20.44 Buch 6 N 66 E 16, Buch 20 S 20 W 22
N 41.10 " 24 S 53 W 17. Ash 15 N 81 E 2
E 20.47 to sec. cor. May 21 1834 D.

E½ N.W¼ & N.E.

Beg at Center of Sec 24; Buch 20 N 85
Buch — N 64 W 20: W 20.44 " 6 S 51 E 8
" 18 N 37 W 25: N 40.62 Hickory 15 S 78 W
" 16 S 77 E 39: E 20.62 to ½ M.P.: E 2
" 26 N 72 W 50, Buch 15 S 20 E 5. May 1844

E½ S.E.

Beg at S. E. Cor of Sec; W 20.31 Buc
S ½ W 23, Buch 12 N 29 E 26: N 41.00 "
N 66 E 16, " 20 S 20 W 22: E 20.44 to ½ M. P.
May 21 1834 D.M.

N W¼ S E¼ & N E¼ of S W¼

Beg at N.E. Cor. W½ S E¼, Buch 6 N 66 E 16,
Buch 20 S 21 W 22: S 20.50 " 9 N 10 E 6,
Hickory 20 S 21 E 5: W 40.80 " 10 S 38 W 14
Ash 8 N 3 E 31: N 20.11 " 6 S 51 E 8,
Buch 18 N 57 W 25: E 40.88 to beg = 82 90/100 a
May 21 1834 D.M.

E½ S W¼ & W½ N E¼

Beg ½ M. P. N side Sec; E 20.49 stone
S 40.90: W 80 - 40.66 stone: N 40.45 stone:
E 20.50 to beg = 166 12/100 a. Mar 1865 O.J.

See Plat Book for W½ S W¼ 18-11-9 & N E¼ of
S W of S E 13-11-8 M Stark Atty

24 - 11 - 8

Beg at S.E. Cor of Sec 24: W 20.32: N 32.86:
N 7.84: E 20.44: S 7.84. to Buch 24 in dia: S 32.96 to
beg = N park to 2 elm 16 a. S park to S Wolverton = 67 a
O. Thomsen
Nov 1864

Beg at N. E. Cor. Sec 24; S 14.27: W 20.35:
N 14.27: E 20.36 = 29 5/100 a. Mar 21/77 J. W. C

N E cor 24-11-8
Set Stone at 20.43½
at 40.87 at 35.26 center R.R. Crosses R.R.
th 13.99 set cor E. 25 to R.R.
th 14.27
th 10.85 to cor
g at ½ M.P. S side 24-11-8
Feb. 2 1900
est 61.03 Stone
h cor at 20.34½ also at 40.68⅔
from S W Cor E½ W½
th 40.54 Stone
est 20.47 to ½ M.P.
mile from ½ M.P. 40.57
th from S W cor E½ S W¼ 13-11-8 24.65 5.41
th from ½ M.P. S side 13-11-8
th from ½ M.P. E side 24-11-8
o Center R.R. North 26.72 Stone

Sec 25 Tp 11 R 8

Beg at S. E. Cor of Sec 25: W 20.15 Buch N 16 W 16, Beech 22 S 50 W 26: N 46 20 Buch 18 N 65 E Hickory 4 S 12: E 20.20 Buch 16 S 76 E 70. Buch N 75 W 80: S to beg = 93 24/100 a. July 28 1824 D.M.

Beg at stake on E line N. E. 1/4. on S bank Sugar 12 N 2, Buch 18 S 46 E = 8: S 25.81 Buch 16 S 76 E 70. Buch N 75 W 80: W 20.18 " 18 N 65 E 14, Hickory S 12: N 15.19 to Clifty: E to beg = 44 10/100 a. July 28 1824 D.M.

Beg at 1/2 M. P. S side Sec 25: E 20.15 Buch 17 N 16 E 16, Buch 22 S 50 W 26: N 40.50 " 9 N 37 W 3 " 7 S 31 E 32: W 20.20 " 25 N 62 E 96, " 40 S 75 E 91: W 20.20 " 30 N 46 E 4. " 36 S 24 W 16: July 28 1824 D.M.

Beg at S. E. Cor. W 1/2 N E 1/4 Sec 25: N 20.37 to S bank Clifty, Sugar 7 N 28 E 35. Buch 13 N 89 W 22: S 83° 7.78 Sugar 10 N 50 E 5, Ironwood 9 N 7 W 20: S to S line said 1/4. Ash 6 S 88 E 27. Buch 5 N 27 W 40: E 7.75 to beg = 15 83/100 a Aug 1826 D.M.

Beg 18.25 S of 1/2 M. P. N side Sec: S 88° E. 9.00: S 45° W 3.75: S 28° W 4.50: S 35 W 2.50: S 20 W 3.50: S 47 W 2.00: N 13.27 to beg = 5 59/100 a

25 — 11 — 8

Beg at S. W. Cor. W 1/2 N. E 1/4 Sec 25: E 12.45 Oak 6 S 88 E 27, Buch 5 N 22 W 40: N to Clifty, Sugar 10 N 50 E 5, Ironwood 9 N 57 W 20: S 83° W 2.75: S 62 W 2.70: S 15 1/2 W 3.50 Buch 13 N 10 E 27, Sugar 22 S 5 W 8: S 39 1/2 E 2.25 Buch 21 S 63 W 29, Buch 5 S 28 E 10: S 46 1/4 W 11.25 Buch 20 N 35 E 12: Buch 12 S 4 W 28: S 5.14 to beg = 15 83/100 a Aug 1826 D.M.

Beg 1/2 M. P. S side Sec: N 19.89 Buch 30 S 77 W 85, Buch 32 N 86 W 101: E 20.07 Ash 32 N 27 E 63. Ash 6 W 55: S 19.89 Buch 17 N 16 E 16, Buch 22 S 50 W 26: W 20.15 to beg = 40 a Feb 1830 D.M.

Beg at S. W. Cor of Sec: N 6.46 Buch 18 S 30 W 6, Sugar 6 S 84 E 13: N 52 1/2 E 2.75: N 45 E 3.50: N 47 E 3.75: N 46 1/2 — 6.50 to Buck Run: S 66 E 9.17 Buch 15 S 72 W 18 Buch 18 — 36 E 1: S 13.50 Buch 5 S 48 E 13, Buch 3 N 13 W 1: W 20.32 to beg.

Beg 1/2 M. P. W side Sec: E 20.20 Buch 30 N 46 E 4, Buch 36 S 24 W 14: S 19.93 to Buch on Clifty: S 69 W 2.75: N 85 W 4.81: S 62 W 3.50: S 49 W 4.82: W 4.62 Paplar 45 N 11 E 58: N 24 54 to beg = 46 a Aug 1832 D.M.

Beg 1/2 M. P. N side Sec: S 18.25 Ash 36 N 83 — 38: Buch 16 S 28 E 73: S 88 E 17.50 to Clifty: N 67 E 5.25 N 46 E 11.00: N 59 E 2.50: N 63 E 4.50: N 76 E 2.50: S 50 E 2.00: S 78 E 1.32 to Range line: N 7.75 to Sec Cor: W 40.30 to beg = 61 18/100 a

Beg at Station 1 bush above description: S 89 E 13.43 Oak 25 S 15 E 7: N 11 W 3.50: W 1.08: N 15.00 over

25 — 11 — 8

W 11.71 to ½ M P = 21 87/100 a Sept 9/37 D

S W of N W

Beg ½ M. P. W side Sec: N 20.18 Buch
N 69 W 52: E 20.25 Buch 21 N 52 E 4. Buch 11 S 2
W 16: S 20.21 Buch 30 N 46 E 4. Buch 36 S 24 W 1
W 20 20 to beg = 40 a June 4 1840 DM

Ch W ½ N E

Beg at S. E. Cor of W ½ N E ¼ Sec: W 20.16: N 5
Chfty: N 42 E 8.50: S 68 E 81: N 36 E 4.00: S 87½ E
3.00: N 17 W 5.00 to Chfty: N 83 E 4.34: N 87 E 2.71:
N 76 E 2.56: S 20.62 to beg = 30 32/100 a Sept/49 D

See Plat Book for W ½ S E & S E of S W. and E ½ N W ¼

Ch N E

Beg at ½ M. P. E side Sec: N 5.81 set
stone, Stone S 55 E 11, Stone S 6 E 13: E 20.18 se
" " S 79¾ E 25, " N 13¼ E 20. Oct 24/7
J. W. C

38 a N End E ½ N W ¼

Beg at ½ M. P. N side 25 —
West 20.27 stone South
18.70 Stone East 20.37
Stone North 18.70 to beg = 3

Sec 26 Tp 11 R 8

Beg at S. W. Cor Sec 26: W 20.26 Buch 6
N 42 W 50 Buch 7 S 80 E —: N 40.14 Buch 24 N 58
E 35. Buch — S 71 W 2: E 20.37 to ½ M. P.
Aug 2 1832 DM

Beg ½ M. P. S side Sec 26: W 20.31 ash 36 S 22
E 48: Cherry 9 N 14 E 11: N 40.16 Buch 20 N 46 W 41, Buch 30
N 81 E 19: E 40.75 Buch 24 N 58 E 35 " — 71 W 2: S 40.14 " 6
N 42 W 50. Buch 7 S 80 E —: W 20.26 to beg = 163¼ a
Aug 2 1832 DM

Beg ½ M. P. E side Sec 26:
S 4.81 ash 15 S 12 W 46: W 10.19 ash 10
S 28 W 71: N 45.25 ash 6 E 30: W 30.81
½ M. P. - June 4 184 DM

Sec 27 Tp 11 R 8

E½ S W¼

Beg ½ M.P. S side Sec 27;
W 20.45 Elm 40 S 49 W 12, S Ash 15 N 27 E 26;
N 40.50 Beech 12 N 43 E 8, Beech 10 S 62 W 31;
E 20.32 " 15 S 76 E 33. " 9 S 52 W 15;
S 40.45 to beg = 82½ A Mar 23. 1833 D.M.

E½ S E

Beg at S.E. Cor of Sec 27;
W 20.52 stone Sugar 18 S 53 W 57, Beech 14 N 83 E 80
N 40.39 Beech 18 N 38 E 50, Cherry 18 S 57 W 10
E 20.37 to ½ M.P. Mar 15 1831. D.M.

Ch W½ S W

Beg at S.W. Cor of Sec 27;
E 20 p stone, stone N 40 E 27, stone N 43
W 35; N 162 p 2 L stone. Beech 14
— 48 E 48, Beech 22 S 33 W 40;
W 20 p to ½ M.P. Mar 11/75 D.M.

Sec 34 Tp 11 R 8

Beg at S.E. Cor Sec 34;
W 20.40 Dogwood 5 N 18 W 18, Sugar 24 S 87 W 43;
N 40.30 Beech 9 S 40 W 9, Poplar 36 N 9 W 45;
E 20.37 to ½ M.P. Mar 23 1833 D.M.

Beg ½ M.P. S side Sec 34;
N 40.33 Beech 6 W 6, Ash 3 N 68 E 18;
E 20.37 " 9 S 40 W 9, Poplar 36 N 9 W 45;
S 40.30 Dogwood 5 N 18 W 18, Sugar 24 S 87 W 43;
W 20.40 to beg = 81/10 A May 29/34 D.M.

Beg ½ M.P. W side Sec 34;
N 20.15 Beech 30 S 76 W 17, Beech 24 N 80 E 28;
E 40.69 " 10 S 74 E 29, Ash 3 S 71 W 8;
S 20.15 " 6 W 6; " 3 N 68 E 18;
W 40.67 to beg = 81 97/100 A. May 29/34 D.M.

Beg at stake 6.91 W of Center of Sec 34;
W 6.22; S 30.25 on N bank Clifty, mulberry
10 N 10 W 80; N.E to stone on N bank Clifty,
Sycamore 40 N 82 W 22, Elm 18 S 82 E 21;
N 25. to beg = 16 6/10 A Feb 24/54 D.M.

Beg at S.E. Cor of Sec 34; N 6.09 for beg; W 4.00;
N 3.88; W 5.00; N 100 ft; W 2.70; N 2.00; W 2.00 to
Center Clifty; up center Clifty to N line of ½ qr;
E 7.00 to N.E. Cor; S-V 4°40'. 34.14 to beg.
= 33 A Nov 1866 O.T.

See No 6. Sec 35

Beg at NE cor. 34-11-8
South 33.13 to a point 36
ft south of old Co. Road
thence S 88° W 8.00 to center
of Cifty at mouth of Spring
branch Set stone N 88 E 108
from corner. Up Creek

Sec 35 Tp 11 R 8

See Plat Book for SE¼. T H Mires Hrs-

1 Beg ½ M. P. (stone) W side Sec 35:
E 40.77 Beech 30 S 41 E 17. Beech 6 N 5 E 34:
S 20.45 S Gum 20 E 13, " 9 N 86 W 10:
W 40.66 Sugar 16 S 21 E 42, Hickory 12 S 24 W 57:
N 20.35 to beg = 82 96/100 A Sept 1834 DM

2 Beg at S. W. Cor Sec 35:
N 20.35 Sugar 16 S 21 E 42 Hickory 12 S 24 W 57:
E 40.56 S Gum 20 E 13. W Beech 9 N 86 W 10:
S 20.45 to ½ M. P. Sept 1834 DM

3 Beg at N. W. cor of SE¼ Sec 35:
E 21.10 stone Beech 14 S 14 E 41; S 21.33 stone
Paplar 30. S 34 W 49: W 21.10 stone S. Ash
15 N 31 E 29: N 21.33 to beg = 45.9 Feb/52 DM

4 Beg at N. E. Cor of E½ S W¼ Sec 35:
S 162 pr 17 L. Hickory 20 N 55 E 126 L:
Oak 16 N 16 E 115½ L: W 90 pr 12½ l.
stone N 16 L. Stone S 27 l: N 196 pr
stone N 57 W 49 L, stone S 43 E 38 L:
W 71 pr 2 l, stone N 56 W 25 L. Stone
S 8 E 45 L: Oct 11/76 D.B.A.

35 – 11 – 8

Ch E½ N W¼

Beg at S.E. Cor E½ N W¼ Sec; N 116 p 22 l. B Oak 18 N 70 L. Sugar 14 N 26 W 61 L; W 84 p 10 L. with creek Willow 5 N 22 W 107 L Sycamore 2 N 16 E 144 L; N 16 p to sec line.
Oct 11 1876 D.B.A

Ch E½ N E 34

Beg at stone 128 p 2 l S of N W cor. Sec 34 S 67 W 16 p stone S 10 W 48½ L; stone S 86 W 32 L; S 80 W 20 p 14 L. stone N 73 E 26 L stone S 32 E 24 L; N 13 E 70 p 11 L. cross in rock; W 71 L. stone E 100 L; W 71 L Oak 18 S 78 W 44 L. Ash 8 N 60 W 51 L

Beg at N W cor sec 34; W 29 p 21 L B Walnut 16 N 21 W 34, Beech 20 N 10 E 66.
Oct 21 1876 D.B.A

Beg at N E Cor of W½ N W¼ 35.11
West 75 links set stone

West 20.26 to stone Cor sec 26-
34 + 35 W 7.46 stone at foot of Hill
S 15 E 12.15; S 8 E 4.83; W 71 l S 13° W to mouth of
Spring branch East to sec line 12 yds South
Beg at ½ M.P. S side 35-11-8 [illegible] set stone
West 7.42½ set ~~stake~~ Harrow Tooth in [illegible] Stone North 31½
Stone South 31½ West 22.66 old [illegible]

Beg at ½ M.P. on S side 35-11-8
North 40.70 ~~set stone~~
North 48.88 # old stone Poplar 8 N 44 W
#23 links

West from here 7.41 ch set stone

Beg at ½ M.P. S side 35-11-8 East 10.32
set Harrow Tooth stone North 32 Stone
South 31 links

Beg at center 35-11-8 East 10.32 Stone
Aug – 24th 1899

Beg at a point 48.88 chs. North and
4.35 chs West of the ½ M.P. S side
35-11-8. West 3.06 chs South 2.68
N 50° E 4.08 to beg = 4'/100 a
March 1st 1904

Sec 36 Tp 11 R 8

See Sec 1 - 10 - 8 -

" " 31 - 11 - 9 -

Ph E½ N.E. 1

Beg at N. E. cor of Sec 36;
S 4.95 to Buck Run; W. with center of
creek to W line E½; N 3.96 to sec
line. Beech 17 N 16 W 16, Beech 22 S 50 W 26;
E 20.15 to beg = 9 24/100 a. July 28. 34 DM

Ph E½ S.E. 2

Beg 7.66 W ½ M. P. E side Sec;
S 40.80 Beech 18 S 32 E 21, Elm 12 N 38 E 27;
W 12.59½ " 33 S 27 E 13. Ash - N 58 W 17;
N 40.75 stone " 13 N 54 E 32, Beech 14 S 6 E 21;
E 12.59½ to beg = 51 35/100 a. Sept 11/29 DM

Ph N E

Beg at N. E. cor of No 2 above;
W 31 L; 26' E 40.77 to S.E. Cor; N to beg
= 63/100 a. Feb 7 1854 DM

E½ N W & N E of S W

Beg at ½ M.P. stone N side sec 36;
S 40.12 stone Beech 8 N 28 W 9, Beech 18 S 68 E 37;
S 20.06 " Sugar 24 S 80 E 55 " 24 N 87 W 46;
W 20.13 " Maple 14 S 29 W 8, B Oak 18 N 13 E 22;
N 60.13 " Beech 5 S 48 E 13. Beech 3 N 13 W 1;
E 20.13 to beg = 121 8/100 a. May 18/39 DM

36 - 11 - 8

N W of S W

Beg at N. W. cor of Sec 36;
E 20.13 stone Beech 5 S 48 E 13, Beech 3 N 13 W 1;
S 60.13 " Maple 14 S 29 W 8. Oak 18 N 13 E 22;
W 20.13 " Beech 11 W 10. Beech 22 N 19 E 7;
N 19.99 to ½ M.P. May 13 1839 DM

Beg ½ M. P. N side;
W - v 6° - 20 27; S v 4½ - 60.55
Sept 24. 1862 OP

Beg at SE cor 36 - 11 - 8 West 40.38
½ M.P. West 84.76 cor 1 + 2 - 10 - 8
West 94.84 cor Lot 5 Myers Est;
West 121.14 to ½ M.P. S side
35 - 11 - 8

Beg at ½ M.P. on South side
36 - 11 - 8 North 40.25 Set cor Sto
at ½ way
West from ½ way 19.82½ Set
stone. East of ⅛ Cor 30 links
South 20.23½ Stone
March 9 1899