Beg. at S. E. Cor Sec: W 20.97 Buch 14 S 88 W 24, Beech 9 S 23 E 04; N 20.23 Sugar 12 S 82 W 90; E .93 to Mich road; N 29.00 Beech 40 S 9 E 17, Sugar 18 N 20 E 14; E 20.20 to ½ M. P. Sept 3 1835 S. M.

Beg. at ½ M. P. S side Sec; N 40.29 Beech 18 S 21 W 20, Beech 28 N 53 E 34; E 20.20 " 40 S 9 E 17, Sugar 18 N 20 E 14; S 29.00 stake on Mich. road; W 93½ Sugar 12 S 82 W 90; S 10.73 Beech 14 S 88 W 24 Buch 9 S 23 E 4; W 19.10 to beg = 79 a 1R 3p. Sept 3. 35 S.M.

Beg S.W. Cor. E½ SE¼ S 12. ash N 83 W 17 Beech S 31; N 10.73; S 51° E 9.56, ash S 38 W 83; S 12 W 5.50 Sugar 18 N 2 E 50, Sugar 12 S 27 W 39; W 6.44 to beg = 5 a 3R 13 p. Nov 14

Beg 6.00 W of S.E. Cor Sec; W 4.50; N 3.75 to Mich road; S 50° E 3.84 to beg = 3R 15 p. March 11 1843 S. L. H.

Beg. at N.E. Cor E½ SW¼ Sec; S 8.0 (stone); N 31½° E 9.40 (stone) Buch 18 N 86 W 20 E 4.96 to beg = 1.28 a Aug 8 1853 S. L. H.

See Plat Book for pt E½ NW¼

Beg at N. W. Cor. E½ SW¼ Sec; E 6.00; S 2.17; S 48° 20' W 8.40; N 7.50 to beg = 2 1 9 Aug 1862 O.F.

Sec 12 T 9 N R 9



1 { Beech 16 N 40 E 25
  { Sugar 18 S 35 W 32

2 { Beech 14 N 2 W 12
  { " 15 S 2 W 28

3 { " 40 S 9 E 17
  { Sugar 14 S 89 W 31

4 { ash 36 S 6 W 62
  { Beech 15 S E 105

Center corner legally established after 10 days written notice. Sek stone from which, Sequan 12 N 86¾° W 47 lks Buckeye 10 N 1½° W 36 - O.S.

Beg at a stone situated 12.25 N & W 3.37 W. from Center stone: W - 54° 22' - 11.07 stone; S 40° E. 7.71 with which road to a point on W bank of Sand Creek; N 60½° E 4.50 stone; N 31¼° E 4.22 to beg = 3.21 a May 28 1866 S. L. A -

Beg at old Center stone Sec 12; N. 44° - 15' - 12.25 stone; W - 44° 18' - 3.37 stone; S 31¼° W 44° 18' - 4.32 stone; S 60½ W 4.50 to a point on W side of Sand Creek; North angle of West Abutment of Bridge S 61° 22' W 13½ L; S - 44° 18' - 57° 46 W 4.5 L to South Angle of Abutment described above; S 33° 47' W 7.39 to a stone on S line of ¼ Sec; N 89¾° E 14.10 to beg = 10.22 a. Sept 28. 68 S.L.A

Beg at a point where the Center of the Michigan road intersects the N. line of the S W ¼; stone W on said line 50 L. W of Survey 4° 38' S 32° E 2 chs. stone S 58° W 50 L; S 38° W 3.5 - 18 stone; N 32° W 4.07 stone on N. line S W ¼; E 3.40 to beg - 1.4 a Oct 12 1867 S. L. A

next page on

Beg at ¼ M. P. N side Sec; E 44° 44' - 39.87 chs. Sec. Cor. Sek stake at ¼ Marp; stone 50 L N W stone S 50 L. Also beg. at S.W. Cor. of said ¼; N - 44° 01' - 15.59 Chs sek point, stone W 37½ L (Lost) stone N 51° W 27½ L. Sept 28 1868 S L A

Beg at ¼ M. P. N side Sec; N 84° E. (Var 2°) 19.75 ¼ stone, stone S 13¾° E (Var 2°) 34 L; E 19.75 to Sec. Cor. Also beg at Center of Sec stone N 85° 30' E (Var 2°) 19.96 ¼ stone, Hackberry 8 8 OS (Var 2°) 17½ L; E to ¼ M.P. 14.96 Chs. Also N on line from Last ¼ stone 15.59 Chs. Sek stone N. E. Cor to Fred Hammerlings.

June 6 1870 S. L. A -

Beg at N.E. Cor (stone) W½ N E ¼; W - 44° 53' - 4.41 Chs. stone S 33 L; S - 5° 57' - 2.22½ Chs to Pang of R R Curve, S. whole line to center of track 2.36 chs, Eastwardly with Center of track to end of Curve; E. on straight line of track 1.44 chs to E line of ½ ¼ Sec; N - 43° 51' - 2.10 Chs to beg = 0.975 a July 24 - 1874 S. L. A

Beg. ch N. W. Cor. E½ S W¼. ash 8 N 23 & 17. Buckeye 10 S 56 W 16: & 7.50, Buch 18 N 49 E 33. Elm 20 N 64 W 52: S 20.00 Buch 13 S 25 E 13. Buch 24 N 48 W 8: W 7.50 " 10 S 54 W 26 " 19 N 38 E 5: N 20.00 to beg. = 15 a Aug 30 1826 A. M.

Beg ½ M.D. Stone S side Sec; E 1.00 to road; N 20 W 27.00 Buch 18 N 48 W 50: W 12.48 Buch 16 S 44 E 65: S 8.60; W 7.50; S 40.50; E 20.00 = 5.50 a Jan 19 1854 S Dec

Beg ch S.W. Cor. W½ N E¼ Sec (stone); N 5.48½ Buch 8 S 65 E 42, Sugar 20 N 54 E 39. E 5.48 Sugar 24 S 38 E 17, Buch 12 S 37 W 47½; S 5.48½ Buch 15 N W 30. " 2 N 47 E 49; W 5.23 to beg = 5 a Mar 3 1858 D.M.C.

See Plat Book for pk W½ S E- pk E½ S W¼.

to Wm Loyd heirs and N E¼ to Mr White et als

Beg at stone 6 chs W. of N.E. Cor, Sec; W 10.00 chs to old stake; S 2.25 chs to stone; N 72½° E to beg. May 3 1866 J. L. N.

Beg ½ M.D. & side Sec; W 0.20; S to Linden stone, ash stone ash 10.75 from beg. also ash stone ash 15.82½, Sugar 20 N 2 W Beech 18 N 8½ W 46 l. also ash & Linden stone on ½ May 19. 78½. Aug 2-8-67

1989 07
1989



1 { Sugar — N 16 W 28 / Buch 14 N 34 E 100 " 88 & 9 } Feb 13 34 D Dec

2 { Sugar — S 86 E 18 / " — N 19 W 37 }

3 { Ash — N 83 W 17 / Buch S 3 }

4 { " 16 } N 40 E 25- / Sugar 18 S 35 W 22. } Jan 26. 29 D Dec

5 { ash 8 N 23 E 17 / Buckeye 10 S 56 W 16 } Jan 27-37 D Dec

6 { Beech 8 N 17 E 6 / Cherry 3 S 69 W 7 }

15 - 8 - 1

Beg 1/2 M. N. E. side Sec; N 18.60 stone,
Elm 20 N 77 1/2 E 42 l; W - 0 4 0 25' - 10.75 stone
Blue ash 18 N 33 E 28 1/2 l. May 28 - 67 S. Z. A

Beg at N. E. Cor Sec; W - 0 4 0 28' - 6.05 stone;
N (4 0 23) 0.55 stone; S 76 3/4 W — stone; N 2.25 ,
on Sec. line 16.49 W of beg. Rugar 18 N 85 1/2
E 12 1/2 l + Beech 20 S 4 E 13 l. Feb 3 - 69 S. Z. A

Beg at 1/4 stake on N. line S W 1/4 Sec;
E - 0 4 0 13' - 7.50; S - 0 4 0 13' - 8.32; S 69 3/4 0 W
7.95 stone; N 10.95 beg. beg at 1/4 stake
on N. line S W 1/4; N - 0 4 . 13' - 67° E. 13.65;
N 74 1/4 E. 8.23 stone; N 69 3/4 E 7.95; S - 0 4 0
13' - 11.68; W 7.50; S 0.11 1/4 stake; W 19.91
to beg = Apr 24 - 1869 S. Z. A.

Sec Plat Book for Wp. N. 6 W. 4 Donaldson Twin

Beg at N. E. Cor. Sec; W 19.96; S 27.50
on creek Sycamore 30 S 16 W 34. S 62° E 6.00
Creek 10.17 to Stone .75 below Mile Meand. Elm
8 6½ E 72; N 16 W 1.75 White oak 18 S 71° E 7.00
N 74 E 3.75 Beech 24 S 2 E 84; S 16 E 3.00
W Oak 14 N 0½ W 81; N 74 E 7.50 Beech 30
N 70 E Beech 18 S 15 E 10; N 21.25 to beg.
= 46.83 a. Apr 4. 1844 C. L. H.

Beg 16.67 N of S. E. Cor. W½ N 6 W 4. ash 20
S 8 W 29. Beech 12 N 60 E 35; N 5.50 Sugar 8
S 53 W 67 " 18 N 70 W 52; W 14.80 " 12
S 80 E 87; S 8.56. Sugar 18 N 84 W 22. Elm
30 N 87 E 45; E 14.80 to beg = 17 a. Jan 4 1844 C. L. H.

Beg. at N. E. Cor: S 26.28 Beech 30 N
W 7; W 7.17 Hickory 2 S 84 W 4; N 61 W 4.29 Beech
24 S 2 E 84; N 1.58; W 12.17 Beech 12 N 42 W 3.
N 8.67 Beech 16 N 15 W 22, Beech 30 S 55 E 45;
E 14.96 to beg = 30.25 a. Nov 2 - 46.

Beg. 1.50 S of ¼ M.P. E Side Sec; N on Hickory
6 W 64 68; S 8° E 2.00; S 21½ W 4.50; S 5½ W 3.50; S
15½ W to Center Sand Creek; S. W. up Creek
line; E 18.88 to Sec. Cor; N 40.34 to beg.
= 37.25 a Jan 3 1848

Sec 14 T 10 R 9

14.96

40.41

19.90

1. W Walnut 12 S 60 W 70
2 Beech 16 N 15 W 22
" 30 S 55 E 45

Beg at ¼ M. P. S. side; W 6,75 Sugar
14 S 81 W 74; N 15,00 Poplar 54 S 81 W 34;
E 31,25 to Cutler Sand Rock; S W & Cor.
Line; W 21,16 Hackberry = 46 Lks. Jan. 25 & 26
Beg. at S. W. Cor. (Stone); N 40,34 to ¼
M. P.; E 36,59 Sugar 17 S 65 E 95; S 22 W
2,95 Cherry 12 S ½ E 86; S 4,75 Sugar 15
N 16 W 20; S 22,25 Beech 21 Ash 35; W 6,45
Poplar 54 S 80 W 34; S 16,00 Sugar 14 S 81 E 74;
N 32,59 Hackberry = 149 35 Aug 3. 1892 - J. H.
Beg 17,30 S. of N. E. Cor; S 65 W 2,00; S
41 W 3,16; S 20 W 2,22 to Elm 14 (Cor.); S 20 E
5,08 Beech 36 S 21 W 1,87 Beech 26 E 26; N
6,27 Hackberry = 2 05 a Apr 11. 93 J. H.
Beg 2,02 W of Cutler & Sec; N 1,17;
W 1,06 to Vernon Road; S 25 31 W 1,37 ½;
E 1,18 = 0,96 a
1,000
See Black Book for pt E½ SE¼. W Stone
Beg. ½ M. P. S. side 14-10-9 N 1,13
to center of pike; W 16,00 spike
in pike; S 31,25 to center of
Sandcreek, Cherry 11 inch Elm
1,00
Oct 29, 1897 J. H.

14-10-9

Beg at Spike 6,75 chs W of 16 Chs N of ¼ MP
S side Sec 14 T 10 R 9. Thence East 6,75 chs
to Stone, Stone "B" on E side W 25 L. Stone "10" N side E 25 L,
South 22,25 Stone, stone S 1° E 1 L. West 4,75 chs
to East side pike drove spike. Thence S & W along
pike to place of beg. Aug 20, 1891
W. C. D.

Sec 15 T 1 S R 9

NE¼ of SE¼

Beg 30.50 N of ¼ M.P. S side;
Beech 36 N 45 W 16, Beech 22 S 73 W 40;
W 21.25. Beech 5 N 4 E 10, Beech 4 S 17 W 25;
N 18.87½ " 7 N 32 W 2, " 5 S 43 E 19;
E 21.50 " 16 N 43 E 19 " 17 S 50 W 19;
S 18.87½ = 40 a Aug 10 1827 S. M.

N½ of SE¼

Beg at ¼ M.P. (stone) E side;
W 21.34 stone; S 43½ W 14.00 stone; S 30.00;
E 21.81 to Sec. Cor. Oct 1852 S. M.

SW¼ of NE¼

Beg at S.W. Cor (stone); N 40.50 to ¼
M.P. (stone); E 11.63 Beech 4 N 88 W 35;
E 10.00; S 40.00; W 10.00 Beech 4 N 82 E 6;
W 11.32 to beg = 86 25/100 a May 3 1858 S. M.

N ½ of N E ¼

Beg at N. E. Cor Sec: S 20.27 Beech 19 S 4 W 25:
W 39.06 Beech 14 S 35 E 24: N 30.32 to ½ M.P: E 38.86
to beg = 79.98 a Feb 25 1846 D. M.

See Plat Book for S ½ N W ¼ - Segrigg heirs

Beg at stone 7.53 E of ½ M.P. N side: E. 87
Sycamore 18 N 17 E 5: S. 25: E 1.03 Beech 15 S 17 W
45: S 2½ W 7.75: White oak 20 N 48 W ½: S 53 E 1.00
Beech 11 N 15 W 14: S 16 W 3.50: S 28 W 4.58. Beech
18 N 74 W 2: N 18.85 to beg = 2 69½ a. Oct 30. 1846
D. M.

S W ¼ of N E ¼

Beg at ½ M.P. (stone) S. side: N 7.52: S 81 E 2.62
Sugar 14 N 13 W 80: N 78 E 7.50 Beech 11 N 3 E 16: S
35 E 1.75 Sugar 14 N 36 W 26: S 5.50. Beech 16 S 20 W 28.
Beech 10 N 14 E 16: E 10.50 to beg = 6 33/100 a June 14 - 56 D. M.

S E ¼ of S W ¼

Beg at N. E. Cor (stone): S 18.25: W 1.12½: N
6½ W 8.75: N 25 W 1.87½: N 61 W 3.54: N 6.28:
E 6.45 to beg = 6 33 a June 14 1856. D. M.

N ½ of N W ¼

Beg at S. E. Cor N ½ N. W ¼: W 21.90:
N 10.50: E 21.90: S 10.50 to beg, Oct 8-59
D. M.

N E ¼ of S E ¼

Beg ½ M.P. E side Sec: W - (S 5° 45' - 11.10
Beech 8 S 60½ W 31¾, Beech 16 N 54¼ E 36: W 8.49:
S - (S 5¼) 20.35 Beech 18½ W 45½, Beech -
N 62¼ E 35: E - (S 5°) 8.49 W 11.19:
N - (S 5¾) 20.21½ to beg = 39.83 a
July 6 1860 D. M.

Sec 16 T 10 R 9



1 { Sugar 18 N 35 W 27
2 { Beech 9 S 35 E 25

1 { Sugar 7 S 31 E 2
Ash 35 E 34 & 3
Beech 22 N 43 W 38
2 { Beech 24 S 64 E 5
Sugar 22 N 80 W 24
3 { Hickory 11 N 45 E 31
Haw 5 S 33 W 27
4 { Beech 14 S 35 E 24
Poplar 4 N 63 E 23
5 { Beech 10 S 16 W 12
" 13 N 2 W 12
6 { " 9 S 66 W 27
" 12 N 51 E 32

June 10 - 1831 - D. M.

16 – 10 – 9

Pt E½ SW¼

Beg 6.00 E of N.W. Cor. E½ S.W. qr Sec:
S 6.67: W 6.00: S 7.83: E 18.14: N 7½ W
4.94: N 26 W 1.89: N 62 W 2.84: N 6.28:
W 7.59 to beg = 18¾ a Jan 2-66 O.T.

Beg at N.W. Cor E½ S.W¼: E 6.00:
S 6.67: W 6.00: N 6.67 = 40 a Jan 2.66 OT

Sec 17 Tp 10 R 9

N ½ E ¼ N E ¼

See Plat Book for S. E. ¼ of Bayman Et al
Beg. at N. E. Cor. Sec: S 26.18 Hickory 18-
S 47 E 20. Elm 10 S 43 W 19: W 9.56 Beech
16 S 80 E 20. Elm 30 S 72 W 34: N 26.18: E
9.56 to beg = 25 3/100 a Feb 11 1852 D M
Beg at S. W. Cor (stone) N E cor Plat of
Sec

See Plat Book for E ½ E ½ N E ¼ of Howell Est



1 { Elm 22 S 20 E 33
Beech 12 S 38 E 38
July 29-5-3 D M

See Plat Book for W½ N W¼ O. Martin hrs

Beg at S.E. Cor (stone); N 40.50 to ½ mile P.; W 40.75 stone, ash 4 S 78 W 39 Beech 12 N 16 E 27: E 40.82 stone ½ M.P.; S 40.43 to beg = 145 3/100 a July 28 1853 D.M.

Beg ¼ M.P. W side (stone); E 40.18 stone Ash 4 S 78 W 39; S 11.94 W oak 12 N 84 W 112; S 73 W 22.32; S 76 W 20.00; N 22.77 to beg = 73 93/100 a Mar 4 1857 D.M.

Beg at S.E. Cor; N 40.39 to ½ M.P.; W 20.28; S 40.49; E 20.28 to beg = 82 2 a Dec 27 1862 O.T.

Beg at Centre of Sec; W (W ¼) 20.13 stone; N W 50' - 8.35 Sugar 15 N 15 ½ E 74, Black Ash 4 29½ W (Pen Run) 125/4; W - W 50' - 14.05'; N - W 50' - 14.70; E. W ¼ - 33.92 Red Elm 15 N 34½ W 37½, Beech 12 N 61½ E 47; S. W 50' - 22.28 to beg = 65 a Aug 25 - 1863 O.T.

Beg at Centre of Sec; S - W 1° - 11.90; N 70¾ E 20.68; N 6.76; W 20.04 to beg = 18 7/10 a Dec 1864 O.T.

Beg at N.W. Cor of Sec; E 27 ½ 3 l stone; S. 22 ½ 3 l stone; W 29 ½ 18 l to Range line stone; N 22 ½ 21 l to beg = 13 75/100 a Nov 3 1880 O.L.S.

one

S ½ S E ¼ S W ¼ N W ¼ W ½ N W ¼

Sec 18 Tp 10 R 9



1 { Beech 18 S 43 E 5
" 10 N 14 E 5 } Sec 6-32 25 Acres

2 { " 25 S 66 W 16
" 15 N 71 E 22 }

3 { " 14 N 51 E 26
" 9 S 31 W 15

4 { " 10 N 57 W 50
" 6 S 81 E 10 } Nov 24-34 N 246.

#5 { Ash 24 N 16 W 21
" 20 S 74 W 85

18 — 10 — 9

Pt. S.W.¼

Beg. at S.W. Cor of E½ of S.W.¼;
S 89 P 20 L stone Beech 14 S 87 W 30
and R Elm 30 & 40 E 54 L: N 79 P. 9 L stone;
S 87 P 16 L sec. Cor: E 80 P 9 L to key
= 44 27/100 a Apr 3 1880 O.L.P.

Beg ¼ M. P. W side; E 21.32 - Witness same as No 6; S 40.20 - Witness same as No 10.; W 17.83 stone sugar 20 N 13 E 44, Ash 18 S 9 W 56: N 83 W 4.56 to N.E. cor 24-10-8 Dec 28 1838 D M

Beg at N.W. cor Sec; N 1.5 to N.E. Cor of Sec 24: S 83 E 4.50 (stone) Witness as above: N to beg = 37/100 a Dec 28-38. D M

Beg at N.W. cor Sec.; E N 5° 33' - 41.15 to ¼ M.P. set stone at ¼ mag 20.57½ Beech 20 N 2½ W 7½ & Beech 12 N 61 E 47; S. from ¼ M.P. - S 5° 47' - 40.48. center stone Beech 12 S 28 W 11 & Beech 18 N 10¼ E 51; W N 5° 33' - 42.28 to ¼ M.P. W side set ¼ stone ¼ mag 21.14 Beech 18 S 67¼ E 74 l; N. from ¼ M.P. to beg 40.24 chs Mar 19 1867 S. L. A—

Beg ¼ M.P. S side Sec; N. N 5° 47' - 39.90 to center stone, Beech 12 S 28 W 11 & Beech 18 N 10¼ E 51 l Mar 19 - 67 S L A

Beg ¼ M.P. N side Sec; E N 5° 09' - 40.40 to N.E. Cor Sec set stone at ¼ mag 20.20. stone W 25 l & stone N 35¾ E 23 l Mar 19 67 S L A

N line 16¼ chs W of N ¼ cor

Sec 19 Tp 10 R 9



Beech 14 N 70 E 47 & Beech 11 N 45 W 63

7 { Beech 10 N 7 W 16
" 16 S 42 W 25

8 { " 22 N 24 W 24
" 20 S 5 E 24

9 { Sugar 11 S 51 E 7
Beech 18 N 7 W 9

Nov 25-34 - 20 Ac

10 { " 22 N 46 W 18
" 18 S 14 W 29

11 { Ash 20 N 15 E 38
" 22 S 16 E 51

Dec 28-38 - 5 Ac

1 { Beech 15 S 43 E 6
ash 10 N 50 W 26
" 10 N 14 E 5

2 { " 22 S 33 E 17
" 20 N 40 W 27

3 { " 16 S 42 E 43
" 6 S 79 W 17

4 { " 18 N 53 E 20
" 8 S 31 W 24

5 { " 16 N 24 E 27
Ironwood 5 - S 20 E 13

6 { Ash 28 N 4
Beech 14 16 E 34

Nov 25-1834 D M

Beg ¼ M.P. S side Sec; E (v 5½ E) 40.49 to Rec. Cor. at 20 24½ on line Ash Stone. Witness stone E 25 L. stone N 45° W 45. Mar 28 1864 O.L.

Beg at Cor. Sec 20, 21, 28 & 29: Tracing the old Section line N ¼ M. 81 ¼ 100 L. stone B Walnut 6 N 43 E 26, stone S 55 E 25; Thence W, on straight line to Sec Cor. 81 ¼ 100 L, ¼ M.P. stone. Wit. N 15 W 30, & stone S 5½ W 49: W 161 ¼ 100 L to Sec Cor.

June 9 1874 O.L.P.

Sec 20 T 10 R 9



Sec Plat Book for Sub E½ & E½ of Comm Sec

Beg ½ M. P. E. Side Sec: W 16.61
Beech 20 S 57 E 24, Beech 10 W 7: N 40.00
" 6 N 61 W 15 ash 3 S 58 E 16: E 16.65
to Sec. Cor: Nov 22 1831 D. M.

Beg at stone 16.65 W. of N. E. Cor. Sec;
Beech 6 N 61 W 15, ash 3 S 58 E 16: S 40.00 stone
" 20 S 57 E 24, Beech 10 W 7: W 18.11 stone
Cherry 5 N 39 E 63, Sycamore 3 N 66 W 58: N 39.87 stone
Beech 18 N 18 W 20, Beech 6 S 67 E 7: E 15.15
to beg = 60 7/10 a. Nov 22, 1831 D. M.

Beg ½ M. P. (stone) N side Sec; E 7.53
stone, Beech 18 N 18 W 20, Beech 5 S 67 E 7:
S 39.87, Cherry 5 N 39 E 63, Sycamore 3 N 66 W 54:
W 7.53, Sugar 10 S 87½ E 10, W Beech 7 N 64 W 15:
N 39.81 to beg. Nov 22 1831 D. M.

Beg at N. E. Cor Sec: S 27.28: W 16.63: N 22.18
Beech 10 S 35 E 24, Poplar 10 S 62 W 29: E 16.66 to
beg = 38 a June 4 1852 D. M.

Beg at stone 1.71 W. of Center of Sec: W 4.00
stone: N ½ W 5.00 stone: E 4.00 stone: S 12 E
5.00 to beg = 2 a Mar 16 1858 D. M.

Beg at Center of Sec: at a point in
Sand-creek, stone E. on bank. 25.08 chs
W stone N 25¾ E 0.61: S 20.00 Chs. stone:
W 19.96 Chs stone: N 20.00 Chs stone:

one

Sec 21 T. 10 R 9



W. Beech 11 N 71 W 29
" 9 " 8 N 63 W 42

1 { Sugar 10 S 87½ E 10
" 2 S 88 E 12
Beech 7 N 64 W 15
" 19 4 4 W 30

2 { " 6 N 5 E 15
" 5 S 12 W 24

3 { " 11 N 11 " 20
" 16 S 55 W 18

Nov 22 1831 D. M.

4 — " 15 N 7 E 98

5 { Sycamore 15 N 37 W 67
Sugar 18 N 64 W 70

6 — Beech 4 N 63 W 100

7 { " 12 S 43 E 1
" 10 N 13 W 42

Mar 28. 1851 D. M.

E. line of W 1/2 W 1/2 Sec 34

S. line of S E 1/4

Bal of

E 19.84 chs to beg. Also beg at cor to Sec; S 20.00 chs stone; W 5.00 chs stone; N 20.03 chs stone; E 5.00 chs to beg. June 12 1866 S.L.A.

Beg at S.E. Cor. Sec; W. a 40.31 - 39.57 chs to 1/2 mi. P. set 1/4 stake at 1/2 may 19.86 1/2 chs. Aug 24 1868 S.L.A.

S. line of S W 1/4

Beg 1.71 chs. W of S.E. Cor E 1/2 N W 1/4; W 4 chs. stone; N. Same Variation 12° W 5 chs stone; E 4 chs stone; S 13.20 E 5 chs stone at beg = 2 a Apr 14-69 S.L.A.

Beg at S.E. Cor. W 1/2 N W 1/4 Sec; W 3.16 chs; N 3.16 chs; E 3.16 chs; S 3.16 chs to beg = 1 a May 11 1871 S.L.A.

E. line of W 1/2 N W 1/4 Sec 34

Beg at S.E. Cor. W 1/2 N W 1/4 Sec; N to 1/4 stone 40.26 1/2 chs. set stake at 1/2 May. 20 13 1/4 chs May 11-71 S.L.A.

Beg 23.40 S. of 1/2 M.P. N side Sec;
S 14.70 Beech 19 & 23, Beech 7 N 26 W 16;
W 21.12 Beech 12 S 27 W 1 " S 89 E 9;
N 14.20 " S 89 & 10 " 28 N 89 W 46;
E to beg = 3.0 a July 18, 1825 - D Lee

Beg 1/2 M.P. N side Sec; S 6.11 1/2 Beech
10 N 26 W 7 Beech 10 S 76 E 12; W 21.25 Beech 18
N 89 W 39 " 10 S 84 W 5; N 6.11 1/2 " 22
S 89 E 21 " 4 S 52 W 21; E 21.27 to beg
= 1.3 a Oct 1826 - D Lee.

Beg 1/2 M.P. N side Sec; S 7.06, Beech
10 N 73 E 24, Ash - S 70 W 26; W 21.25; N
7.06; E 21.27 to beg = 1.5 a Sept 10 - 35 - D Mc

Beg 1/2 M.P. S side; N 40.00 (stone); E 42.27
to 1/2 M.P. stone; S 40.40 to Sec Cor; W 21.11
Hickory 12 S 63 W 15; S 9.99 Walnut N 23 E 18;
W 21.08 Poplar 40 N 81 E 40; N 10.17 to beg = 190 92 a
Sept 2 1852 D Lee.

Beg at S.W. Cor Sec (Stone); E 41.15 1/2 M.P.;
N 14.58; W. to Sec line; S 14.58 to beg = 60 a
June 7 1863 D Lee

Beg 1/2 M.P. N side Sec; S 25.77 stone
Dogwood 6 S 69 W 29; W 50 51' 41.80 Beech
10 S 21 3/4 W 20, Beech 12 N 66 1/2 W 21; N 35.37
to beg (246) = 10.87 a Nov 23. 63 D T
Owen



7 { Beech 10 S 12 W 39
" 12 N 57 E 36
8 { " 12 & 23
" 7 N 26 W 16 } Mar 7-34 D Lee
9 { Oak 21 N 18 W 3
Beech 16 S 1 W 32
10 Hickory 12 S 63 W 15

1 { Beech 4 S 22 E 11
" 19 N 14 W 44
#2 { " 5 S 89 & 10
" 28 N 89 W 46
3 { " 22 S 89 E 22
" 4 S 52 W 21 } Jan 18-24 D Lee
4 { Sugar 7 N 9 E 9
Beech 32 S 87 E 38
5 { " 12 S 27 W 1
" 5 S 89 E 9
6 { B Walnut 40 N 85 E 70
Beech 14 N 89 W 32 } Oct 1826 D Lee

22 – 10 – 9

NW¼ SE¼ NE¼ NE¼

Beg at (stone) N ¾ of E ½ of E ¼;
S 40.26; W 10.43½; N 40.34; W 10.43½ to
beg = 42 a Mar 17 1864 C.T.

NE¼ NE¼

Beg at S.E. Cor. Sec; W 10.89; N 40.34;
E 10.89; S 40.44 to beg = 44 ⁹⁄₁₀ a. Mar 9.64 C.T.

NW¼ SE¼ NE¼

Beg 7.06 S ½ W.P. N Side Sec; E 2.82
chs stake; S 33.09 chs to line of ¼ Sec;
W 2.82 chs to Center stone; N 33.09 chs
to beg = 9 ³⁴⁄₁₀₀ a Feb 12 1872 S.L.A

SW¼ SE¼

Beg 1.25 chs W of ½ M.P. E. Side Sec;
S 4.00 chs; E 1.25 chs; S 1.33⅓ chs stone
on Sec line; W 3.75 chs stone; N 5.33⅓
chs to a point in Sand Creek Pike on
line of ¼ Sec. stone S. on line 25 L; E
2.50 chs to beg = 1½ a. Apr 20, 1874 S.L.A.

Beg 15.13 S. of ¼ Cor. N. Side Sec 23;
— 4.87 W. Walnut 8 S 15 E 19, Sycamore 66
N 24; N 53 W 4.00 ash 18 S 15 W 11, Beech 7
N 40 W 7; S 70 W 2.50 ash 20 S 6 E 43 " 19
S 68 E 16; S 7½ W 3.50 " 7 (Cor) Sugar 3 S
28 E 11, Beech 12 N 53 E 41; S 40 W 3.12 Buck-
eye 3 N 70 Eq. Oak 19 S 18; S 21 W 3.50 Hick-
ory 6 N 6 E 29 Beech 9 S 20 W 12; S 6½ E 5.22
Sugar 4 N 37 W 6, Sycamore E. 3; W 1.66
" 11 E — Sugar 9 S 33 W 8; S 7.05; W
9.86 Sugar 4 S 76 E 24, Sugar 10 N 12 W 29
N 25.05; Beech 8 N 37 W 10 Sugar 12 S 40 E 35;
E 19.83 to beg = 31 09/100 a July 19 1875 S.W.C.

Beg at S.E. Cor. of E½ N.W.¼; N 20.56
W. Walnut 18 S 10 E 19, Sycamore 66 N 24;
N 53 W 4.00 ash 18 S 15 W 11, Beech 7 N 40 W 7;
S 70 W 2.50 ash 20 S 6 E 43 " 19 S 68 E 16;
S 7½ W 3.50. " 7 (Cor) Sugar 3 S 28 E 11; S 40 W 3.12
Buckeye 3 N 70 Eq. Oak 19 S 18; S 21 W 3.50 Hick-
ory 3 N 6 E 29 Beech 9 S 20 W 12; S 6½ E 5.22, Sugar 4 N 37
W 6, Sycamore E 3; W 1.66 Sugar 11 E — " 9 S 33
W 8; S 7.05; E 10.04 to beg = 18 89/100 a Jan 19-28 S.W.C.

Beg ¼ M. P. N. side Sec; S 15.13 Beech 32
S 54 W 3. Ash 21 N 45 W 32; W 19.83 " 8
N 32 W 10. Beech 12 S 48 E 38; N 15.13 " 18

over

Sec 23 Tp 10 R 4



6 { Beech 18 N 2 E 5
Cherry 15 N 87 E 35
2 Beech 14 S 33 W 48
7 { " 10 N 12 W 8
" 14 S 45 W 39
8 W Oak 20. Cor
1 { Beech 18 S 2 W 33
Sugar 16 N 42 E 22

May 27-48 W 240

1 { Beech 6 E 2
Elm 20 N 77 W 16
2 { Sugar 4 S 24 E 24
" 11 N 12 W 29

Jan 19, 25-20 Sec

#3 { Beech 22 S 87 E 5
" 10 N 64 W 10
4 { " 15 N 81 W 20
" 17 N 61 E 24
5 { Hickory 6 S 85 E 14
Sugar 18 N 73 W 10

Feb 6 38-20 Sec.

N ½ E ⅝; Surv. 15 S 41 W 20; E 19.83
to beg = 30 a Jun 19 1825 S.M.

Beg 7.70 W of S.E. Cor. E½ of W¼ Sec;
W 2.55; N 7.50; S 75 E 1.75; S 28 E 3.36; S 4.70
to beg = 1.49 a Jan 6 1844 S.M.

Beg 1.75 W of S.E. Cor. E½ of W¼ Sec;
W 8.95; N 4.20; N 25 W 3.36; N 75 W 1.25;
N 4.75; E 3.00; S 26 E 13.42 to beg = 5.33 a Jan 24 [illegible]

Beg 29.45 W of E line of W½ N.E.¼ Sec;
N 12 W 3.75; E 4.75; S 6° W 3.00; S 40 W 9.0; W
2.80 to beg = 1.57/100 a Mar 28-44 S.L.H.

Beg S.W. Cor E½ of W¼ Sec; N 13.53;
S 84 E 9.73; S 1° W 12.25; W 9.51 to beg = 12.40 a
May 27 1848 S.M.

Beg 7.50 S of N.E. Cor of E½ S W¼
Sec; S 3.00; W 4.08; N 21 E 3.05; E 2.99 to
beg = 1.00 a Jan 4 1859 D.Mc

See Plat Book for Pcl E½ N W¼

Beg at old Ston. Center of Sec; S 84° 14½'
15.50 ch. Ston in Sand-Creek, Bears Ston N on
bank 100 l; W. 85° 22' 4.08 ch ston. Also beg.
10.30 ch S. of Center Ston; N 5° E 2.38 ch
Ston; N 12½ W 3.15 ch Ston; N 39 W 1.99 ch
Ston; S 5.98 ch to beg = 7.261 a
Dec 6 1864 L.L.H.

23-10-9

Beg S.E. Cor. 23-10-9; N 40.75 to ½
M.P. E. side; W. 40.27 to center;
S 40.18 to ½ M.P. S. side; E. 40.40 to
beg. Jan. 27, 1888. J.N.S.

NW¼ SE¼

Beg at ¼ N.E. cor Sec; N 14.91
Beech 12 S 74 W 32, Beech 20 N 73 E 23;
& 20.12, Beech 10 Cor. Beech 14 N 50,
Beech 10 S 34 E 25; S 14.93 " 78 N 73 E 43
Sugar 28 N 78 W 45; W 20.09 to beg = 30 a
March 5 1824 D. McL

SW¼ NE¼

Beg at Center stone Sec; W 30.00 stone,
Beech 18 N 78 W 19, Beech 20 N 27 E 21; N 20.00 stone
Ash 6 N 42 E 86 " 10 S 33 E 90; E 20.00 "
Poplar 4 N 45 W 20 Sugar 15 S 26 E 62 S 20.00
to beg = 40 a Appr 20.41 - D McL

Beg. S.W. Cor of N & of SE¼; N 20.36
20.35; E 4.92, S to S line; W 4.92 to beg = 10 a
Nov 1864 D.F.

Sec 24 Twp 10 Rg



1 { Beech 28 S 78 W 45
Sugar 26 N 78 W 45

2 { Beech 4 N 71 E 10
" " S 73 W 30

3 { Sugar 20 N 35 W 27
E. Walnut 42 S 89 W 93

4 { Beech 8 N 27 W 50
" 15 N 76 E 22

5 { Hackberry 20 S 4 E 22
Sugar 8 S 24 E 31

6 { Beech 18 N 12 E 6
Hickory 6 S 69 W 7

Mar 6-29 D McL

1 — Beg 15.47 E of ¼ Sec. W side; Beech 18 S 76 W 19, Beech 15 S 81 E 24; E 4.86½ Stone Sugar 11 N 81 W — Elm 9 N 34 E 14; S 20.56 stone; W 4.76½ stone; N 20.56 to beg = 10 a And.

Beg at 3rd Station as above (or N of it) W 20.40 stone Beech 21 S 67 W 10, Buck — N 22 W 17; S 20.50 to ¼ Sec. M. P. July 3-41- Dec

Beg ¼ Sec. M. P. S side (stone); N 20.25 Dogwood 8 N 58 E 9, Ash 20 N 36 E 5.6; E 40.66. Beech 12 S 15 W 62, Beech 19 S 84 W 76; S 20.33 to Sec. Cor: W 40.48 to beg = 8 3/100 a July 4-57-

Beg ¼ Sec. M. P. S side; set Stone; W 40.58 - Chs to Sec. Cor, set ¼ Stone at ¼ Way on Sec line. Oct 25 - 71 S. L. H.

Sec 25 T 10 R 9



1 { Dogwood 4 N 50 W 17
Poplar 11 S 23 E 31

2 { Sugar 11 N 81 W 18
Elm 9 N 34 E 14

3 { B. Ash 10 N 36 W 13
Beech 21 S 19 E 7 V

July 7-35-

4 Stone N W 27 ft
SE 25 "

Sec 26 Tp 10 R 9

Pt W½ SE¼

Beg ½ M.P. N Side: W 40.18 to Sec. Cor: S 40.67 to ½ Mi. Tree (Stone): E 40.30 Stone: N 40.00 to beg = 165 3/100 a Sept 16 1859 D McC

Pt NE¼ NW¼

Beg at a Beech 5.18 E of NW Cor of Sec; S 60° E 7.70: S 80° E 8.32: N 83½ E 9.59: N 57½ E 5.00: W 29.34 to beg = 9 67/100 a. Mar 24-60-D McC

Pt SE¼ NW¼

Beg ½ M.P. E Side: W 20.20 Stone-Beech 18 N 81 E 15: W 20.30 Stone: S 41.10 to ½ M.P. July 6 1860 D McC

Pt S½ of Pt NW¼

Beg ½ M.P. W side: N (W 5° E) 9.63 Stone, Sugar 24 S 6 E 13¾: N 5.86 Stone, Sugar 24 S 80 W Mi Mc 30. Sugar 15 S 17 E 40: S 63° 30' Mi Mc 3.75 Beech 15 N 50 E 63½, Sugar 20 S 83 W 77½: S 39° 30' W Mi Mc 5.43 to 2nd Station: = 83/100 a Jan 26 1861 O.T.

Pt W½ of NE¼ Pt NW¼ of SE¼

Beg ½ M.P. N Side: S (W 5° E) 20.02½ Stone, Willow 28 Links N 83° W Mi Mc 20.13 to left bk Sand-Creek: N 11.63 to Right Bank Sand-Creek: N 83° 15' E Mi Mc 4.48: N 5-8 E 10.00: E 7.05½ to beg. = 33 a Jan 26 - 61 O.T.

Pt W½ of NE¼ Pt W½ of SE¼ Pt E½ of NW¼ Pt E½ of SW¼

Beg 6.21 S of N E Cor. of Sec 27 Stone Beech 15 N 25½ W 21 E Beech 18 S 86½ E 15: S 19.00 Stone: S 65½ E 5.22 Stone: S 69¼ E 7.12 Stone: N 55¼ W 8.25 Stone: N 84½ W 13.25 Stone: N 19.88 Stone: E to beg. Area 2.67 Sec 1

Beg at N. E. Cor: W 5½° 20.17 thro Stone over



Sec 14-34 T 11 R 9 W

1 { Beech 34 N 41 E 9 / " 10 N 80 W 30
2 { " 14 S 63 W 31 / Sugar 9 N 14 E 13
3 { Beech 14 N 48 W 31 / " — S 60 E 36
4 { B Walnut 28 N 68 W 11 / Sycamore 18 N 10 E 33
5 { Beech 13 N 23 E 21 / " 9 S 64 E 14
6 { " 25 S 72 W 13 / " 5 N 13 W 9

Sec 21-41-10 W 5th P.M.

7 { Beech 12 N 36 E 7 / " 27 S 42 W 40
8 { " 11 S 61 E 11 / " 21 N 12 E 80
8 { " 21 S 6 W 10 / " — N 7 W 17

A Span of Fee

Beech 20 A 3¾ E 17 L and L on Line (V 3°42')
30 L; Dt 20.17 Ch 5½ W. P., Mar 13.74 S.L.A.

Sec 27 T 2 10 R 9



7 { Beech 8 N 4
" 10 N 2 W 5

8 { 30 E 1
Chestnut 14 S 81 W 18

9 { Beech 22 N 33 E 3½
" 05 S 14 E 24

10 { " 10 S 60 E 7
" 12 S 68 W 29

11 { " 8 N 28 W 26
Ash 5 S 27 E 19

{ Beech 12 N 74 E 32
" 10 N 72 W 8

Aug 10-86 D Mc

1 { Beech 15 N 61 W 15
" 12 S 49 W 15

2 { " 9 N 35 E 33
" 20 S 25 E 31

3 { " 27 S 18 E 20
" 18 N 2 W 19

4 { Ash E 10
Beech 18 N 63 W 14

5 { Oak 10 N 2 E 23
Beech 14 S 80 E 17

6 { Chestnut 6 N 67 W 35
Beech 6 N 16 E 14

May 15-24 D Mc

Aug 10 86 D Mc

Pt E½ SW¼

Beg. at ¼ M. P. S Side Sec: W 19.93 Sugar 10 S 86 W 15; Sugar 8 S 87 E 20; N 23.5-9 " 30 S 76 W 29 " 3 S 38 E 5-2; N 70 E 4.94 Sugar 9 Corner: N 19½ E 3.40 Dogwood 3 Corner. " 8 S 55 W 8. Maple 10 S 55 E 30: N 83⅓ E 10.62. Beech 22 N 83 E 12. Beech 15 S 83 W 13. N 10 E 11.20. Sugar 8 N 27 E 15. Sugar 18 S 28 E 36: E 1.80 " 9 S 31 W 6. Beech 28 N 83 E 18; S 40.70 to beg = 59⅞ a. Jan 17-25 D.M.

Pt E½ SW¼

Beg at the N. W. Cor of Sec; S 16.56 Sugar 30 S 76 W 29. Sugar 36 S 8 E 52; N 70 E 4.94. Sugar 9 Corner: N 19 E 3.43 Dogwood 3 Cor; Sugar 8 S 55 W 5. Maple 10 S 55 E 30; N 83⅓ E 10.62. Beech 22 N 83 E 12. Beech 15 S 83 W 13; N 10 E 11.20 Sugar 8 N 27 E 15; Sugar 15 S 28 E 36; W 18.25 to beg. = 21 $\frac{27}{100}$ a D.M.

Pt W½ SW¼

Beg at N. E. Cor. W½ S W¼ Sec; S 14.56 stone; W 1.00 Stone: N 14.56 Stone; E 1.00 to beg = 2 a Feb 20 1837 D.M.

Pt W½ SE¼

Beg at N. W. Cor. W½ S.E. 1/4; E 20.00; S 12.50 Beech 11 S 59 E 20: W 20.00: N 12.50 to beg = 25 a Sept 15 - 58 D.M.

13 Beech 6 N 5 E 15 & Beech 5 S 12 W 24.

Over

Sec 28 Tr 10 R 9



7 { Chers 8 N 46 E 22 / Beech 16 S 58 W 23
8 { Sugar 18 N 85 W 39 / Beech 24 N 48 E 33
9 { " 21 S 9 W 16 / " 10 N 15 E 3
10 { " 12 N 74 E 32 / " 10 N 72 E 18
Aug 11. 63 D.M.

11 { Sugar 15 S 30 W 28 / " 15 N 33 W 56
12 { " 33 N 71 W 4 / " 11 S 30 W 18
Aug 19-37 D.M.

1 { Sugar 9 S 31 W 6 / Beech 28 N 82 E 18
2 { " 28 S 54 E 7 / " 27 N 67 W 14
3 { " 11 N 59 W 23 / " 8 S 75 E 10
4 { Ash 9 S 3 E 17 / Beech 16 N 4 E 30
5 { " 10 S 60 E 7 / " 12 S 75 W 29
6 { " 18 N 18 W 16 / " 8 S 32 W 32
May 13 46 D.M.

Over

May 13-56 D.M.

28-10-9

Of E½ N.E.¼

Beg. at N.W. Cor. E½ N.E.¼; E 12.25 Beech 21 & 20 E 20. Beech 18 N 15 W 16; S 12.50 Beech 15 N 45 E 21, ash 30 N 80 W 14; N 12.25 Beech 10 N 30 E 12. Sugar 9 & 2 W 19; N 12.25 to beg = 15 a Sept 11, 39

Of W½ S.E.¼

Beg at S.E. Cor. W½ N.W.¼; N 10.00 Sugar 21 & 48 W 57; N 21.00 Beech 14 N 39 E 13, Beech 21 37 E 45; E 10.00 Sugar 15 N 40 E 38, Beech 14 & 17 W 28; S 21.00 to beg = 21 a Apr 10, 47 D. M.

Sec Sec 24 for pt W½ & E¼

Of N.E.¼

Beg at Center of Sec: N 4° 28' E 5.46: E 4° 15' E 5.82 to Center of Pike: also from Center of Sec: E 4° 15' E 1.51 to Center of Pike; also beg. 9.83 N of Center Sec; N 1.625; E 3.08; S 1.625; W 3.08 to beg = ½ a. Land in 1st track 2 a. Apr 23 1873 S.L.A

1 Beg. at 1st station in No 3 (Centre sec);
S 20.22 Beech 18 S 10; Beech 4 S 2 E 14;
S 10.22 " 18 S 50 E 16 " 6 N 26 W 22;
S 10.00 to ½ M.P. July 31 - 34 D.M.

2 Beg at 1 station in No 1; W 20.46
Beech 15 - S 53 E 18, Beech 15 - S 78 W 25;
N 20.29 stone: W 20.35 - to ½ M.P.
Nov 28 1838 D.M.

Beg at ½ M.P. W side Sec;
E 20.35 stone. Beech 12 N 28 E 36. Beech
14 S 15 - W 19: S 20.29 " 15 - S 53 E 18 "
12 N 5 E 23: E 20.40 " 18 S 10. Beech 4 N 2
E 14: S 20.22 to ½ M.P.; W 40.88 to Sec. Cor.
Nov 28 1838 D.M.

Beg ½ M.P. W side Sec: E 20.35
stone Beech 21 N 35 - E 41, Beech 14 S 31 E 5 - ;
S 29.08 " 14 N 35 - E 41 " 14 S 31 E 5 - ;
W 10.00 " 12 N 25 W 14; S 11.50 N.W. Cor
Barn: S 19 E 52; W 10.42 to Sec. Cor. stone
March 27 1851 D.M.

Beg 20.20 N ½ M.P. S side Beech
12 N 25 - W 98. Hickory - S 34 E 105; N
20.20. Witness No 1.: E 20.36 stone, Hick.
No 2: S 20.07 stone, Beech 16 N 49 E 13
Hick 17 S 48 W 75; W 20.35 to Beg = 40.97 a Apr 1
Over

Sec 29 T 7 S R 9



1 { Beech 2 S 86 E 32 / " 20 N 48 W 58 } Mar 6 1832
2 { Blum 10 N 74 E 68 / Beech 15 N 81 W 56 } D.M.

3 { " 28 S 66 W 26 / Sugar 30 S 52 E 26 }
4 { Cherry 12 S 66 W 32 / Beech 18 N 40 W 26 } May 7 - 33
5 { " 21 N 35 - E 41 / " 14 S 31 W 41 } D.M.
6 { " 12 N 88 W 22 / " 18 S 55 W 12 }

Pt N½ of S½

Beg at stone 9.25 N of S.E. Cor. of N.E. of S.W.¼: S 29 Buck 10 N 28 W 56: W 7.00 stone Beech 21 S 79 E 19. Beech 18 N 72 W 29: N 58 E 33.7 stone " 16 N 31 E 39. Buck 12 S 33 W 17: S 4.50 to beg = 15.7 a Mar 17 1858 D.M.

Pt E½ of S½ of S.W.¼

Beg at S.E. Cor. W½ S.W.¼: N 40.42 chs to old stone at N.E. Cor: W 10.00 chs Buah 15 N 52 W 7½ L.T. Beech 14 S 72¼ E 30 L: S 40.34 chs stone: E 10.00 chs to beg = 40.38 a Mar 18- 70

S.L.A

N½ S½ ¼

Beg at S. W. Cor. of Sec; N 40.12 to ½ M. P.; E 9.19¼ chs set stone; E 13.12 chs to ¼ stone; S 40.06 chs to stone; W 13.53 chs set stone; W 9.19¼ chs to beg. Mar 11-78 J. [illegible] C

Center line

Beg ½ M. P. W side sec; E 4.62 chs to center stone, set stone at 22.31 chs from beg; E from center stone 40.02 chs to ½ M. P. set stone ½ way at 20.01 chs. Mar 11. 78 J. [illegible] C

R. 8 W. ¼

Beg. S.W. cor. sec. E. .95; N. 9.32; E. 1.14; N. 10.03; W. 1.91; N. 9.85. W. .18 to Range Line; S. 29.23 to beg. = 8.16 A. Mar. 12, 1901. C. A. S.

Sec 30 T½ 10 Rg



* Rock ½ 30 N 16 W Rock 11. N 12 E 24

1 { Beech 12 A 65 N 4
  " 10 B 17 E 8

2 { " 24 B 42 E 19
  " 12 A 66 N 14

#3 { " 9 B 89 E 18
  " 5 B 31 E 29

4 { " 22 A 46 N 18
  " 18 B 14 N 29

Apr 17-93 A. W.

5 { " 20 B 38 E 43
  Poplar 6 A 48 N 49

6 { Elm 21 B 26 E 15
  Maple 24 A 65 N 31

Mar 20 40 D. W.

7 { Sw Gum 21 B 32 N 58
  Beech 14 A 29 N 40

8 { Poplar 30 B 48 N 48
  " 32 B 85 E 17

9 { Beech 30 B 50 N 48
  " 14 B 56 E 47

Mar 27. 97 A. W.

Beg at S. W. Cor (stone) Sec; E 23.48
stone Beech 15 N 22 E 62. Beech 9 N 13
W 66: N 17 11½ stone; W 23.26 stone. Ash
6 S 32 E 40; Ash 7 N 35 E 50; S 17 11½ 45
beg = 40 a Oct 6 1858 H. M.

Beg at ¼ M. P. N side Sec:
W. to Sec. Cor. Set stone at ¼
way: Also beg at ¼ M. P. S side:
W. to Sec. Cor. Set stone at half
way: Map 29 1866 S. L. A.

Beg at S. W. Cor of Sec: N 0° 22'
17.10: E - 0° 45' - 23.31 stone; S - 0° 08' -
17.10. stone: W - 0° 45' - 23.49 = 40 a;
N. line of ¼ Sec 40.10. Nov 1873 S. L. A.

Beg. S. W. cor. of sec., Thence E. 20 chs. set stone,
N. 30' W. 35½ L. Thence N. 40 chs. and 9 L. stone;
Thence W. 20 chs. to ½ M. P. S. 39 chs. and 9 L. to place of
beg. containing 80 ⅝⅝ A. Sept. 23rd, 1895 - H. E. N.

Beg. at a stone 20 chs. E. of S. W. cor. of sec. Thence
E. 19.15 chs. Thence N. 13.37 chs. Thence E.
7.83 chs. Thence N. 26.89 chs. to center of sec.
Thence W. 26.19½ chs. Thence S. 40.09 chs.
to place of beg. containing 96 37/100 A. Sept. 23rd
1895, H. E. N.

N. ½ of S. W. ¼ Sec 31 Tp 10 R 9



7 { Beech 24 S 71 E 10
" 10 S 52 W 13

1 { Beech 28 S 38 W 10
" 12 N 5-7 E 29
2 { " 20 S 17 W 29
" 15 N 25 E 21
3 { " 18 N 76 E -
" 17 S 54 W 43
4 { Spruce 5 S 43 E 13
" 3 N 37 W 8

Sec 31 Tp 10 R 9 W. M.

5 - Beech 10 N 16 E 81
6 { " 10 N 60 E 4
" 16 S 3 W 7

Aug 29-92 S. M.

E½ N.E.¼

Beg at N.E. cor. Sec: S 19.67 ash 18 S 47 W 75: S 20.59 to ½ M.P: W 20.33 Beech 6 N 6 W 50. Beech 16 S 16 E 42; N 20.72. Sugar 24 N 22 E 45: Beech 16 S 41 E 33: N 19.67 stone Dogwood 4 S 5 E 5 - Dogwood 4 N 28 W 21: E 20.34 to beg. = 82¾ a Feb 27 1841 S M

See Plat Book for E½ S.E.¼ 32 T N E of N W and S W of N E of Sec 7-9-7

Pt E½ S.E.¼

Beg at ½ M. P. E side Sec; S 5° E (M M) 25.22; S 57° W (M M) 6.92 with center of Sand creek as it appears to have been located some years since; S 76° W (M M) 10.77: S 57° W (M M) 4.05 to where the center of Sand-creek intersects the West line of the E½ of S.E.¼ of said Sec, 32; N 0¾° W 32.10 to Cor. of ½ Quarter: N.E. 20.48 to beg = 58.95 acres. Nov 1876 J.W.C

Beg. ½ M.P. E side 32-10-9 W 2[illegible] stone: W 20.2½ to center stone Beech 26 S 21 W 30½ & Elm 9 S [illegible] N 28.44 stone, stone 20.00 & S[illegible] W N 20.44 to ½ M. P.

Oct. 15 1857

Sec 32 T 10 R 9



7 { Beech 24 S 71 E 10 / " 18 S 52 W 12 }
8 { Ash 3 N 17 W 28 / " 18 S 16 W 21 }
Aug 29-43 [illegible]

1 { Beech 16 N 13 W 31 / Cherry 3 S 36 E 17 }
2 - Stone S 45 E 28
3 { Elm 18 S 44 W 17 / Buckeye 215 S 52 E 43 }
Nov 5, 1843 [illegible]

4 { Beech 21 N 61 W 46 / " 36 N 6 E 54 }
5 - { " 10 N 71 W 7 / " 31 N 76 E 17 }
6 { " 30 N 2 W 12 / (Poplar 60 S 55 W 49 }
Nov 7, 1843 [illegible]

See Plat Book for Sec W½ N W 80 of N W ¼
S E - M Roberts heirs

Beg at N. W. Cor. W½ S E¼;
S (85°) 10,00 Water Elm 24 8 29 W 49:
N 84½ W (85°) 6.11 Beech 24 8 30 W 68½:
N 31¼ W (85°) 8.85 Sugar 8 N 21½ E 50;
N 78¼ W 7.50 to N. line: E (85¾°) 17.96
to beg = 9 2/100 a Sept 21 1863 O.T.

Beg at N. W. Cor: E 39.86 to ½ mi. P.
S 1,50 Beech 18 8 48 N 62: W 40 12: N
1,50 to beg = 46 a Apr 10-55 D. mc.



7 { Beech 21 8 58 W 41
" 13 N 80 E 27

1 { Sugar 12 8 56 W 43
Beech 12 N 37 W 31 } Tow 15.35

2 { " 12 N 49 W 12
" 9 N 72 E 17 } 27 mc

3 - Sugar 10 8 57 W 114

4 { Beech 12 8 22 W 65
" 17 N 21 W 37½

5 - { " 14 N 35 E 160
Stone N & W -

6 { Beech 16 8 29 E 7
" 18 N 42 W 55 -

Aug 11 1836 D mc

Pt W½ S W

Beg at S W cor E½ S W¼; N 1.47½ stone, Sugar 5 S 87 W 4, Beech 8 S 50 E 23; N 20.37½ stone, Beech 8 S 54 W 47 Beech 10 N 63 W 41; E 1.47¼ " 24 N 27 W 19. " 10 S 34 E 18; S 20.37½ to beg = 3a

See Plat Book for pt S.E. S W¼

Pt W½ S.E.

Beg 2.22 E of ¼ M. P. S side rec; N 10.50; N 20° E 9.65 stone Beech 18 N 88 E 60; W 2.78; S 20.15 to beg = 4 73/100 a

Sept 1854 D M

Pt N W ¼ S E ¼

Beg at a Stone 10.36 W of N.E. Cor. Sec; S 14.81 to branch; S. E. with Branch to Sec. line; S to ¼ M.P.; W 10.00 Stone, Sugar 10 S 42 E 25; Sugar 9 N 43 E 48; — 24.72 Sugar 14 N 18 W 23, W Oak 17 S 30 E 32, W 5.71 to stake in Road; N 5° E 15.82 Sugar 24 N 28 E 10; E 14.14 to beg = 39 35/100 a Jan 4 1854 D M

S E ¼ S E

Beg at S. E. Cor Sec (Stone); W 20.56 Stone, Beech 10 N 62 E 90, Beech 6 N 88 W 14; N 20.63, Beech 21 N 56 E 19, Beech 28 86 W 55; E 20.42 Sugar 10 S 84 W 52 Dogwood 4 N 75 W 40; S 20.41 to beg = 4 24/100 July 6 - 60

over

Sec 34 Tp 10 Rg



Aug 10 36 D M

7 { Sugar 16 N 77 W 26; Beech 20 N 19 E 25-
8 { " 30 N 26 E 40; " 18 S 15 E 73
9 { Dogwood 4 N 65 E 10; Papalar 4 S 1 E 14
10 { Beech 24 N 77 W 19; " 10 S 34 E 18
11 { Sugar 12 S 39 E 5; Beech 6 N 9 E 15

1 { W Beach 5 S 2; Cherry 2 N 13 W 25-
2 { Ash 2 S 75 W 20; Sugar 10 S 39 W 28
3 { Hickory 19 S 7 E 53; Buckeye 2 S 71 W 49
4 { Beech 10 N 86 E 8; " 24 S 75 W 32
5 { " 21 N 56 E 17; " 28 S 6 W 25-
6 { " 10 N 62 E 9; " 6 N 88 W 14; Cmq 10-36 D M

W. line of S.E. { Beg at ¼ M. P. S side Sec: N 20.17½ chs to a stone: N 20.17½ chs to old Cedar stone. Sept 5-71 SLA

Beg at S. E. cor. W½ N E¼; W 40.50
Beech 16 S 54 E 17. Beech 17 N 6 W 23; N 9-88
Sugar 8 N 56 W 33. Sugar 11 S 15 E 18; E 40.50.
Beech 14 N 46 E 42. Poplar 6 S 50 W 84; S 9.
to beg = 40 a Feb 23 - 74 D M

Beg ½ M. P. S side; E - N 4°32' - 869½
chs. stone for beg; N 1.75 chs stone; E 0.30 S
chs stone; S 1.75 chs stone; W 0.30 chs to
beg. Sept 26 1873 S. L. A

Beg at N. E. cor. W½ S. E. ¼; S 80 p 22½ L
stone N 16 L & stone S 24 L; S. 80 p 22½ L. stone
S 24 L, stone N 16 L; W. 80 p 8½ L. stone N 24 L,
stone N 13 E; N 12 ½ E stone & 23 L. stone E
21 E; E 10 p 8½ L. thickness 5 N 87 W 43 L. to
Walnut 7 N 47 W 56 L; Sept 29-76 L. R. A.

Beg 45 rods S of N. E. cor. W½ S. E. ¼.
(N 5° 40' E) stone - stone N 45° W 33 L. stone N 55° E
35 L; W 80 p stone: N 5 p stone. stone W 28 L;
W 82 ½ 3 L; Sugar 15 S 11 W 15; B 10 E 35 N
25 L. Sept 7. 880 J. Q. P.



Sec 35 Tp 10 Rg

7 { Beech 9 S 81 W 14
" 12 N 24 E 33
8 { " 26 N 4 W 26
" 24 S 57 E 16
9 { Wayswood 4 S 32 E 6
Sugar 13 N 24 W 4
10 { Beech 18 S 83 W 18
" 15 S 73 E 12
Aug 13-33 - A W

1 { Ash 24 S 6 E 32
Beech 14 N. E 40
Aug 30-32 D M
2 { " 12 N 36 E 7
" 27 S 42 W 40
3 { W Beech 5 N 55 E 16
" " 3 N 40 W 15
4 { Walnut 24 S 3 E 34
W Oak 36 N 48 W 32
5 { Beech 16 S 59 E 17
" 17 N 6 W 23
6 { " 8 N 63 E 39
Oak 30 N 68 E 54
Aug 13-33 D M

Sec 36 Tp 10 R 9

Cor. S ¼ of S ½ of S ½

Beg at ¼ M. P. S bid Sec; N 20.30 stone 8 links W, 30. Beech 10 links E 53; N 15.14 stone Beech 18 links E 54, Beech 9 S 61 E 36; E 20.35 stone, Beech 19 S 35 W 43, Beech 15 links S 53 W 10; S 15.24 to beg = 30 ¾ A Acq 25-87 D Sur



7 { ash 6 S 60 E 58
" 6 S 37 W 82

1 { Beech 18 S 40 W 17
" 11 S 49 E 36
2 { " 20 S 45 W 20
" 16 S 49 E 32
3 { B Walnut 6 S 32 E —
" " 2 S 5 W 10
#4 { Beech 24 S 34 E 75
Poplar 5 S 86 W 148
5 { Beech 22 S 81 E 23
" 20 S 48 W 22
6 { " 28 S 72 W 10
" 16 S 29 E 40

Acq 30-32 D Sur