J. A. Wynn 20
Diling 80 a
M. E. Parker 40
Bennett 80
Lathrop Mayers 50
Cory 20

```
57.08) 80000 (14.01½
       57.08
       -----
       22920
       22832
       -----
        8800
        5708
        ----
        3092
```

```
 57.15
 57.08
 -----
114.23
```

```
57.115) 800000 (14.007
        57.115
        ------
        228850
        228460
        ------
         40000
```

See Plat Book N W 1/4 P Kemmels (page 74)
" " " page 74. for N E of S W 1/4 W. J. Loang
" " " N W 1/4 P Kemmels heirs

Beg. at S.E. corner 21-10-8, W. 20.32
to stone, W. 20.32½ set stone.
Oct. 28-1905. J. A. S.

Sec 1. Tp 11 R 9

W½ S.E.

Beg. at ½ M.P. S side sec 1:
E 20.83 Ash 18 N 6 W 7, Poplar 6 S 86 E 106:
N 41.04 Dogwood 3 N 40 E 14, Ironwood 10 S 42 W 17:
W 41.60 Gum 14 S 49 W 61, Gum 18 S 20 E 67.
May 17 1837 D.M.

N.W.¼

Beg at N. W. cor sec 1:
E 41.41 to ½ M.P: S 34.00 W Oak 30
N 63 W 12. W Oak 30 S 22 E 13: W 41.70
to ½ M.P. May 17 1836 D.M.

Pt E½ S.E.

Beg. at S.E. cor. of Sec: W. 20.83 ash 18
N 62 W 7. Poplar 60 S 86 E 106: N 2.33 Beech 24
S 40 W 22 Beech 30 N-W 24: E 20.81 to S. W. cor.:
S 2.33 to beg. = 4 85/100 A. May 17th 36 D.M.

N.E. Pt E½ S.W.

Beg. at N.E. cor.: W. 41.41 to ½ M.P.: S 34.00
W. Oak 30 N 63 W 12 - W Oak 30 S 22 W 13: E 20.85
Dogwood 3 N 40 E 14 - Ironwood 10 S 42 W 17:
S 38.71 Beech 24 S 40 W 22 - Beech 30 N-W 24:
E 20.81 to Sec. cor. May 17-1836 - D.M.

See Sec 6 Tp 11 R 10 for Pt E½ S.E.

W½ S.W. gr.

Beg. at S.W. cor.: N. 40.36½ M.P.: E 20.75 old stone:
S. 40.90 old stone: W. 20.97 to beg. = 84.75 A.
Jan. 16 - 1871 S.L.A.

Sec. 1 Tp 11 R 9

E½ S.E.

Beg. at ½ M.P. E. side: W 20.21 Sugar 10 S 22 E 3-
Beech 12 N 61 W 11: N 34.65 Beech 12 N 5 E 16
Hickory 22 S 31 W 12: E 20.29 Sec. cor.
Aug. 23-32- D.M.

W½ N.E.

Beg. at ½ M.P. N. side: E 20.29 Beech 12
N 5 E 16. Hickory 22 S 31 W 12: S 34.65 Sugar 10
S 22 E 3. Beech 12 N 61 W 11: W 20.21 " 8
S 5 E 21 " 30 N 47 E 4: N 34.65 to beg. = 70 15/100
Aug. 23-32 D.M.

E½ N.W.

Beg. at ½ M.P. N. side: S 34.65 Sugar 8 S 5 E 21
Beech 30 N 47 E 4: W. 20.21 " 9 N 71 E 35
" 20 S 32 W 32: N 35.00 Beech 19 N 23 E 21-
" 24 S 15 W 12: E 20.29 to beg. = 70 50/100 A
Aug 23. 32 D.M.

W½ N.W.

Beg. at N.W. cor.: E 20.29 Beech 19 N 23 E 21
Beech 24 S 15 W 12: S 35.00 Sugar 9 N 71 E 35:
" 20 S 32 W 32: W. 20.21 to ½ M.P.
Aug. 23. 32- D.M.

E½ S.W.

Beg. at ½ M.P. S. side: W 19.95 Beech 20 S 43 W 15:
Elm N 5 E 33: N 40.62½ Sugar 9 N 71 E 35
Beech 20 S 32 W 32: E 20.21 " 8 S 5 E 21
" 30 N 47 E 4: S 41.00 to beg. = 81 95/100 A.
Aug 23-32- D.M.

2 — 11 — 9 —

W½" S.E.

Beg. at ½ M.P. W. side: E20.21 Sugar 9 N71E35
Beech 20 S32 W32: S40.62 Elm 24 N5E33
" 20 S43 W15: W19.95 to Sec. cor.
Aug. 23-1832 D.M.

Pt. N.W. gr. Pt. E½ N.W. gr.

Beg. ½ M.P. N. side: S9.86 Sw. Ash 20
N70E19 Ash 22 N55 W69: W20.29 Beech 22
N26E17 Beech 7 S22 W23: N9.96 " 19
N23E21 " 24 S15 W12: E20.29 to beg = 20 A.
May. 20-37 D.M.

Pt. S.E. gr. Pt. E½ N.W. gr.

Beg. at ½ M.P. E. side: S40.50 (stone) Sec. cor:
W20.67 Beech 12 S30E33 Poplar 60 S40W35:
N40.75 stone Sugar 14 S10E47 Sugar 10 S28W31:
E20.85 to beg = 83 72/100 A. Oct 11-39 D.M.

Pt. W½ S.E.

Beg. at ½ M.P. S. side: N41.00 stone Sugar 8
S5E21 Beech 30 N47E4: E19.57¼ " " 14
S10E47 Sugar 10 S28W47: S40.75 " Beech 12
S30E33 Poplar 60 S40W35: W19.57¼ to beg =
80 A. Oct 11-39 D.M.

Pt. E½ W

Beg. at ½ M.P. (stone) S. side: W20.04 stone
Elm 42 S78E41: N39.25 stone: E20.15:
S40.01 to beg. = 79 63/100 A. Mar. 23/57 D.M.

2 — 11 — 9 —

Pt. N.E. N.W.

Beg. at ½ M.P. N. side: W18.67 (04¾°) Sugar 8 N82½ E
10. Sugar 12 S36½ W39: S4.28: E18.87: N4.28
to beg. = 8 A. Nov. 1864 O.T.

Pt. W½ S.E.

Beg. at N.W. cor. S.E.: E 03° 24' 19.57: S 02° 59' 39.55
stone: N47½° W 10.37 stone: N53½° W 14.75 ch.
" : N 03° 30' 23.12 ch. to beg.
Aug 13-68 S.L.A.

Pt. W½ S.E.

Beg. at ½ M.P. S. side: N18.08 old stone:
S53°E 14.75: S47½°E 10.37: S1.23 old ¼ stone:
W19.92 to beg. = 20.49 A. Jan 11-71 S.L.A.

Pt. W½ N.W.

Beg at ½ M.P. N side sec. 2 + 11-9
S 21.21 chs. to stone in pike:
E 13.86½ chs. with pike: S
66¼° E, 6.66 chs stone: N 23.32
chs. stone: W 20 chs to beg =
42.61 A. Oct 21, 1893, H.C.D.

Pt. W½ S.W.

Beg at ½ M.P. W side of sec:
E 20.17 chs stone: S 7.43¾
chs. stone: W 20.17 chs stone:
N 7.43¾ chs to beg. = 15 A.
July 21, 1896 H.C.D.

2-11-9

Pt E½ NE¼

Beg at NE corner 2-11-9
West 20.46 chs: Stone
S 23.29 chs. Stone center Pike
S 66¾ E 1831 chs: S 75¾° E
3.20 chs to sec. line
North 31.31 chs to beg = 55 61/100 A
Feb 4th 1899 J.W.C

Sec 3 Tp 11 R 9.

N.E. qr.

Beg. at ½ M.P. E. side: W 40.25 Beech 30 N 71 W 11
Hickory 30 S 32 W 59: N 35.68 to ½ M.P.: E 40.41
to Sec. cor. Mar. 19-31 D.M.

S.E. qr.

Beg. at ½ M.P. S. side: N 40.43 Beech 30
N 71 W 11 - Hickory 30 S 45 E 19: E 41.25 to beg. =
Mar. 19-31 D.M.

Pt E½ N.W. S.E. qr.

Beg. at ½ M.P. N. side: 27.73 Beech 8 S 58 W 14
Beech 12 N 2 W 29: W 20.12½ " 8 N 34 W 44
Ash 18 N 25 E 31: N 23.11: E 20.22 to beg. =
56 43/100 A. Mar. 19-1831 D.M.

W½ N.W.

Beg. at N.W. cor.: E 20.22: S 38.06 Beech 8 N 66 W 45 -
Beech 30 S 32 W 59: W 20.12 to ½ M.P.
March 19-1831 D.M.

Pt E½ N.W. E½ S.W.

Beg. at ½ M.P. S. side: W 30.13 Beech 44 N 77 E 19
Beech 17 S 33 W 25: N 40.29 " 8 N 66 W 45
" 30 S 32 W 59: N 7.95 " 8 S 34 W 44
Ash 18 N 25 E 31: E 20.12½ " 8 S 58 W 14
Beech 12 N 2 W 29: S 7.95 " 30 N 71 W 11
Hickory 30 S 45 E 19: S 40.43 to beg. = 97 20/100 A. D.M.
March 19-1831 D.M.

W½ S.W.

Beg. at S.W. cor. of Sec: E 20.12 stone "1/8" Beech 14
S 71 E 1. stone W. 63: N 40.29 " 8
N 34 W 44 - Ash 18 N 25 E 31: W 20.12½ to ½ M.P.
stone "1/4" S Aug. 30-50 D.M.

Sec 3 — 11 — 9

N. line N.W. & S. line Sec.

Beg. at ½ M.P. N. side: (found old Bearing) W. 05°-6' 40.35 ch. to Sec. cor. Set stone at ½ way 20.17½ ch Walnut 74 S 33¾ W 42 stone W-26 l: also beg. at S.E. cor.: W 05°-39½" 80.39 chs. to Sec. cor. set W¼ stone on line Walnut 6 S 75½ W 27

June 4-66 S. L. Anderson

S.E. gr.

Beg at S.E. cor.: S 84°-11' W (mm) 40.04 to ½ M.P.: N 4°-39' W (mm) 40.47 to old center stone: N 84°-18' E (mm) 40.45½ M.P.: S 4°-06' E (mm) 40.45 to beg. also. beg. at S.E. cor. Sec.: W on line 13.59 ch. and from ½ M.P. E. side: W. on line set stake at — W Beech 6 S 57° W (mm) 6 lks = 55 A. Mar 24/70 S.L.A.

N.W. and N.E.

Beg. at N.E. cor. (stone): N 4°-27': W 236 p 1½ lk ¾ M.P. set stone: S 58 p stone - Elm 7 S 83½ E 30 lks: E 48 p 23 lks stone: S 47 p 12 lks stone: N 72½ E 39 p 24½ lks stone: N 72 E 30 p 6 lks: N 79 E 28 p stone: N 89 E 43 p: S 86 E 65 p 11 lks stone Walnut 8 S 5½ E 43 lk ash 12 N 72½ E 146 lks: N 90 p. 15 lks. to beg. = Aug. 29. Sept. 1-82 J. C. P.

3 — 11 — 9

N.E. ½ N.W.

Beg. 58 p S. from a stone at N.W. cor. E½ N.W.: E 48 p 23 lks stone: S 47 p 12 lks. stone S. 80 W 11 p 12 lk: S 87½ W 34 p 13½ lks. stone: N. to beg. = 15 A Sept. 4-82 J. C. P.

N.E. ½ S.W. ¼

Beg at ½ M.P. S side sec 3-11-9 W 20.25 chs, reset stone: Walnut 24 S 85 W 25 l: N 40 chs 51 links to stone: E 20:12½ chs to centre, stone: S 40:59 chs to beg = 85 85/100 Acres 4/27/92 H.C.D.

N.W. ¼ N.W. ¼

Beg at SW cor of E½ NW¼: N 7.92 chs, set stone: S gate post 5 feet, S 85 W 49 l: E 10 chs 6¼ links set stone: flat stone S 84 W 22 l, S 7.95 chs set stone: Small stone east 17 links, Stone N 27 links W. 10.06¼ chs to beg = 8 A, April 27, 92 H.C.D.

40.45
40.43

80.88
40.44) 7200.00 (29.66
8088 66
39120 1779.6
36396 1796
27240 49.575 6
24 2640
2976

Sec 4 Tp 11 R 9 - - -

Pt. N.W. Beg. at ½ M.P. N. side: S34.75: W10.73 6/7
Beech 11 S83 E14 Buckeye 8 N43 W24: N34.75
W. Oak 50 S36 E18. Beech 3 S85 W44: E10.73 6/7 to beg. =
40 A. Nov 8: 1824 D.M.

S.E. Beg. at ½ M.P. S. side: N40.48 stone "¼" stone
S44-25: E 40.45 to ½ M.P. May 27-34 D.M.

N.W. Beg. at N.W. cor: E39.83½ M.P.: S34.75 Cherry 10
S29-W88-B. Walnut 40 S65 E48: W40.50 to ½ M.P.:
N.38.10 to beg. = 151 32/100 A. D.M.

S.W. Beg at S.W. cor: N40.33 to ½ M.P. E.40.50 Cherry 10
S29 W88-B. Walnut 40 S65 E48: S40.48 to ½ M.P.
May. 27-34. D.M.

Pt. S.W. Beg. at S.W. cor: E13.17⅓ W. Beech 6 S12 E30
Ash 7 N37 W45: N40.25: W.13.17⅓ to ½ M.P.:
S40.25 to beg. = 53 2/100 A. Jan 16-49 D.M.

Pt. N.E. Beg. at N.E. cor.: S38.36 to ½ M.P. stone "¼":
W. 29.50 stone "¼". stone N29: N36.25
Aug. 30: 1850 D.M.

Pt. S.W. Beg. at ½ M.P. S. side: W25.00 Beech 24 S47 E14
Beech 18 N55 W26: N28.35: W4.00: N12.00:
E26.50 Cherry 10 S29 W88-stone "¼" S44-25
S40.45 to beg. = 95 72/100 A. Mar. 2. 55 D.M.

Sec 5-11-9

Beg at 1/2 M.P. S side North 40.45 chs: West 29.71 chs Set Stone. South 40.33 Set Stone Stone East 5 1/2 links: East 29.71 to beg March 26th 1897
J W Craig C S D.C.

120 Acres

Sec 5 Tp 11 R 9

Beg at N.E. Cor of Sec 5:
S 20.37 1/2 Elm 3 S 88 E 21. Walnut 4 N 47 W 25:
W 20.00 Sugar 18 S 55 W Sugar 14 N 66 W 34:
S 19.67 Oak 14 Cor. on bank Flat Rock:
N 74 W 14.90 Oak 24 S 61 E 26. Sugar 16
N 41 W 50: N 25.93 Beech 18 N 85 W 21.
Cherry 12 N 62 E 48: E 34.41 to beg
= 88 86/100 A Sept 21 1841

Beg at 1/2 M.P. E side Sec 5:
W 19.90 Sugar 18 N 6 W 55. Walnut 4 S 13 W 25:
N 17.00 " 18 S 55 W 40. Sugar 14 N 66 W 34:
E 20.00 Elm 3 S 88 E 21. Walnut 4 N 47 W 25:
S 17.50 to beg = 34 43/100 A. Sept 21 1841 D.M.

Beg at S.E. Cor. W 1/2 N.E. 1/4:
W 26.50 to Center of Flat Rock:
N 30° E 1.87 inch " " " "
N 74° E 9.25 " " " " "
S 80 E 9.22 " " " " "
S 21 E 3.68: E 7.50: S 5.93 to beg
= 20.47 A Oct 26 1842 D.M.

See Plat Book for path of S.E. 1/4 Chambers Add

Don't know whether it is 1.87 or 5.87 or 8.87

Sec 5 Tp 11 R 9

Pt W½ NE & pt E½ NW¼
Beg at a stone S.E. cor W½ NE¼;
W - S 4° - 27.39 to cor in Flat Rock,
W Oak 20 N 43½ W 40 & Lynn 16 S 74½
W 59; N - S 2° 51' - 37.02 stone Beech 16
N 30 E 18, Beech 20 S 69½ W 37; E - S 5° 30' -
12.94 stone, Beech 30 N 81½ W 17, Cherry
12 N 63 E 52; S - S 2° 51' - 25.90 to a point
in Flat Rock, Sugar 16 N 41 W 50;
S 74 E 14.90 to a White oak on N. Bank
of Flat rock; S 7.82 to beg.
= 61 87/100 A - Aug 1866 S. L. A.

Pt SE¼
Beg at ½ M.P. S side Sec 5;
E 31 p 6 l stone W 27 L & stone S 27 L;
N 160 p 13 l. stone N 27 L, stone S 27 L.
Sept 16 1875 D.B.A.

Pt SE¼
Beg at S.E. cor Sec 5; stone N 23 L
stone S 23 L; N 161 p 1 L stone S 8 W 34,
N 5 W 33 L; W 39 p 21½ L stone S 42
W 11 L - S 7 W 58½ L; S 161 p stone
S 27 L & N 27 L; E 39 p 21 L
to beg = 39 95/100 A. Sept 16 1875 D.B.A.

Pt SW.
Beg at S.W. cor Sec 5;
N 160 p stone S 27 L - N 27 L.
Sept 16 1875 D.B.A.

Beg at the North west corner of
Sec. 5-11-9 thence East 3.87 chs.
South 11° E 3.60 chs. thence
West to the center of Flat Rock
River thence up the River to
the Section ~~corner~~ line; thence
East 12.71 chs. to the place of
beg = 6 a. March 8th 1897

Sec 6 Tp 11 R 9

See Plat Book for W½ NE & S.E¼. J. Shelhorn Hrs

S W of N W

Beg at ½ Mi. P. W side sec 6:
N 20.92 Sugar 12 S35 E29, Buch 18 N18 E54:
E 18.54 Buch 24 N80 E71, Ash 17 N81 W32:
S 18.83 " 28 S59 E13, Buch 8 N61 W37:
W 18.38 to beg = 36 68/100 A Feb 26/48 DM

E½ N.W.

Beg. at ½ Mi. P. N side sec 6:
S 36.43 Buch 16 N29 E20, Sugar 36 S17 — 38:
W 18.38 " 28 S59 E13, Buch 8 N61 W37:
N 39.28 stone S Gavels cor. S84 E36, stone
N84 W12: E 18.50 to beg = 69 95/100 A
Aug 30 1854 D.M

Sec 7 Tp 11 R 9

E½ S.W.

Beg. at ½ M.P. S. side: W 19.20 Hickory 10 S 80 E 26 Beech 13 S 44 W 32: N 40.85 Sugar 6 S 57 W 31 Sugar 14 N 73 E 45: E 19.34 Box Elder 6 S 52 E 14 W Beech 4 N 50 E 24: S 40.36 to beg. = 78 45/100 A. Apl. 8-23 D.M.

W½ S.W.

Beg. at ½ M.P. N. side: 19.44 Sugar 6 S 57 W 31 Sugar 14 N 73 E 45: S 80.45 Hickory 10 S 80 E 26 Beech 3 S 74 E 22: W 19.20: N 40.31 to beg. = 78 42/100 A. Apl. 8-1825 D.M.

E½ N.E.

Beg. at ½ M.P. E. side: W 20.10 Beech 30 S 13 E 14 Beech 10 N 4 E 10: N 40.05 " 10 N 4 E 20 " 30 S 14 E 21: E 20.18 to Decor upl-3-32 D.M.

W½ N.E.

Beg. at ½ M.P. N. side: E 20.18 Beech 10 N 4 E 28 Beech 30 S 14 E 21: S 39.92 " 30 S 13 E 14 " 10 N 4 E 10: W 20.10 Box Elder 6 S 52 E 14 " 4 N 50 E 24: N 40.05 to beg. = 80.52 A Apl. 3-32 D.M.

W. Cen. S.E.

Beg. at ½ M.P. E. side: S 20.30 Ash 26 N 78 E 22 Beech 22 S 74 E 21: W 20.34 Hickory 11 N 42 W 7 " 11 S 29 W 13: N 20.61 Beech 30 S 13 E 14 " 10 N 4 E 10: E 20.10 to beg. = 41 36/100 A. May. 22nd 1834 D.M.

Sec. 8 Tp 11 R 9

E½ S.W.

Beg. at ½ M.P. W. side: W 20.06 Beech 36 N 83 W 29 Beech 12 S 34 W 33: N 39.94 " 20 S 84 W 25 " 25 N 73 E 45: E 20.02 Ammon 15 N 37 E 9 Sugar 11 S 32 W 15: S 40.50 to beg. = 20 60/100 A. Mar. 15/30 D.M.

W½ S.E.

Beg. at ½ M.P. N. side: S 40.50 Ammon 5 N 37 E 9 Sugar 11 S 32 W 15: W 40.04 to ½ M.P. Mar. 15/30 D.M.

W½ S.E.

Beg. at ½ M.P. S. side: N 40.50 Ammon 5 N 37 E 9 Sugar 11 S 32 W 15: E 20.23 Beech 18 N 84 W 5 Beech 12 N 27 E 40: S 40.75 " 22 N 45 W 22 Sugar 3 S 7 W 13: W 20.10 to beg. = 81 5/10 A. Mar 16. 1830 D.M.

E½ N.W.

Beg. at ½ M.P. N. side: S 40.50 Ammon 3 N 37 E 9 Sugar 11 S 32 W 15: W 20.02 Beech 20 S 84 W 25 Beech 25 N 73 E 45: N 40.36 " 12 S 21 W 19 " 21 S 41 E 43: E 19.80 to beg. = 80 42/100 A. Sept. 23-1841 D.M.

See Nat Book for E½ S.E. & Henry's.

8 - 11 - 9 -

N. of Shiers S.E. W 1/2" N.W.

Beg. at N.W. cor.: E 19.80 Buch 12 S 21 W 19
Buch 21 S 41 E 43: S 20.18 Poplar 60 N 56 W 76
Walnut 12 S 81 W 63: S 20.18 Buch 20 S 84 W 25
Buch 25 N 73 E 45: W 20.02 to 1/2 M.P.:
N 20.15 Buch 16 N 64 E 19 Sugar 11 S 46 E 25:
N 20.15 to beg. = 80 29/100 A. Sept. 23/41 DM
Beg. at S.E. cor.: W 40.05 to 1/2 M.P. set 1/4 stone
on line at 20.02 1/2 ch.
Beg. at old center stone: E (V 3° - 11') 40.40
to 1/2 M.P. set 1/4 stone on line at 20.20 ch
Dec. - 17 - 1869 S.L.A.

Sec 9 Tp 11 R 9 -

Sec 9 Tp 11 R 9 -

Sec 9 Tp 11 R 9 -

Sec 9 Tp 11 R 9 -

Sec 9 Tp 11 R 9 -

Sec 9 Tp 11 R 9 -

Beg at 1/2 M.P. S side: N 14.00 Beech 15 N 59 W 9
Beech 16 S 76 E 23: N 40.28 " 12 (corner)
" 33 N 57 W 22: E 13.79 Elm 4 N 24 E 20
" 22 S 79 W 19: S 40.23 to beg. = 53 30/100 A.

Beg. at S.W. cor.: N 13.25 Beech 12 S 45 W 28
Beech 28 N 80 E 48: N 40.34 " 20 N 78 W 29
" 23 N 69 E 28: E 13.16 " 12 corner
Ash 10 S 57 E 12: S 40.28 to beg. = 53 30/100 A.

Beg at 1/2 M.P. W side: E 13.16 Beech 20 N 78 W 29
Beech 23 N 69 E 28: S 40.34 " 12 S 45 W 28
" 28 N 80 E 48: W 13.25 to beg. = 53 30/100 A
Sept 29. 1830 - A M.

Beg. at N.E. cor.: S 20.16 Oak 54 S 16.:
W 20.14 S W Ash 8 38 E 45 S W Ash 21 N 21 E 36:
S 20.11 Beech 21 S 27 W 53: W 20.17 Elm 4
N 24 E 20: " 22 S 79 W 19: N 20.11 to 1/2 M.P.:
E 40.22 to beg. = 121 40/100 A Oct 7 - 1848 D M

Beg at 1/2 M.P. S side Sec 9:
S 40.11 Elm 4 N 24 E 20. Beech 22 S 79 W 19:
W 20.05 stone Beech 2 S 70 E 31 " 20 N 31:
N 40.00 " 30 N 18 W 26 " 11 S 61 E 40:
E 20.00 to beg = 80 2/10 A Mar 17/81 D M

9 - 11 - 9

Beg at 1/2 M. P. S side: N 40.25 to old cutter stone: E 20.25 stone: S - 0 30 30' - 37.04 stone in road 3.09 N of South line of 1/4 Sec, and 19.00 E of 1/4 stone on said line: S.W. over road to 1/4 stone on said S line of 1/4 Sec: W 20.22 to beg = 120 A Mar 1874 S. L. A

Beg at the S W cor Lot 4 bartition Billings Estate East 2.73 Chs Stone Blk ash 6 S 14 1/2 W 25 links
also beg at N W cor Lot 4 TC East 2.73 chs stone Beech 24 N 49° E 14 1/2 links
N.W. Lowe
Craig Deputy

Sec 10 Tp 11 R 9

N E¼

Beg at ½ M. P. E side Sec 10;
W 40.00 Buch 17 E 9, Buch 18 S 23 W 21;
N 40.12 to ½ M. P. Jan 18 1831 D.M.

E½ S E¼

Beg at S. E. Cor;
W 20.07 Stone Buch 4 S 63 W 11, Buch 16 N 88 E 9;
N 40.35 " 15 S 15 E 7 Buch 22 S 17 E 31;
E 20.00 to ½ M. P. Jan 18 1831 D.M.

W½ S E¼

Beg at ½ M. P. S side;
N 40.50 Buch 17 E 9 Buch 18 S 23 W 21;
E 20.00 " 15 N 15 E 7 " 22 S 17 E 31;
S 40.35 " 4 S 63 W 11 " 16 N 88 E 9;
W 20.07 to beg = 80 28/100 A Jan 31/31. D.M.

W½ N.W. E½ N.E.

Beg at ½ M. P. N side Sec 9;
S 40.12½ Buch 17 E 9. Buch 18 S 23 W 21;
W 20.00 " 18 N 63 W 11 " 27 N 68 E 20;
N 40.33 " 17 S 33 W 25 " 14 N 77 E 19;
E 20.13 to beg = 80 70/100 A Jan 8/31. D.M.

W½ N.W.

Beg at N. W. Cor;
E 20.13 Buch 4 N 77 E 19 Buch 17 S 33 W 25;
S 40.33 " 18 N 63 W 11 " 27 N 68 E 20;
W 20.00 to ½ M.P. Jan 18/31 D.M.

See Plat Book for E½ N W¼
D Jones Ara

10 — 11 — 9

E 1/2 S.W.

Beg at 1/2 M.P. S side sec 10;
W 19.94 Bench 24 S 51 W 23 Bench 12 N 38 E 17;
N 40.15 " 18 N 63 W 11 " 27 N 68 E 20;
E 20.00 " 17 E 9 " 18 S 23 W 21;
S 40.50 to 1/2 M.P. = 80 39/100 A Jan 18/31 DM

W 1/2 S.W.

Beg at 1/2 M.P. W side sec 10;
E 20.00 Bench 18 N 63 W 11 Bench 27 N 68 E 20;
S 40.15 " 24 S 51 W 23 " 12 N 38 E 17;
W 19.94 to sec cor. Jan 18/31 DM

Center lines & S W 1/4

Beg at 1/2 M.P. E side sec;
W-V 5° 08' - to center stone;
W 19.91 set 1/4 stone; W 19.91 to 1/2
M.P. Beg at 1/2 M.P. S side;
N-V 3° 20' - to 1/2 M.P. N side,
Beg at 1/2 M.P. S side sec;
W-V 4° 59' - 39.76 to sec cor.
set 1/4 stone at 1/2 Way on
line Bench 8 S 68 1/4 E 28 L & Bench
20 N 72 W 22 L, Feb 1872 S.L.H.

Sec 11 Tp 11 R 19

W½ S.E¼

Beg ah ½ M.P. S. side Sec 11; N 40.96 stone Sugar 17 N 64 W 10, Ash 12 S 39 E 30; E 19.94 stone, stone S 36, Beech 28 S 22 W 38; S 41.06 stone " 11 S 71 E 15 Beech 6 S 66 W 15; W 19.96 to beg = 81 $\frac{81}{100}$ A. Aug 12/31 D.M.

N½ S.W.

Beg ah ½ M.P. stone W side; E 39.87 ½ stone Ash 12 S 39 E 30; S 20.40 stone Cherry 14 S 34 W 23, B Ash 24 N 72 E 34; W 39.84 stone Beech 15 N 76 W 12, B Ash 20 N 52 E 22; N 20.22 to beg = 81 $\frac{1}{10}$ A Aug 12/31 D.M.

S½ S.W.

Beg ah S.W. Cor of Sec 11; N 20.22 Beech 15 N 76 W 12, Beech 20 N 52 E 22; E 39.84 Beech 8 S 24 W 9, B Ash 24 N 72 E 34; S 20.48 to ½ M.P. Aug 12 1831 D.M.

N½ & N½ S.W¼

Beg ah ½ M.P. E Side, Sec 11; W. to center stone 39.94; W to ½ M.P. 39.83; N 40.50 sec cor; # S 40 40 to beg. Also beg ah center stone; N 39.43 to ½ M.P. Also beg ah center stone; S 20.50 old stone; W 39.90 old stone; N 20.09 ½ M.P. n/p

Error

11 — 11 — 9

E 39.83 to beg = 80 $\frac{90}{100}$ A
Jan 11 1871 S. L. Anderson

Sec 12 Tp 11 R 9

S E 1/4

Beg at 1/2 M.P. S side sec 12;
N 40.46 Sugar 11 N 44 W 49 Sugar 10 S 36 E 38;
E 42.04 to 1/2 M.P. Aug 15/34 D.W.

N W 1/4

Beg at N.W. cor (stone):
E 42.25 stone; S 40.14 stone Sugar
11 N 44 W 48. Sugar 10 S 36 E 36;
W 42.02 to 1/2 M.P. (stone): N 40.54
to beg = 169 95/100 A Aug 15/34 D.W.

E 1/2 S.W. 1/4

Beg at 1/2 M.P. S side sec 12;
W 20.42 Sugar 12 N 35 E 41. Hickory 22 S 26 E 23;
N 40.50 W Beech 3 S 66 W 12, Sugar 11 S 61 E 49;
E 21.02 Sugar 11 N 44 W 49. " 10 S 36 E 38;
S 40.46 to beg = 83 83/100 A. Aug 15/34 D.W.

W 1/2 S.W. 1/4

Beg at 1/2 M.P. W side sec;
E 21.02 W Beech 3 S 66 W 12 Sugar 11 S 61 E 49;
S 40.50 stone Sugar 12 N 35 E 41.
Hickory 22 S 26 E 23; W 20.42
to Sec. cor. Aug 15 1834 D.W.

N E 1/4

Beg at 1/2 M.P. N side Sec 12;
S - V 3 3/4° - 39.91 to center stone; E -
V 5 3/4° - 41.90 to 1/2 M.P.; N 40.34
(V 5 3/4°) to sec. cor: W - V 5 3/4° - 41.13
to beg = 166 57/100 A. July 1865 O.T.

See Plat Book for N W 1/4
E Douglas Hrs

12 — 11 — 9

Rh N E 1/4

Beg at 1/2 M.P. N side;
S - V 3 3/4° - 39.91 to center stone;
E - V 5 3/4 - 20.17 1/2 stone; N 40.40 (V 3 1/2°);
W - V 5 3/4 - 20.17 1/2 to beg = 81 A
Aug 11 1865 O.T.

Pt S E 1/4

Beg at S E cor of sec: W 41.20
to 1/2 M.P. south side; N 40.38
chs to cen: E 41.95 chs to 1/2
M.P. E side sec; N 40.46
chs to beg. = 168 37/100 acres
June 26 1894 H.C.D.

Beg at 1/2 M.P. N side 12-11-9
South 39.91 chs Set cor at 24.95 —

Beg at stone 20.17 1/2 E of Center 12-
North 40.32 to stone Set cor at
15.12 chs. April 10th 1901
J.W.C

Sec 13 Tp 11 R 9

W½ N. E¼

Beg at ½ M. P. — side Sec 13;
E 21.00 stone Beech 9 S 23 W 54, Sw Ash
14 N 21 E 69; S 40.59 Beech 6 S 31 W 26,
Beech 4 N 70 E 7; W 20.76 " 14 S 64 E 14;
Sw Ash 8 W 19; N 40.62 to beg = 85 2/100 A
Mar 24 1834 D. M.

E½ S. E¼

Beg at S. E. cor Sec 13;
W 20.79 Beech 6 S 86 E 37, Hickory 22
W 18; N 40.50 Beech 6 S 31 W 6, Beech
4 N 70 E 7; E 20.76 to beg.
Mar 24 1834 D. M.

E½ N. W.

Beg at ½ M. P. N side sec 13;
S 40.62 Beech 14 S 64 E 14, Sw Ash 18 W 19;
W 20.76 Maple 19 S 63 W 9, B Oak 30 N 24 E 19;
N 40.50 Sugar 12 N 35 — 41, Hickory 22 S 26 E 23;
E 20.42 to beg = 83 5/10 A, Mar 24/34 D M

W½ N. W.

Beg at N. W. cor. Sec;
E 20.42 Sugar 12 N 35 E 41 Hickory 22
S 26 E 23; S 40.50 Maple 19 S 63 W 9;
B Oak 30 N 24 E 19; W 20.76 to ½ M. P.
Mar 24 1834 D. M.

See Sec 14 for W½ S W¼.

For W½ S W¼ see sec 14

S line S W¼

Beg at S W cor: E 20.41 set
stone; E 20.41 reset ½ M. P.
April 9, 1892. H. C. D.

Sec 14 Ap 11 R 9

E 1/2" S.W.

Beg. at 1/2 M.P. S. side: N 12.42 Ash 16
S 84 E 16 - Ash 12 S 69 W 20: N 27.66 Beech 15
S 40 W 8 - Beech 15 N 57 E : W 20.03 " 9
S 31 W 6 " 22 S 63 E 50: S 27.98 " 15
E 1 - " 25 N 16 W 18: S 12.42 Hickory 18
S 17 W 17 " 24 N 19 : E 20.00 to beg.
N. pt. 55 7/10 A S. pt. 24 35/100 A.
Aug - 17 - 1831 D.M.

N.E. 1/4 S.W. W 1/2 S.W.

Beg. at 1/2 M.P. W. side: E 20.03 Beech 15 S 40 W 8.
Beech 15 N 57 E 19 : S 40.40 Hickory 18 S 17 W 17.
" 24 N 49 - - : W 20.00 Sec. cor
Aug - 17 - 1831 D.M.

Beg. at 1/2 M.P. N. side: W 19.98 (stone) Ash 5
N 4 W 10 Hickory 15 S 23 E 15: S 40.32 stone
Beech 22 S 63 E 50 - Beech 9 S 31 W 6: E 59.78
to 1/2 M.P. - Aug - 13 - 1834 D.M.

W 1/2" S.W. 13
E 1/2" S.E. 14

Beg. at S.E. cor. sec: W 20.00 Beech 16
N 72 W 48 Beech 19 N 5 W 30: N 40.25 " 12
S 32 E 4 " 6 N 63 W 13: E 19.87 to 1/2 M.P.:
E 20.76 Maple 19 S 63 W 9. Beech 30 N 24 E 19:
S 40.00 Sugar 14 N 51 E 27 - Sugar 22 N 47 W 29:
W 20.41 to beg. = 162 52/100 A Aug. 14-34. D.M.

14 11 9

N.W. S.W. 14
N.E. S.E. 15

Beg. at 1/2 M.P. W. side: E 20.03 Beech 15 S 40 W 8
Beech 15 N 57 E 19: S 20.19: W 40.37 " 24 E 63: N 20.20 stone
" 22 N 9 E 16 - - - - - " 18 S 11 W 27:
E 20.15 to beg. = 81 34/100 A. May. 27-37. D.M.

S.W. S.W. 14
S.E. S.E. 15

Beg. at S.E. cor.: W 20.50 Beech 10 N 5 E 27 Elm 33
S 6 E 55: N 20.20 Beech 24 E 65: E 40.37: S 20.19
Hickory 18 S 17 W 17 - " - N 49: W 20 to beg. =
81 66/100 A. May 26 - 37 - D.M.

Beg. at S.E. cor: W 20.50 Beech 10 N 5 E 57
Elm 33 S 6 E 55: N 20.20 " 24 E 65:
E 40.57: S 20.19 Hickory 18 S 17 W 17 - Beech - N 49:
W 20.00 to beg.

E 1/2" N.E.

Beg. at N.E. cor. (stone): S 39.93 to 1/2 M.P. stone:
W 20.03 1/2 (stone) Beech 14 N 23 E 36 Ash 10 N 83 W 13:
N 39.93 " stone - N 17 " 16 S 13 W - :
E 20.03 1/2 = 80 A. Jan 20 - 1837 D.M.

N. side
N.E. S. 14

Beg. at N.E. cor: E 16 P. 20 L to 1/2 M.P. at 88 P. 10 L.
S E 1 stone witness stone N 45 W 28 L. 8 E 8
stone S 45 E 34 L. Sept. 9 - 1879 - O.L.P.

See 3 pages ahead for sec 15

Sec ~~15~~ 16 — Tp 11 — R 9 —

W½ N.E.

Beg. at ½ M.P. N. side: E 20.17 Beech 19 N 25 W 15 -
Sugar 18 S 9 E 20 : S 40.38 " 16 S 24 E 32
Beech 15 N 2 E 22 : W 20.12 " 5 S 67 W 9
" 20 S 70 E 33 : N 40.40 to beg. = 81 39/100 A.
Aug. 4 - 1830 D.M.

E½ N.W.

Beg. at ½ M.P. N. side: S 40.40 Beech 5 S 67 W 9
Beech 20 S 70 E 33 : W 20.12½ " 18 - E 36 -
" 20 N 36 W 29 : W 40.25 B. Ash 4 N 3 W 14
Elm 3 S 29 W 3 : E 20.25 to beg. = 81 4/10 A.
August 4th 1830 D.M.

W½ N.W.

Beg. at N.W. cor.: E 20.25 B. Ash 4 N 3 W 14
Elm 3 S 29 W 3 : S 40.25 Beech 18 E 36 -
Beech 28 N 36 W 29 : W 20.12 to ½ M.P.
Aug. 4 - 30 D.M.

N½ S.W.

Beg. at ½ M.P. N. side: E 40.25 Beech 5 N 67 W 9
Beech 20 S 70 E 33 : S 20.00 " 22 S 31 E 14
Cherry 8 N 50 E 18 : W 40.07 " 11 N 28 W 28
Beech 9 S 2 E 33 : N 20.00 to beg. = 80 34/100 A
Aug. 4 - 1830 D.M.

S½ S.W.

Beg. at S.W. cor.: N 20.00 Beech 11 N 28 W 28
Beech 9 S 2 E 32 : E 40.07 " 22 S 31 E 14
" 15 N 72 W 17 : S 20.00 to ½ M.P.
Aug. 4 - 1830 D.M.

16 ~~15~~ — 11 — 9

Pt. N½ S.W.

Beg. at N.E. cor. N½ S.W.: S20.00 Beech 22 S31 E14 Beech 15 N72 W17: W15.80 to center Clifty: N7° W7.00: N32° E15.30 to N. line of ½ qr.: E 8.75 to beg. = 27 95/100 A
Feb 27 1838 D.M.

S.E. S.W. Pt. S.E.

Beg. at N.W. S.E.: S9.30: N67° E10.88: N53° E8.37½ Beech on N. line: W19.18 to beg. = 8 93/100 A. Feb. 28-38 D.M.

Beg. at ½ M.P. S. side: W20.09: N20.07 Box Elder 15 S29 E67 Hickory 10 N36 E90: E20.03 stone Cherry 8 N50 E18 Beech 22 S31 E14: S20.00 to beg. = 40 88/100 A
Apl. 1 1865 D.M.

Pt. W½ N.E. E½ N.W.

Beg. at N.E. cor. W½ N.E.: S12.60 to N. bank of Clifty: S52° W1.85: S25° W13.00: S3° E2.50: S24° 10.85: S77° E4.45: S1.04: S57° W4.80: S65° W2.50: S51° W4.00 Lynn 18 S14 E2: N86° W 3.85 to Center of Clifty: W. with Center of Clifty to S. line of E½ N.W.: W.9.25 to S.W.: N40.25 to stone: E40.42 to beg. = 147 36/100 A. Mar. 31-56 D.M.

16 11 9

Pt. E½ N.W.

Beg. at ½ M.P. N. side: S32.68 to Centre of Clifty: S.W. with center of Clifty to S. line of E½ N.W.: 9.25 to S.W. cor. Beech 20 E36: N40.25 stone: E20.25 to beg = 77 15/100 A
Feb 7 1857 D.M.

Pt. N.E. S.W.

Beg. at a stone S.E. cor. N.E. S.W.: W12.75 on W. bank Mill Race Ash 18 N7 W10: N48° E4.50: N30° E4.00: E8.94 Beech 24 S39 E29 Beech 15 S15 E10: (this corner is 3 poles too far S.) S3.75 to beg. = 4 74/100 A July 8-59 D.M.

Beg. 12.75 W. of S.E. cor. of N.E. S.W.: B. Ash 18 N7 W10: N48° E4.50: N30° E2.75 stone: N26° E6.11: N62° E7.87½: N67° E2.00: N31½° W10.35: S86° W2.25 to Center of Clifty: S54° W3.50: S32° W16.75: S7.00: E3.70 to beg. = 20⅛ A. Apl. 13-60 D.M.

S.W. S.W.

Beg. at S.W. cor.: E(V6¼°) 19.98 stone stone S25 stone N45° W (mm) 30: N(V4°-35') 20.00½ stone " S.25 stone W25: W19.98 " " N25 " E25: S20.00½ to beg. = 39 97/100 A. May 13-64. C.T.

	16	11	9.
Pt. S.E. S.W.	Beg. at S.E. cor. of S.E. : S.W. : W 20.09 : N 2.14 : E 20.09 : S 2.14 to beg. = $4\frac{3}{10}$ A Apl. 13 - 1859 D.M.		
Center cor.	Beg. at ½ M.P. S. side : N 3° 35' W (mm) 39.94 ch. set center stone at intersection of cross lines. also set stone at ½ way on line : E from center stone 16.93 chs stake on line : E whole line of ¼ Sec 40.52 ch set ¼ stake on line at ½ way Beech 20 S 84 E (mm) 13½ - Beech 30 S 31 W (mm) 19 : Oct 17 - 1873 S.L.A.		

See 3 pages back for sec 16

Sec 15 Tp 11 R 9

See Sec. 14 for. S.E. S.E. / N.E. S.E.

Pt W½ N.W.

Beg. at ½ M.P. W. side: N40.30 to Sec. cor.
E16.00 Sycamore 28 E62 Sycamore 40 S72 E25
S40.32 B Ash 9 N80 E33 Beech 28 S11 W7:
W16.00 to beg. = 64½ A

Pt N.W.

Beg. 16.00 E. of ½ M.P. W. side:
N. 20.00 Beech 28 S62 E64 Beech 28 N72
E53: E24.22. Beech 10 N.W.8 " 5 S74 E15:
S20.00 Ash 9 S7 " 32 N38 W32:
W24.47 to beg. = 48 8/10 A.

Pt N.W.

Beg. at ½ M.P. N. side: S20.35 Beech 10 N-W8.
Beech 5 S74 E15: W24.20 " 28 S62 E64
" 28 N72 E53: N20.31 Sycamore 28 E62
Sycamore 40 S72 E25: E23.87 to beg. = 48 87/100
Sept 29 - 1830 D.M.

Pt E½ N.E.

Beg. at ½ M.P. E. side: W10.30 stone Beech 11
S34 W30 Beech 17 N53 E16: N40.32 stone
Poplar 50 N75 E18 - Beech 10 S81 W6:
E10.15 to Sec. cor. Feb. 7-31 D.M.

15 11 9

W½ S.W.

Beg. at S.W. cor. (stone): N40.34 (stone) ½ M.P.:
E. 60.62 stone Beech 22 N9 E16 Beech 18 S11 W27
S40.35 " 10 N5 E27 - Elm 33 S6 E55:
W20.50 to ½ M.P.: W41.25 to beg. = 246 1/10 A.
May 26 - 1837 D.M.

Pt S W¼

Beg. at a stone 9.75 W. of ½ M.P. S. side Sec:
B. Ash 4 N82 E7 - Hickory 4 S83 W13: N2.25
stone Beech 25 N45 W9: W4.79
" " 12 N58 W10: S2.25
" " 24 S18 W5: S1.00
" " 9 S13 W13: N.E. to beg. =
1 7/10 in Sec 15 May 26 - 1857 D.M.
38/100 " " 22

N E¼

Beg. at ½ M.P. E. side: W. v 5° 04' 20.20 sel ¼
stone Beech 20 S24½ W14: W20.20 center stone:
" E25 l - stone W25 lks: N20.10½ ½ M.P.:
E v 5° 14' 20.03 ¼ stone Beech 12 N44° - 32'
W43¾ lk: E 20.03 Sec cor.
Also beg at ¼ stone on S. line of
¼ Sec.: N - v 4° 19' - 40.31 ¼ stone
on N. line: E - v 5° 14' - 9.923 stone:
S - v 4° 19' - 40.33 stone. W - v 5° 4' - 9.923
to beg = 40 a. Apr 21, 1868
S. L. A

Sec 16 Tp 11 R 9

W ½ N E

Beg at ½ M. P. N side Sec 16:
E 20.17 Beech 19 N 25 W 15, Sugar 18 S 9 E 20:
S 40.38 " 15 S 24 E 22, Beech 15 N 2 E 22:
W 20.12 " 5 S 67 W 9 " 20 S 70 E 33:
N 20 40 to beg = 81 $\frac{39}{100}$ A. Aug 4/30 D.M.

Sec 16 was copied before sec 15

Sec 17 Tp 11 R 9

W½ S E¼

Beg at ½ M.P. S side sec 17;
N 40.25 stone Sugar 18 N 77 E 23. Sugar 5 S 41 E 15;
E 20.15 Beech 16 N 87 E 28 " 10 S 56 W 8;
S 40.12 (Beech cor) Beech 26 S 95 W 20, Beech
20 N 18 E 41; W 20.74 to beg = 82 19/100 a
Aug 16 1830 D.M.

N W¼

Beg at ½ M.P. N side sec 17;
S 40.25 stone Sugar 18 N 77 E 23, Sugar 5 S 41 W 18;
W 40.26 to ½ M.P. Aug 16 1838 D.M.

E½ S.W.

Beg at ½ M.P. S side;
W 20.23 Sycamore 18 S 66 W 14, B Walnut 9 N 25 S 17;
N 40.25 Beech 19 N 2 W 4, W Beech 5 S 21 W 23;
E 20.13 stone Sugar 18 N 77 E 23. Sugar 5 S 41 W 18;
S 40.25 to beg = 81 22/100 a. Aug 16/30 D.M.

W½ S.W.

Beg at ½ M.P. W side sec 17;
E 20.13 Beech 19 N 2 W 4, W Beech 5 S 21 W 23;
S 40.25 Sycamore 18 S 66 W 14, B Walnut 9 N 25 E 17;
W 20.23 to sec cor. Aug 16/30 D.M.

Pt N E

Beg at ½ M.P. E side sec 17;
W 40.30 stone Sugar 18 N 77 E 23, Sugar 5 S 41 E 18;
N 9.93 Beech 16 N 45 E 5, Elm 18 S 7 W 28;
E 40.30 " 18 N 43 W 28, Poplar 60 S 26 W 29;
S 9.93 to beg = 40 a Feb 27 1838 D.M.

See Plat Book for E½ S E¼
M B Ivens Hrs

17 — 11 — 9

Pt N E¼

Beg at N.E. Cor;
S 30.56 Poplar 60 S 71 W 10 Beech 18 N 22 W 50;
W 40.45 Elm 18 S 21 W 23 " 16 N 8 E 9;
N 31.06 to ½ M.P.; E 40.08 to beg = 124 a
Nov 7 1840 D.M.

Pt N W¼

Beg at Center of Sec 17; Beech 11 N 27
E 10.9, Sugar 19 S 56 W 67; W 20.25 Beech
19 N 2 W 4; N 19.75; E 20.25 "
15 S 48 E 35; S 19.75 to beg = 40 a
Sept 14 1860 D.M.

W½ S E + 40 a off S end. E½ N.W.

Beg at ½ M.P. S side sec 17;
N-V 3¾° E - 40.04 stone, stone W 25 + stone S 45
E mm 50; N-V 3¾ - 19.88 stone, Stone S 68¾
W 35 stone W 25; W 20 16½ stone, stone E 25,
stone S 25; S 19.98 stone, " N 25 " E 25;
E-V 4° 20' - 40.21½ stone " N 50 " S 25;
S 40.08 stone set by consent of parties
interested. J D Pleak, I G White &
Geo Martinus - for which stone N 25
+ stone S 25; W-V 4¼ E 20.79 to beg
= 12 25/100 a, Mar 13-64 O.T.

See Plat Book for W½ S W¼
D.J. Cox Hrs

See Sec 18 for pt W½ S W¼

17 — 11 — 9

E½ S.E. corner set by consent of parties

Beg at S.E. Cor Sec 17:
W 20.55 (0°4½) stone, stone N 25 & stone S 25:
N 40.08 stone, stone N 50 & stone S 25:
E (4°20') 20.25 to ½ M.P.: S 40.01 to
beg = 81 7/10 A. Mar 13 1864 O.T.

N E¼ & N line of W½ S E¼

Beg at stone 12.26 E of center of Sec 17:
stone E & W 10 L: E 16.00 to ¼ stake.
Beg at ½ M.P. N side Sec: S 30.99 stone
S Ash 20 N 41½ E 47 L: S 9.76 stone center (old):
E 40.50. ½ M.P. stone: N 9.76 stone, stone
E & W 15 L: N 30.55 stone sec. cor: W 40.08
to beg. S end = 39.5 A. N end = 12 3 79/100 A
Sept 5 1870 L. L. A

N½ S W 17 & " E½ S E 18

Beg at N.E. Cor. W½ S W¼:
S 138 P 10 L. stake in center mich. road:
N 28 W 42 P 20 L to stake in center of
road: N 55° W 124 P to stake in center
of road. on W line of E½ of E½ of
S.E¼ of Sec 18: N 32 P 8 L: E 121 P 2 L
to beg = 57 A. Jan 13 1881 J.C.P.

Beg at the ½ M.P. N side 17-11-9
West 80.62 Set sec. cor at
40.04 the same being pro. Rata
of old measurement
Also Beg at the NE cor SE¼ SE¼
7-11-9 South 40.45 Set
sec. cor. at 20.22½
Aug 18th 1899
J.W.C.

Beg at center Sec 17-11-9 North 8.30½
chs set stone, stone N 60½ W 24
North 19.88 old cor —

Beg at the SW cor E½ NW quar - North
8.29½ Set stone North 19.86 to
old cor.
Oct 30th 1900

Sec 18 Tp 10 R 9

See Plat Book for Pt. W½ S.W. & Clark's Ho

W½ E½ N.W.

Beg. at ½ M.P. N. side: S40.68 Sugar 18 N22E9 Beech 30 S9 W64: W18.67 Beech 18 S14 W12 " 22 S32E14: N3.81 " 22 N5 E9 " 6 S31 W94: S53½ E11.31 " 8 N48E11 " 23 N51 W37: N15.25 Ash 4 N67E13 Ash 3 N86 W46: E10.03 to beg. = 65 75/100 A. Mar 18-1830 D.M.

Pt E½ N.W.

Beg. at N.W. cor: S8.62 Beech 22 N54E3 - Beech 6 S31 W94: S53½ E11.31 " 8 N48E11 " 23 N51 W37: N15.25 Ash 4 S67 W13 - Ash 3 N86 W46: W9.17 to beg. = 11 A. Mar 18-1830 D.M.

W½ N.W.

Beg. at N.W. cor.: E19.20 Hickory 10 S80E26 Beech 13 S44 W22: S40.43 Beech 18 S64 W12 - " 22 N32E14: W18.67 to ½ M.P.: N40.40 to beg. = 76 53/100 A. Mar. 18/30 D.M.

E½ N.E.

Beg. at N.E. cor.: W20.33 Beech 17 N52E56 - Beech 10 S44 W10: S40.00 " 15 N3 W12½ " 18 S2E41: E20.17 to ½ M.P. Mar.-11-31 D.M.

See Plat Book for E½ E½ S.E. & W½ S.W. D.P. Cox hire.

W½ S.W.

Beg. at ½ M.P. W. side: E18.67 Beech 18 S64 W12 - Beech 22 N32E14: S40.36 Ash 16 S81 W16. Hickory 18 N88E52: W18.41 to Sec. cor.: N40.40 to beg. = 74 8/10 A. May 23-1834 D.M.

W½ N.E. & W½ S.E.

Beg. at ½ M.P. N. side: E20.33 Beech 17 N52E56 Beech 10 S44 W10: S40.00 " 15 N3 W12 " 18 S2E41: S40.48 Hickory 5 N34 W7 " 12 N65E23: W20.21 to ½ M.P.: N40.64 Sugar 18 N22E9: Beech 30 S9 W64: N40.65 to beg. = 163 44/100 A. Mar. 18-1861

Pt E½ S.E.

Beg. at S.W. cor. E½ S.E.: N19.45 Beech 9 N45E19 Beech 40 S4E29: E10.06 Willow 60 S16E9 Dogwood 3 N30 W20: S19.45 Beech 14 S85E5 - Beech 16 N45 W14: W10.02 to beg. = 19½ A. Sept.-20-1838 D.M.

E½ E½ S.E.

Beg. at S.E. cor.: W10.00 Beech 14 S85E5 - Beech 16 N45 W14: N40.30 Elm 21 N27E44: E10.10 to ½ M.P. Sept-20-1838 D.M.

Pt W½ S.W.

Beg. at N.E. cor. W½ S.W. Sec 17: S33.75: N.28½° W9.00: N54½° W30.83: N8.08: E30.23 to beg. = 5 7/100 A. June 1-1849 D.M.

18 — 11 — 9 —

Pt. S.W. - 17 and Pt. E½ of E½ S.E. - 18

Beg. at S.E. cor. W½ S.W. Sec 17:
N6.50: N28½ W9.00: N54½ W30.83:
S32.20: E30.25 to beg. = 64 77/100 A.
June 1st 1849 D.M.

E½ W½ S.W.

Beg. at N.E. cor. W½ S.W. Sec 18: Beech 18
S64 W12 Beech 22 N32 E14: W9.31 " 14
N6 E41 Poplar 40 S6½ W88: S40.50 " 18
N36½ E6 Beech 8 S45 : E9.26 Ash 16
S81 W16 Hickory 18 S88 E52: N40.36 to beg. =
37 54/100 A. Mar. 26-/53 D.M.

Pt. W½ S.W.

Beg. at ½ M.P. W. side: E18.65 stone:
S9.38½ stone W Beech 8 S25 W58: Hickory 20
N80 W29: W18.60 stone Beech 18 N28 E47:
Beech 10 S78 E41: N9.41 to beg. = 17½ A.
Aug. 30-1855 D.M.

Pt. W½ S.W.

Beg. at S.W. cor.: N31.16 stone Beech 18
N28 E47 Beech 10 S78 E41: E18.60 Hickory 20
N80 W29 W. " 8 S25 W58: S31.05 Ash 16
S81 W16 Hickory 18 S88 E52: W18.45
to beg. = 57.62 A. Aug 30-55 D.M.

18 — 11 — 9.

E½ N.E. 9.

Beg. at N.E. cor: S80 p 18½ L Beech 18 W3 L
Beech 24 N3 W46 L: W81 p stone: N87 E25 L
stone S25 L. Nov. 30-1875: D.B.A.

Beg at the S E cor. W½ S E¼
18-11-9 N 20.69 Stone West
38.65 Stone South 20.69 to
old Stone: East 38.67 to beg
= 80 a. July 2" 1896

Beg at SW. cor 18-11-9 North 40.49
set half mile post. North 42.23½
to stone North 83.20 to N E cor.
Sec. 13-11-8 Dec 10th 1897
J.W. Craig

Beg at cen sec: E 20.16 stone,
stone S 50: stone W 50: E 20.16
to ½ M.P: E side sec.
Oct 1, 1885 J.A.S.

Beg at ½ M.P. N side: E 20:34
stone, stone N 50 and Poplar
24 S 36 W 146½: E 20.34 to
sec cor. Oct 9, 1885.
J.A.S.

Beg. at NE cor. 18-11-9
West 20.25. South 12.29 set
Stone South 20.29 old stone
East 20.52 old stone: North
7.95 set stone North 20.24
to place of beg = 41 3/10 a
March 27 1902
J.H.C.

Sec. 19 - Tp 11 - R 9 -

Pt W½ NE

Beg. at ½ M.P. N. side: E 20.21 Beech 21 S 65
E 23 Hickory 5 N 34 W 7: S 20.19 " 15 N 46
E 11 Buckeye 5 S 35 E 11: W 20.00 " 12 N 29
W 8 Beech 3 S 66 E 29: N 20.18 to beg. = 40 6/10 A.
March 10 1832 D.M.

S.W.

Beg. at S.W. cor.: N 40.21 to ½ M.P.: E 37.05 stone
Beech 10 S 46 W 14 Beech 5 S 53 E 80: S 40.36 to
½ M.P. Mar. 10 - 1832 - D.M.

Pt W½ SE

Beg. at Stone N.W. cor. W½ S.E. gr.: E 20.00
Sugar 21 S 30 W 77 Beech 17 S 55 E 77: S 21.57
stone. Beech 18 N 37 E 25 Beech 15 S 18 E 44: W 20.15
" " 16 N 3 E 13 - " 10 S 16 E 38:
N 21.57 to beg. = 43 3/10 June. 29/57 D.M.
See Plat Book for. S. end W½ S.E.
" " " " E½ N.E. & E½ S.E.

M. Adkins est.

Pt S.W. SE

Beg. at ½ M.P. S. side: E 12 & 15 ft. lk. set stone;
N 42° E 151 ft. set stone, SSW cor. M.E. church
78 lks S 48 E 130 ft. stone: Thence parallel
with front line 35 ft. set stone on Sec.
line. W. on Sec. line to beg. = Apl. 18/81
J. C.P.

19 — 11 — 9

Beg N W cor E½ NE¼ 19-11-9
E 10.02, stone: South 50 stone:
W 10.02 stone: North 50 to
beg. — ½ + Acres. Oct 2, 1888 Jas.

Beg at N W cor E½ NE¼ 19-11-9
W 20.21 to ½ M.P. N 36.78 to
sec. cor. set stone at 18.59.
Stone W 20 and stone E 25.
Oct 2, 1888, Jas.

Beg at the N E cor W½ NE¼ 19-11-9
West 20.22 stone West 38.57 a. Stone:
West 57.08 a. line missed 2nd stone .09 links
3rd stone .17 links
South 14.007 Stake
East 57.15 stone North 14.007 to beg
Sth stake on last line 14.007 south
of ½ M.P. on north side = 80 a
Oct 25th 1901 J.M.C

Beg 14.007 S of NW Cor 19-11-9
East 57.15 chs S. 15.73.7 West
57.23 North 15.737 chs To beg = 90 A
March 16th 1905 J.M.C

Sec 20. Tp 11 — R 9 —

Beg at ½ M.P. S. side: N 20.15 Blue Ash 20
N 15 W 15 Beech 6 S 13 E 40: N 20.25 B. Ash 17
S 6 E 9 " 17 N 2 W 22: W 20.07 Elm 21
S 75 E 35 " 18 N 70 W 17: N 19.75 to ½ M.P.:
E 20.43 N. " 4 N 6 E 11 W Beech 5 - W 31:
E 20.43 Sugar 7 S 9 E 20 " 24 N 20 E 51:
E 20.43 Beech 16 S 18 W 10 Hickory - N 31 E 32:
Jany 3 - 1825 -

Beg at S. W. cor: E 20.15 B. Ash 20 N 15 W 15
Beech 6 S 13 E 40: N 20.25 " 17 S 6 E 9
" 17 N 2 W 22: W 20.07 Elm 21 S 75 E 35 -
" 18 N 70 W 17: S to beg = 40 72/100 A D.M.
Jany 25 - 1825 -

Beg at stake on E side of State Road near
S. bank of Clifty: N 64° E 6.68: S 38° 2.23: S 29° E
4.30 Beech 17 N 19 W 5 Lynn 7 S 79 E 13: S 84° W
4.12 Hickory 14 S 12 E 6 Beech 15 N 58 E 24:
S 5.81 to beg = 1½ a Oct 12/25 D.M.

Beg. at ½ M.P. N. side: E 20.14 Beech 12 Corner
Beech 20 N 18 E 41: S 40.34 Hickory - N 31 E 32 -
" 16 S 18 W 10: W 20.60 Sugar 7 S 9 E 20
" 24 N 20 E 51: N to beg. Feb. 24 - 42 D.M.
See Plat Book for W½ S.W. Adkins est.

Beg at ½ M.P. S. side: W 20.15 Blue Ash 20
N 15 W 15 Beech 6 S 13 E 40: N 20.25 B. Ash 17
S 6 E 9 " 17 N 2 W 22: W 20.07 Elm 21
S 75 E 35 " 18 N 70 W 17: N 19.75 to ½ M.P.:
E 20.43 N. " 4 N 6 E 11 W Beech 5 - W 31:
E 20.43 Sugar 7 S 9 E 20 " 24 N 20 E 51:
E 20.43 Beech 16 S 18 W 10 Hickory - N 31 E 32:
Jany 3 - 1825 -

Beg at S. W. cor: E 20.15 B. Ash 20 N 15 W 15
Beech 6 S 13 E 40: N 20.25 " 17 S 6 E 9
" 17 N 2 W 22: W 20.07 Elm 21 S 75 E 35 -
" 18 N 70 W 17: S to beg = 40 72/100 A D.M.
Jany 25 - 1825 -

Beg at stake on E side of State Road near
S. bank of Clifty: N 64° E 6.68: S 38° 2.23: S 29° E
4.30 Beech 17 N 19 W 5 Lynn 7 S 79 E 13: S 84° W
4.12 Hickory 14 S 12 E 6 Beech 15 N 58 E 24:
S 5.81 to beg = 1½ a Oct 12/25 D.M.

Beg. at ½ M.P. N. side: E 20.14 Beech 12 Corner
Beech 20 N 18 E 41: S 40.34 Hickory - N 31 E 32 -
" 16 S 18 W 10: W 20.60 Sugar 7 S 9 E 20
" 24 N 20 E 51: N to beg. Feb. 24 - 42 D.M.
See Plat Book for W½ S.W. Adkins est.

20 - 11 - 9 -

S.E. & E½" S.W.

Beg. at S.E. cor.: W. 40.80 to ½ M.P.: W 20.12
stone Oak 40 S 4½ E 125: W. 40.05
" Hickory 10 N 1 E 145: E 20.43
" : E 20.50 stone: E 20.50
" : E 20.50 " Beech 16 S 18 W 10:
E 20.50 to ½ M.P.: S 40.25 to beg. = 245 61/100
Aug. 24-1853 D.M.

Pt. E½" N.E.

Beg. 1.00 W. of N.E. cor.: (Sycamore 24 N 84 E 23)
S 4½° W 14.21 Beech 22 N 4 E 21: S 62° W 15.50:
S 73° W. 4.84 B. Walnut Stump 24 S 73 W 6:
N 22 70 Beech 12 Corner: E 19.74 to beg. =
35 33/100 A. Jany 24/56 D.M.

Pt. N.E.

Beg. (stone) 1.00 W. of N.E. cor S 20: Stone
N 25 - Stone S 25: S 4½° W (V 4¼°) 14.21 stone
stone E (V 4¼°) 25 - Stone S 20° E (mm) 50:
S 62° W (V 4¼) 15.50 (in Clifty): S 73° W
(V 4¼°) 4.84 (stone). stone S. 1.00:
S (V 4¾°) 17.80 stone " S 25: S 10.25:
W 20.63 stone - stone W 25 - stone N 25:
N (V 5°-5') 40.66 to ½ M.P.: E (V 4¼°) 40.36
to beg. = 119 66/100 A. Mar-13-64 O.T.

20 - 11 - 9.

Pt. N.W.

Beg at ½ M.P on N side of
sec: W 4.80 stone S 50: S 4.16⅔
stone N 10: E 4.80, stone W 10:
N 4.16⅔ to beg. = 2 Acres.
Aug 30, 1887. J.A.S.

Sec. 21 ---- Tp. 11 ---- R 9 ----

S.E. S.W.

Beg. at ½ M.P. S. side: N 20.15 Ash 12
N - W 27 Ash 24 S 62 W 17: W 19.89 Hickory 12
S 7 W 42 Hickory 9 N 78 E 14: S 20.15 Ash 20
N 28 W 2 " 5 S 75 E 20: E. to beg.
Apl. 16 - 1836 D.M.

E½ S.E.

Beg. at S.E. cor: W 19.85 Ash 6 S 59 W 11 -
Elm 15 N 85 E 20: N 40.04 " 30 S 73 W 53
Ash 6 S 82 E 45: E 19.68 to ½ M.P.
May 20 - 1837 - D.M.

W½ S.E.

Beg. at ½ M.P. S. side: N 40.30 Sw Ash 15
N 72 E 13 R. Oak 21 S 9 W 16: E 19.68 " 30
S 73 W 53 Ash 6 S 82 E 45: S 40.04 " 6
S 59 W 11 Elm 15 N 85 E 20: W 19.85 to beg. =
$79\frac{39}{100}$ A May 20 - 1837 - D.M.
See Plat Book for E½ S.E. G. S McCoy's

E - W and Center lines.

Beg. at ½ M.P. W. side: E (V 5° - 05') 19.67¼
stone reference old cor. stone:
N 20¾° E 31½ L: E 19.67 stone ref. old
center stone N 18¼ E 65½ L & stone
S 30 L & Stone N 54¾ W 50 L: E 19.77¾
stone. ½ M.P. also beg. at ½ M.P. S: N (V 3° - 32')
to ½ M.P. on N. side.
Dec. 31 - 1869 - S.L.A.

N.E. of S.W. and W½ S.E.

Beg. at ½ M.P. S. side: N 20.04 old ¼ stake:
N 20.16 to old center stone: W. from "
19.76 to old ¼ stake on W. line E½ S.W.:
N 40.13 to old ¼ stone on N. line S.W. gr.:
E. to center stone 19.83: E 19.67 to old ¼
stone on N. line S.E.: S 40.20 to old ¼
" : W 19.89 to beg. = in W½ S.E. 17.15 A.
and in N.E. of S.W. 39.87 A. in all 114.38 A.
¼ of which 29.845 A. off of W. side of
N.E. of S.W. = 14.82 ch wide off of W.
side - Dec. 3rd 1872 - S.L.A.

Sec 22 Tp 11 R 9 -

N½ N.W.

Su Sec. 15 for Pl. N.E. of N.W.
Beg. at N.W. cor.: E 20.62½ Buch 14 N 57 W 39 -
Buch 16 S 4 E 26: S 40.38 Hackberry 5 S 47 W 9
ash 5 N 44 E 24: N 20.62 to ½ M.P.
Dec. 17-1834 D.M.

Beg. 20.62 E. of ½ M.P. W. side: E 20.62½ -
Sugar 24 S 40 E 45 = Elm 48 N 72 W 75: S 40.36
to ½ M.P.

W½ N.E.

Beg. at N.E. cor.: W 20.50 Buch 10 S 5 E 27 -
Elm 33 S 6 E 53: S 30.79 W. " 4 S 68 E 27 -
ash 12 N 79 W 32: E 20.61 " 10 S 38 E 14
Buch 27 N 52 W 40: May-19-37 D.M.

Pl. N.E.

Beg. at ½ M.P. E. side: W 20.61 Buch 18 N 35 E 54
Buch 9 S 35 E 57: N 9.70½ W. " 4 S 68 E 67
ash 12 N 79 E 32: E 20.61 " 10 S 38 E 14
Buch 27 N 37 W 40: S 9.70½ to beg. = 20 a
May-19-1837. D.M.

E½ S.E.

Beg. at S.E. cor.: W 20.52 elm Buch 8 S 66 E 32
ash 18 N 81 W 77: N 40.36 " 18 N 35 E 54
Buch 9 S 35 E 57: E 20.61 to ½ M.P.
May. 19-1837 D.M.

22 -- 11 --- 9 --

Pt. S.W.

Beg. at N.E. cor. S.W.: S20.00: W20.30
Ash 11 N35 E13 - Ash 14 S78 W33: N20.00
" 5 N44 E24 Hackberry 5 N47 W9: E20.62½
to beg. = 40.92 A. Feb. 7-1844 D.M.
See Plat Book for pt. S.W. qr.
A. Moore's heirs.
See Plat Book for W½ " N.E. & S
W½ S.E. & S pt. E½ N.E.
Finley est.

Pt. S.W.

Beg. at a stone 20.00 S. of N.E. cor. S.W.:
W. 20.30 Ash 11 N35 E13 - Ash 14 S78 W33:
N4.92½: E 20.30: S4.92½ to beg. = 10 A.
May-13-1863. O.T.

Side S.W. Line Sec.

Beg. at S.W. cor.: E(V5°-39') 20.29 old ¼ stake:
Hickory stump 12 S69 E30: E(V4°-49) 20.45
to ½ M.P.: Beg. S.E. cor. Sec.: W(V3°-49' 20.50½
to old ¼ stone: W V3°-49' 20.50½ to ½
M.P. set stone - Mar-26/72 S.L.A.

Side S.W.

Beg. at S.W. cor.: E163 P. to ½ M.P. ½
distance set stone - B. Oak 24 S80 W162
stone S25 L. Sept 13-79 O.L.P.

22 - 11 - 9

Pt. S.W. N.E.

Beg at NE cor sec: W 20.38½ cho.
nail in bridge. Stone N 37½ links.
Stone S 50 links. S 30.69 cho: E 20.45
cho. set stone by old witness. Stone
south 23 l: N 30.86 cho to beg.
= 62.98 Acres. Mar. 17, 1898 J.W.S.

Sec. 23 - - Tp 11 - - R 9 - -

W½ N.W.

Beg. at ½ M.P. W. side: E 20.10 Beech 16
N 21 E 7 - B. Ash 23 S 61 W 6: S 40.58 " 20
N 69 W 95 Sugar 18 S 10 W 76: W 20.40 to Sec.
corner. Dec-18-1834 D.M.

N.W.

Beg. at ½ M.P. N. side: S 40.39 stone Beech 21
S 59 E - - W Beech 5 N 39 W 8: W 40.24
to ½ M.P. June 25-1836 D.M.

W½ S.E.

Beg. at ½ M.P. S. side: N 40.45 stone
Beech 21 S 59 E 19 W Beech 5 N 39 W 8: E 19.98
" 12 N 7 W 18 " 18 S 22 E 20: S 40.22
" 20 S 3 E 26 " 18 N 11 E 19: W 20.40
to beg. = 81 43/100 A. Dec. 23/40 O.T.

S.W. Pt E½

Beg. at ½ M.P. (stone) S. side: W 20.49
stone: N (v 4¼°) 14.64: E (v 6°) to E. line of ½ gr.:
S. 14.64 to beg. = 30 A. Mar-16/63 D.M.

Pt. S.E.

Beg. at S.E. cor.: W (v 6½°) 40.83 to ½ M.P.:
N 20.00 (v 4¼°): E to Sec. line - Beech 18
N 52 W 45 - Ash 16 S 79½ E 98. = 81 6/100 A
Mar-19-1864 O.T.

23 - - 11 - - 9 - -

Center cor. Sec. E. W. line S.E.

Beg. at S.E. cor.: N v 5° 9' 40.29½ M.P. set stone
½ way 20.14½ - Ash 20 S 61½ E 10 Beech 20
N 78 W 36: also beg. at ½ M.P. S. side: N v 4° 26'
40.53 to (old center) Beech 21 S 59 E 19. set stone
at ½ way 20.26½ - Stone N 40 L Stone S 40 L
Feb. 18-1867 S.L.A.

Beg. at ½ M.P. S. side: N 323 P. 10 L to ½ M.P. on
N. side of Sec.: also beg. at ½ M.P. W. side: E 322
to ½ M.P. E. side. at point of intersection
set cor. (on account of railroad)
set stone 15 L. E-cor. Oct: 19/80 O.L.P.

Sec 24 Tp 11 R 9 -

W½ S.E.

Beg. at ½ M.P. S. side: N 40.0 Beech 3 N 41 E 6
Beech 12 S 20 W 25: E 20.50 R. Oak 30 W 14 - -
" 19 N 69 E 31: S 40.48 Beech 6 N 86 W 6 -
" 14 S 34 E 20: W 20.10 to beg. = 81 $\frac{65}{100}$ A.
June 15 - 1831 D.M.

N½ S.E.

Beg. at ½ M.P. N. side: E 20.79 Beech 6 S 86 E 37
Hickory 22 W 18 : S 20.27 R. Ash 14 S 60 W 16
Sm. Ash 20 N 85 E 15 : S 20.27 R. Oak 30 W 14
Beech 49 N 69 E 31: W 20.50 Beech 3 N 41 E 6
" 12 S 20 W 25: N 40.48 to beg. = 83 $\frac{64}{100}$ A.
Mar. 25 - 1834 D.M.

N½ N.W.

Beg. at N.W. cor. of Sec: E 40.82 to ½ M.P.: S 20.16
Beech 16 S 66 W 2: W 40.53 clone B. Walnut 10
S 88 W 67: N 20.12 to beg. = 81.91 A.
Sept. 11 - 1849 D.M.

S½ N.W.

Beg. at ½ M.P. W. side: N 20.12 clone B. Walnut 10
S 88 W 67: E 40.53 Beech 16 S 66 W 2: S 20.16
Beech 12 S 20 W 25: W. to beg. Sept 11 1849 D.M.

N.W. Sm.

Beg. at ½ M.P. W. side: E 20.3 (clone) Oak 30
N 61 E 39 - Ash 30 S 12 E 64: S 20.26 " Maple 14
S 19 W 28 - B. Oak 16 N 79 W 24: N 20.24 " Beech 14
N 77 W 35 - Ash 14 S 72 E 105: N 20.20 to beg. = 41 A.
Mar. 10 - 1853 - D.M.

	24		11		9	
S.W. S.W.	Beg. at S.W. cor.: N20.20; E11.22 stake: E8.99 old 1/4 clone: S20.23 rel 1/4 clone- Mar. 24-1872				S.L.A.	

Sec 25 -- Tp 11 -- R 9 --

E½ N.E.

Beg. at ½ M.P. E. side: W 19.97 Walnut 55 N 67 W 38 Walnut 48 S 69 E 19: N 40.18 Beech 6 N 86 W 6 Beech 14 S 34 E 20: E 20.10 to Sec. cor.: S. to beg. = 80 34/100 A. Aug. 5/24 D.M.

N.W.

Beg. at ½ M.P. N. side: S 40.22 Beech 20 N 50 W 23 - Beech 12 S 17 W 18: W 39.94 to ½ M.P.: N. to Sec. cor.: E to beg. = 160 75/100 A.

E½ N.E. gr.

Beg. at ½ M.P. E. side: N 20.30 Beech 9 W 6 - Dog wood 5 N 18 W 20: W. to W. line of ½ gr Beech 15 S 24 W 10 Beech 9 N 47 W 9 -

June 6 - 1826 - D.M.

W½ S.E.

Beg. at N.E. cor. of W½ S.E. Walnut 55 N 67 W - Walnut 48 S 69 E 19: W 20.18 Beech 20 N 50 W 23 Beech 12 S 17 W 18: S 40.64 to ½ M.P.: E 20.03 " 18 S 79 E 8 - Beech 12 S 67 W 31

June 25 - 1820 D.M.

E½ S.E.

Beg. at S.E. cor.: W 20.03 Beech 18 S 79 E 8 Beech 12 S 67 W 31: N 40.34 Walnut 55 N 67 W 38 Walnut 48 S 69 E 19: E 19.97 to ½ M.P.

June 3 - 1837 D.M.

25 11 9 -

N.W. gr.

Beg. at N.W. cor.: E 11.22 stone: S 34 lks Ash 16 S 34½ W 56½: E 12.35 " : S 30¾ ": E 16.80 ½ M.P.: S 40.54 old center stone: W 16.80 stone 12.31 ch stone: W 11.22 ½ M.P.: N 40.48 to beg. - March 24 - 1872 S.L.A.

N½ S.E¼ N.E¼

Beg at ½ M.P. E stone side: W 20.25 stone N 20.23 stone: E 20.46 stone S 20.11 stone Containing 41 05/100 a

W½ S.E¼ N½ N.E¼

Beg Center Sec. N 40.42 to ½ M.P. stone E 20.26 stone: S 40.53 stone: W 20.28 to beg = 82 05/100 a

W½ S.E¼

Beg at ½ M.P. S side stone N 40.95½ stone: E 20.28: S 41.06: W 20.10½ to beg = 82 8/10 a Feb. 14 1893

J.W.C.

16.80
12.31
11.22
40.33

Sec 26 T 11 R 9

Beg. at ½ M. P. E. side: S 40.44 to Sec cor:
W. 20.33 Ash 4 S 60 W 13 B. Oak 48 N 78 E 13:
N. 40.50 Beech 16 N 35 W 28 Beech 5 S 83 E 22:
E. 20.36 to beg. = 82 3/100 A. Apl. 4. 1835 D. M.

Beg. at ½ M. P. N. side: W 20.40 Beech 20 N 69 W 75
Sugar 18 S 10 W 76: S 40.38 stone " 12 N 18 E 34
Beech 30 S 24 E 5: E 20.47 (enlir) Sugar 24 S 51½ W 4½
" 6 S 32 E 10: E 9.61 stone Beech 11 S 87 W 14
" 10 S 60 E 17: N 20.83 " 11 N 13 W 10
" 24 S 5 W 46: W 9.61 " 10 S 38 E 16
Sycamore 36 N 8 W 17: N 19.37 to beg. = 162.03 A.
June 24 - 1836 D. M.

Beg. at ½ M. P. S. side: W 20.29 stone Beech 7 N 22 E 6
Ash 3 S 31 E 16: N 40.60 " " 12 N 18 E 34
Beech 30 S 24 E 5: E 40.92 " " 16 N 35 W 28
" 5 S 83 E 22: S 40.50 " Ash 4 S 60 W 13
B. Oak 48 N 78 E 13: W 20.33 to beg. = 165 32/100 A.
June 24 - 1836 D. M.

Beg. at N. E. cor. W½ S. E. qr: S 12.75 Beech 12
N 7 E 59: W 40.83 stone: N 12.75 stone:
E 40.92 to beg. = 52.13 A.
May 16 - 1856 D. M.

26 — 11 — 9

Pt. N.E.

Beg. at N.E. cor.: S33.88 ash 30 S70 W38:
W10.00 Beech 30 S87 W16 Beech 23 S25 E43:
S6.75 " 18 N38 W104: W20.84 Beech 10 S87
W14 " 10 S60 E17: N20.83 " 11 N13
W4 " 24 S5 W10: E9.71 " 7 N87
W38 Sugar 28 N50 W33: N19.93 Beech 14
S82 E13 Beech 15 N74 E20: E21.57 to beg. =
100 35/100 A. July 30 - 1836 D.M.

Pt. W½ S.E. Pt. W½ S.E. and Pt. S.W. gr.

Beg. at ½ M.P. W. side: E20.36: S12.75:
E40.67 Beech 12 N7 E59: S27.82 stone:
W. 20.40½ M.P.: W. 40.32 to Sec. cor:
N 40.17 to beg. = 194.82 A.
Sept. 16 - 1857 D.M.

Beg. at S.E. cor. W½ S.E.: N163 P. to a mark
in a Beech tree root (Beech 24 in diam):
W39 P. 8½ L. stone: S163 P. stone: E.39 P.
8½ L. to beg. = 40 A. Oct 16/80 O.L.P.

Beg at Sta. 2 above North
2.28 old stone Set stone
Witness 14½ links East
Dec. 17 1896. J.W.C

26 — 11 — 9

Pt. W½ N.E.

Beg at ½ M.P. on N side of
sec. thence E 9.98 chs. to stone
Thence S 13.33⅓ chs set stone;
Thence W 9.98 chs. set stone;
V.G. & R. R.R. Thence N 13.33⅓ chs
to beg. = 13⅓ A.
Aug 15, 1896 H.C.D.

Sec 27 Tp 11 R 9

W½ N.E¼ & E½ N W¼

Beg at ½ M.P. N side Sec 27:
E 20.52 stone Beech 8 N 66 E 32 Ash 18 N 81 W 77:
S 40.44 " " 18 N 2 Beech 8 S 82:
W 20.47 " Center B Walnut 24 N 47 W 25:
W 20.25 " Beech 6 N 48 E 10 Beech 25 S 45 W 17:
N 40.31 " S Ash 20 N 59 W 26. Hickory 8 S 69 E 30:
E 20.44 to beg = 164 91/100 A. Sept 7/32 D.M.

Ph W½ N.E. & W½ S.W. " E½ N.W.

Beg at ½ M.P. W side sec 27:
E 20.25 stone Beech 6 N 48 E 10. Beech 25 S 45 W 17:
S 40.22 " Sugar 18 N 12 W 9 " 6 S 22 E 29:
W 20.30 to Sec. cor. Sept 17/32 D.M.

Beg at ½ M.P. N side sec:
E 3.00: S 10.66 stone: W 23.45: N 10.70
stone Hickory 12 S 69 E 30: E 20.45
to beg = 25 A Feb 2 1837 D.M.

N.W. of S.E.

Beg at point 20.28 N of ½ M.P. (stone)
South side sec, Beech 16 S 17 E 43,
oak 20 S 60 W 57: N 20.28 stone B Walnut
24 N 42 W 25: E 20.47 stone Beech 18 N 2,
Beech 8 S 82: S 20.23 Cherry 14 S 32
W 23: W 20.39 to beg = 41 37/100 A
Apr 2 1858 D.M.

See Plat Book for E½ N E & E½ S E¼
Pleaks Hrs

27 — 11 — 9

Error

Beg at S E #¼ E¼ N E¼ Sec 27
W-V 6° E - 0.61: S-V 4¼° - 2.00: E 1.22:
N 2.00: W 0.61 to beg = 24/100 A
Nov 30 1861 O.T.

Ph W½ N.E. N W of N W & E½ N W & Ph W½ N.E¼

Beg at N.W. cor of Sec 27: E-V 6° 12'-
20.31: E-V 5° 02' - 40.97 to N.W. cor E½ N E¼:
S-V 4° 48' - 12.00 stone. stone N 46° W 33 L &
stone N 49 E 37 L: W-V 5° 02' - 40.92 stone Beech
12 S 32 E 3. Beech 13 S 4½ W 28½: S 7.93 stone Ash
20 N 25 E 25. Ash 10 S 82 E 40 L: W-V 6° 12' - 20.31:
N-V 4° 48' - 19.93 to beg. Mar 21/66 S.L.A.

Shoal Lot

Beg at S.E. cor (stone) W½ N E¼:
N 4.00: W 2.50: S 4.00: E 2.50 to beg
= 1 A. June 11 1872 S.L.A.

Beg at a stone cen. of 27-11-9: Thence
W 20.22½ cho. at this point I afterward
found a stone 7 links north and 1½
links E of ½ way on line: ~~E 40.87 cho~~
N 28.52 cho: East 40.87: S 24.50:
W 2.50: S 4.00 cho: W 16.40 cho.
to beg = 114.978 A.
Dec 30, 1897
J.W.C.

Sec 28 Tp 11 R 9

1 Beg at N.W. cor of E½ N.W¼ Sec 28: Ash 20 N 28 W 20. Hickory 5 S 75 E 20: E 12.34⅔ Beech 20 S 41 E 44. Beech 17 N 78 W 51: S 40.50 Elm 15 N 10 E 51. Gum 18 S 72 E 13: W 12.34⅔ Beech 28 – 33 W 18, Beech 08 N 69 E 23: N 40.50 to beg = 50 A. May 25 1830 D.M.

Pt W½ S.E. E½ N.E. 2 Ch E½ N.W.

2 Beg. at ½ M.P. E. side: W 20.14 Beech 9 N 14 E 15 Beech 20 S 36 W 14: N 40.40 Ash 6 S 59 W 11 Elm 40 N 81 W 40: E 19.95 to Sec. cor. Aug. 16-1831 D.M.

3 Beg. at ½ M.P. S. side: N 19.56 S 45¾ E 18.62 Ash 18 N 20 E 116: E 7.37 Ash 9 S 16 E 21 Boak 45 S – 5 S 6.62 Beech 6 N 7 W 68 Beech 10 S 78 E 93: W 20.35 to beg. = 21.87 A.

Pt. W½ S.E.

Beg. at ½ station in No. 3: N. 21.04: E 21.14 Mulberry 6 S 76 W 17: S 33.62 Ash 9 S 16 E 21 Beech 15 N 4 E 10: W 7.37: N 45¾ W 18.62 to beg = 59.95 A. Aug. 16-1831 D.M.

Pt. W½ S.E.

Beg. at ½ M.P. S. side: N. 19.56: S 43¾ E 10.20: S 12.36: W 7.40 to beg. = 11.81 A Mar 22/49, D.M.

W½ N.W. Pt W½ S.E.

Beg. at ½ M.P. W. side: E 20.15 stone Beech 12 N 35 E 63: N 40.20 Ash 20 N 28 W 2: W to Sec. line cor. Aug. 10-1852. D.M.

See Plat Book for E½ S.W.

Sec 28 - - 11 - - 9

E½ " S.E. Pt E½ S.E.

Beg. at a stone 5.86 N of S.E. cor: N77 stone: W. 6.87 stone: S46° E 10.07 stone: E 6.08 to beg. = 12 A Oct-27-1842 C.T.

Beg. at S.E. cor: W 20.33 Beech 6 N 7 W 68 Beech 18 S 78 E 93: N 40.23 " 9 N 14 E 15: " 20 S 36 W 14: E 20.14 to ½ M.P. Aug-16-1831 D.M.

See Plat-Book for Pt-W½ S.E. (Michelin and Grover.)

See Plat-Book for Pt W½ S.E. and E½ S.W. (Ira Grover)

Pt-W½ S.E.

Beg. at a stone S.W. cor E½ S.E¼: N 04° 48' 5.86 stone: W 03° 18' 6.88 stone: S46° E 8.42 to beg. = 1 A 119.5 Pitcher. March 21-1866 S.L.A.

Sluis Sewer.

Beg. at S.E. cor: W 40.74 to ½ M.P. Oct-17-4 stone at ½ way on line Sept-30/74 S.L.A.

Pt-W½ S.E.

Beg. at S.E. cor W½ S.W.¼ S.E¼: N 8.43: N 2.80 ch.: S 5.75: S46° E 9.90 ch. to beg = 2 A. May 23-1878 - J.W.C.

28 - - 11 - - 9 - -

E½ S.W. and Pt-W½ S.E.

Beg. at ½ M.P. Side: W 03° 32' 20.25 stone Oak 20 N 73¼ W 63 Sycamore 15 N 13¼ E 70: N 03° 37' 37.91 stone in center of Michigan Road: N 2.40 to ¼ stone on N. line of ¼ Sec: E (06°) 19.96 (old center stone): S 04° 07' 21.19½ stone in center of Michigan Road: S 19.29 to beg. = N of center of Road 23.57 A. E of Road 57.67 A.: also beg. at a stone 20.91½ S. of center stone Ash 6 N 10¼ W 53½ " S. on line 28: S (04° 07') 46½° E 8.71½ stone: S 49½° W 8.31 to E line E½ S.W.: the included triangle = 3.60 A.: Thence S 49½° W 12.51 to S. line S.W.: E 03° 32' 9.81 to ½ M.P.: N 04° 07' 7.89 (to intersecting line bearing S 49½° W) the included triangle = 3.93 A.: Thence N 11.40 to beg. Oct-21-1867 S.L.A.

Lois Lattorp

Beg at S E cor W½ NW¼ 28-11-9 West 172' to Center Mich. Road. North from beg 2666' West 1317' Sec cor West 266½' (Stone N W Cor E½ NE¼ 29-11-9) South 354½' to Center M. Road. 96 80/100 a April 5th 1889 J.W.C.

28 - 11 - 9

Pt E½ NE¼

Beg at ~~a stone cen of~~ NE cor 28-11-9 stone; S 19.48 stone; W 20.11, stone, ¼ stone N 51 links; N 20.82 stone; E 19.95 to beg. = 40.86

Dec 11, 1887 J.A.S.

Sec. 29 -- Tp 11 -- R 9 --

See Plat-Book for W½ N.W. & S.N.W. S.W.

Adkins heirs.

E½ N.W.

Beg. at ½ M.P. N. side: W. 20.15 stone B. Ash 20 N 15 W 15 Beech 6 S 13 E 40: S 40.45 " Beech 12 N 48 E 22 " 11 S 71 W 31: E 20.19 " Maple 18 S 53 W 9 W. Oak 40 S 65 E 9: W. to beg. = 81.59 A.

Oct 12 - 1825

E½ S.E.

Beg. at S.E. cor.: W 20.14 Beech 12 S 54 E 20 Hickory 5 N 14 W 25: N 41.04 Elm 17 N 30 E 44 - Oak 18 N 83 E 50 E. 20.32 to ½ M.P. - Dec 13 - 1834 - D.M.

N.W. S.E.

Beg. at Center of Sec.: Maple 18 S 53 W 9 W Oak 40 S 65 E 9: E 20.32 Beech 18 N 32 W 34 - Oak 18 N 83 E 50: S. 20.52 Elm 5 S 34 W 21 Hickory 25 N 23 E 32: W 20.25 Oak 36 N 21 E 27 - Beech 9 S 40 W 43: W 20.55 to beg. = 41.64 A. Dec. 12 - 34 D.M.

S.W. S.E.

Beg. at ½ M.P. S. side: N. 20.55 Oak 36 N 21 E 27 Beech 9 S 40 W 43: E 20.25 Elm 5 S 34 W 21 Hickory 25 N 23 E 32: S 20.75 Beech 12 S 54 E 24 " 5 N 14 W 25: W 20.14 to beg. = 41.41 A

Dec. 12 - 1834 D.M.

29 -- 11 -- 9 --

N.E. of S.W.

Beg. at Center of Sec: Maple 18 S53 W9
W. Oak 40 S65 E9: S20.55 Oak 36 N21 E27
Beech 9 S40 W43: W20.12 stone Sugar 15 N33 W15
" 3 S51 E21: N24.50 stone Beech 12 N48 E22
" 11 S71 W31: E20.19 to beg. = 41.36 A
Dec 12th 1834 D.M.

S.E. S.W.

Beg. at ½ M.P.S. side: W20.06 stone W. walnut 20
S39 E½ Beech 18 N20 W50: N20.50 " Sugar 15
N33 W15 " 3 S51 E21: E20.12 Oak 36
N21 E27 " 9 S40 W43: S20.50 to beg. = 41.23 A.
Dec 12 - 1834 D.M.

See Plat Book for Pt. W½ N.W.

S.W. S.W.

Beg. at S.W. cor: N20.42 Beech 30 N32 W31
Beech 15 N82 E51: E20.12 stone Sugar 15 N33 W15
" 3 S51 E21: S20.50 " W. walnut 20 S39 E½
" 18 N20 W50: W20.06 to beg. = 41.1/10 A.
Dec 12 - 1834 - D.M.

N.W. S.W.

Beg. at ½ M.P. W. side: S20.42 Beech 30 N32 W31
E20.12 stone Sugar 15 N33 W15 " 3 S51 E31:
N20.50 " Beech 12 N48 E22 " 11 S91 W31:
Dec. 12 - 1834 - D.M.

29 11 9 -

Pt. E½ N.E.

Beg. at N.W. cor. E½ NE¼: E7.50: S40.19 Beech 18
N50 W67: W7.50 Elm 17 N30 E44: N40.19 to beg. =
30.14 A. March 23 - 1850 D.M.

Pt. W½ N.W.

Beg. at a stone 10.00 S. of N.E. cor W½ N.W. gr:
Beech 12 S88 W56: S11.00 stone Beech 14 S48 W59.
W10.00 stone Beech 21 S55 E44: S8.56 to Center
R.R.: N53° W. 13.39 stone B. Gilead 10 N3 W110:
N11.55 stone sw. ash 12 N82 W37: E20.16 to
beg. = 9 aiy 31 - 1854 D.M.

Beg at a stone 11.71 West of the
NE cor of the W½ NE¼ S 36.06 stone
West 11.09 stone North 36.06 stone
East 11.09 to beg = 40 a (Burns)
Mar. 19/95 J.W.C

Beg at NW Cor E½ NW¼ 29-11-9
South 9.96 old Stone
South 36.22 " "
South 39.42 Center R.R
South 40.36 old Stone
N 48 + 45 W with R.R. 26.93
North 7.00 N 42 E 6.00
E 16.10
Dec 13 1899

Beg 22.80 W of the N8 cor
of the W½ N8¼ 29-11-9
West 17.71 chains
South 36.22 " stone
East 17.78 " stone
Dec 13. 1899

Beg at the North east Corner of
SW¼ of SE¼ 29-11-9 West
10.10½ South 5.30 to a point
33 ft at R. angle from Center R.R.
SE along RR 33 ft from
Center to the E line of ¼ ¼
Thence North 14.5½ to beg = 10 14/100
Feb. 6th 1903
J.W. Craig

Sec. 30. Tp 11. R 9.

See Plat-book for N.E. gr. Adkins his.
" " " " Pl: E½ N.E.

W½ S.E.
Beg. at ½ M.P. S. side: N39.90 Beech 7 S30-21
Beech 10 N44 : E19.92 Beech 20 N20 E18
" 5 S35 E10 : S38.92 " 20 N15 E23
" 22 S43 W36 : W20.10 to beg. = 79.83 A.
July 27- 1824 D.M.

E½ N.W.
Beg. at ½ M.P. N. side: W18.93 elm ash 6
S16 E18 Sycamore 60 N3 W54: N80.18 Beech 11
N81 W16 Sugar 12 N63 E25: E18.87 to beg. = 57.18 A
July 27-1824 D.M.

W½ N.W.
Beg. at N.W. cor: E18.87 Beech 11 N81 W16
Sugar 12 N63 W23: S40.12 " 16 S3 W19
Beech 19 N30 W38: W18.84 to ½ M.P.: N40.18
to beg. = 75.60 A. July 27-1824 D.M.

W½ S.W.
Beg. at S.W. cor.: E18.84 Beech 16 S3 W7
Beech 19 N30 W38: S40.00 elm ash 6 S16 E18
Sycamore 60 N8 W54: W18.93 to beg. = 75.75 A.
July 27-1824 D.M.

E½ N.E.
Beg. at N.E. cor.: W20.14 Beech 8 S55 E15
Hickory 20 S77 W26: S40.30 Dogwood 5 N30 W4
Beech 5 S35 E10: E20. to ½ M.P.
Feb. 1- 1832 D.M.

30 -- 11 -- 9 -

Beg. at N.W. cor. of E½ N.W.: E 2.21
Beech 20 N 20 W 14 Sugar 4 S 25 E 25: S 4.50
Mulberry 3 N 71 E 6 Beech 20 S 21 W 39: W 2.21
Sugar 14 S 24 W 41 " 9 N 71 E 4: W 4.44
Beech 14 S 37 W 33 " 25 N 15: N 4.50
Oak 7 N 25 W 9 " 5 S 46 W 4: E 4.44
to beg. = 3 A. Jany 28-1864 D.M.

Pt. E½ S.E.

Beg. at ½ M.P. E. side: S 9.50 Beech 18
N 74 E 18: N 74° E 19 Beech 17 S 12 W 10:
W 20.00 Ash 4 S 3 W 71 " 12 S 78 E 70:
N 9.50 Dogwood 5 N 30 W 4 Beech 5 S 35 E 10:
E 20.00 to beg. = 19 A. Feb. 1-32 - D.M.

Pt. N.E. gr.

Beg. at a stone in Center of Railroad:
S 38⅓ W (mm) from a stone N.E. cor. of Survey
No. - in Sec 20 p - from which stone
S 35½° W 41: S 37° W 3.03¼: W 05° 7.00
Apple 10 N 25¾° E (mm) 82¾: N 37° E 7.81 stone
in Center of Railroad: from which "
S 36¾° W 37. stone N 36¾° E 33: S.E. with
RR.: S 16½ to beg = 2 8/10 A
Apl. 1861 C.T.

Beg at ½ M.P. on N side 30-11-9
East, 40.41 to Sec Cor.
Set cor at 20.20½

Beg at the SW cor E½ NE¼ 30-11-9
North 40.65. Set stone at
26.70 for NE cor Lot 11 Adkins
part. East from this cor
3.74½ Stake S 26.70 stone
West 3.74½ to beg
Nov 3 1897
J.W. Craig
C.S.D.C.

Sec 31 Tp 11 R 9-

Pt E½ N.W.

Beg. at N.W. cor.: E 18.93 (stone) Ash 6 S 16 E 18:
Sycamore 60 N 3 W 54: S 0.50 to center Bull Run
W. to Sec. line: N 5.29 to beg. = 6 56/100 A
July 28-24 D.M.

N.W.

Beg. at ½ M.P. N. side: S 40.83 Beech 19 S 78 E 6
Beech 9 N 78 W 30: W. to ½ M.P.: N 41.05 to
Sec. cor.: E 37.96 to beg. = 154 9/10 A
July 26-1826 D.M.

Pt. N.E. Sec. 36.

Beg. at ½ M.P. E. side: Sec 36 W 10.75 Beech 15 S 57 W 44½
Beech 12 S 85 E 17: N. so as to strike Bull Run
10.75 W. of Sec. line. Mar. 3-1831 D.M.

W½ N.E.

Beg. at ½ M.P. N. side: E 20.10 Beech 20
N 15 E 23 Beech 22 S 43 W 36: S 40.40 Honey Locust 22
S 84 E 16 Haw 6 N 47 W 30: W 20.10 Beech 19
S 78 E 6 Beech 9 N 78 W 38: N 40.83 to beg. =
81.62 A June 26-1836 D.M.

E½ N.E.

Beg. at N.E. cor.: W 20.10 Beech 20 N 15 E 20
Beech 22 S 43 W 36: S 20.20 " 10 N 36 E 55
W. Oak 34 S 40 W 37: S 20.20 H. Locust 22 S 84 E 22
Hickory 10 S 58 E 45: E 20.10 to ½ M.P.:
N. to beg. = 81.20 A. June 26-1836. D.M.

31 11 9-

Pt. N.W. 6

Beg. 5.26 E. of ½ M.P. W. side Sec 31
E 13.89½ Beech 20 S 21 W 22 Beech 12 N 42 E 4:
S 41.00 " 40 S 6 E 4 Sugar 8 N 32 W 42:
W 13.89½ B. Oak 12 S 48 W 120. Sw. Ash 14 S 56 E 115:
W 41.00 to beg. = 57 A. Sept. 11-1829 D.M.

Pt. S.W. 31 & Pt. S.E. 36

Beg. at ½ M.P. W. side: E 5.26 Haw N 85 E 10
Ash 20 S 7 W 28: S 41.01 B. Oak 12 S 48 W 120 Sw. Ash 14
S 56 E 15: W 5.43 to Sec cor.: W 7.50 Elm 12 N 38 E 27:
Beech 18 S 32 E 21: N 40.80 Beech 22 N 72 E 15
" 11 S 44 W 38: E 7.66 to ½ M.P. E. side 36:
N. 0.17 to beg = 52.85 A Sept. 1-1829 D.M.

Pt. S.E. 36 11-8

Beg. at N.W. cor. of No. 7: W 0.31: S 26 E 4.77 to
S.W. cor.: N. to beg. = 63/100 A Oct. 7-1854 D.M.

W½ S.E.

Beg. at ½ M.P. S. side: N. 41.00 Beech 19 S 78 E 6
Beech 9 N 78 W 38: E 20.10 Honey Locust 22 S 84 E 16
Haw 6 N 47 W 30: S 40.66 Ash 5 S 23 E 13
Ash 6 N 10 W 25: W 20.18 to beg. = 82.23 A.
Dec 13-1834 D.M.

S.E. Qr.

Beg. at S.E. cor.: N. 40.66 (V 5) stone: W 21.11 to old
cor. stone: S 40.22 to old corner: W 20.27¼
to stone. Apl. 20-1864 O.T.

31 - 11 - 9

Beg. at SE cor sec: N 40.66 (V5*) Stone; W 21.11 to old cen stone; S 40.22 to old cor. W 20.27 1/4 to stone.
April 20

Beg at NE cor W 1/2 SW 1/4 31-11-9: S 40.79 1/2, poplar 10 S 6 W 13 l. Poplar 10 S 33 E 14. W 19.12 1/2 to sec. cor.
April 14, 1886 Jas.

43 feet



1 R3 V

Sec 32 Tp 11 R 9 - -

N.E.
Beg. at 1/2 M.P. E. side: W 40.16 Beech 12 N 41 W 19 - Beech 17 S 68 E 19: N. to 1/2 M.P. Dec. 27/25 D.M.

N.W.
Beg. at 1/2 M.P. W. side: E 40.64 Beech N 41 W 19 - Beech 17 S 68 E 19: N to 1/2 M.P. Dec 27/25 D.M.

W 1/2 S.W.
Beg. at 1/2 M.P. W. side: E 20.32 Ash 18 N 6 W 37 - Beech 20 S 35 W 33: S 40.47 Beech 19 N 54 E 26 " 10 S 84 W 31: W 20.22 to Sec. cor = 82.03 A.
Dec. 27 - 1825 D.M.

N 1/2 S.W.
Beg. at 1/2 M.P. W. side: E 40.64 Beech 12 N 41 W 19 Beech 17 S 68 E 19: S 27.29 Gum 8 S 42 W 11 Sugar 20 N 79 E 3: W 10.00 Dogwood 4 N 59 E 13 - Beech 18 S 60 E 32: N 10.00: W 30.50 Ash 30 N 74 W 30. Hickory 10 N 60 W 73: N 17.29 to beg. = 80 A S. L. Hopkins

N 1/2 S.W.
Beg. at S.W. cor.: N 23.11 Ash 30 N 40 W 16 Beech 18 S 48 W 76: E 30.67: S 10.00 Dogwood 4 N 47 W 11 - Beech 18 S 60 E 32: E 10.00 Gum 8 S 42 W 11 - Sugar 20 N 79 E 3: S 13.00 to 1/2 M.P.: W 40.45 to beg. = 83.49 A
May 20 - 1848 D.M.

See Plat Book for N.W. gr. & Pt. S.W.
T. Dennis

	32	—	11	—	9		

center. corner.

Beg. at ½ M.P. S. side: N V 4°-07' to ½ M.P. N. side:
" " " " " W. " : E V - to ½ M.P. E. side
set center stone at intersection of
lines - Beech 22 N 12½ W 45 - Beech 18
N 59½ E. 59. Apl - 19 - 71 S.L.A.

S.W. gr.

Beg. at ½ M.P. W. side: S 69 p 4 L stone.
W 22 L stone E - 23 L
Feb - 8 - 1876 D Bolley.

Sec 33 Tp 11 R 9 - -

(1) See Plat Book for Pt W½" S.E. gr

(2) E½" S.E.
Beg. at S.E. cor. W.20.32 Ash 24 S16 E14
Sugar 9 N46 E32: N40.54 Beech 19 W4
Beech 4 N49 E13: E20.29½ to ½ M.P. =
82.34 A Oct 31/26 — D.M. -

(3) W½" S.E.
Beg. at ½ M.P. S. side: W40.50 Beech 10 S69 W29
Beech 12 S9 E27: E.20.29½ " 19 S50 W52
" 4 N49 E13: S40.54 " 16 S8 E34
Sugar 12 N64 W44: W20.32 to beg. = 82.31 A -
Oct 31-26 D.M.

(4) E½" S.W.
Beg. at ½ M.P. S. side: W20.20 Ash 18 S62 W8
Ash 21 N65 E33: N40.32 Beech 27 N82 E20
Beech 18 N76 W10: E20.29½ " 10 S69 W29
" 9 N86 E44: S40.50 to beg. = 81.82 A
Oct 31-26 D.M.

(5) W½" S.W.
Beg. at ½ M.P. W. side: E20.29½ stone Beech 27
N82 E20 Beech 18 N76 W10: S40.32 Ash 18 N72 W26
B. Oak 20 S14 E24: W20.20 to Sec. cor. = 81.64
Oct 31 1826 D.M.

(6) W½" N.E.
Beg at ½ M.P. N. side: E20.3 Beech 6 N7 W68
Beech 10 S78 E93: S40.70 " 19 W4
" 4 N49 E13: W20.29½ " 10 S69 W29
" 9 N86 E44: N40.40 to beg. = 82.14 A.
Oct 12-29 D.M.

33 - - 11 - - 9 - -

(7) E½" N.E.
Beg. at ½ M.P. N. side: W20.26 Hickory 6 N19 W29
Sugar 18 S3 W56: S40.29 Beech 27 N82 E20
Beech 18 N76 W10: Apl. 18-1835 D.M.

(8) Pt E½" N.E.
Beg. at N.E. cor.: E½ N.E.: E10.93¾ Beech 5 N10 E5
Sugar 13 S40 E17: S22° W7.90 Sw. Gum 20 N50 E92
Hickory 14 N88 W114: N47¼° W10.93¾ to beg = 4 A.
Sept. 7-1835 D.M.

(9) Pt E½" S.W.
Beg at N.W. cor E½ S.W.: S14.50 Beech 9
N13 W13 Sw. Ash 12 S17 E2: E20.25 " 12
N15 W14 Beech 22 S59 W43: N14.50 " 10
S69 W29 " 9 N86 E44: W20.29 to beg. = 29 4/10 A.

(10) Pt E½" S.W.
Beg. at 2nd Station of No 9: S11.23 to
center of Road: N69° W14.50: N80° W6.60:
N4.75: E20.25 to beg. Nov 15-37 D.M.

(11) See Plat Book for Pt W½ S.E. S.28 & N.E. & E½
N.W. -33. Winchester & Grover -

(12) See Plat Book for Pt W½ S.E. & Pt E½ S.W. -28
" N.E. & E½ N.W. -33 - Ira Grover.

(13) Pt E½" S.E.
Beg. at ½ M.P. E. side: S10.00 Hickory 20 N7 E7:
W10.00 Elm 10 S56 E15: N10.00 Ash 14 E25: E.10.00
to beg. = 10 A. Ap 12. 1856 D.M.

(14) Pt E½" N.E.
Beg. at N.E. cor.: S19.00 to Mich. Road: N47¼ W17.00
N22° E8.02: E9.41 to beg. = 15.26 A.
Dec. 21-1859 D.M.

33 - 11 - 9 -

(15) Beg. at ½ M.P. S. side: N 14.60 to Center of Vandalia road: N 69° W 17.00: N 80° W 6.60 stone: S 21.06 stone B.O. at S 14 E 24 Ash 18 N 72 W 26: E 20.20 to beg: = 36.22 A.

(16) Beg. at ½ M.P. W. side B. Ash 18 N 10: E 20.24½ stone: N 14° 45' E 8.32 to Railroad N 52¾° N (mm) 32.27 to Sec. cor. line Beech 12 S 2 E mm 18: S 27.00 to beg: = 35¾ A

June 18-1863 - O.T.

Pt. E½ S.W.

Pt. W½ N.W.

Louis Willy

Beg at the S.W. cor E½ NW¼ 33-11-9
E 580' to point within 40' of Center of R.R. track N.W. with R.R. right of way to west line of ½ qr.
South 530' to beg = 3 53/100 A.
March 28th 1889 J.W.C.

Beg at the SE cor 34-11-9
West 40.42 ½ M.P.
West 66.65 Set Stake
West 72.92 Stone Gate Post
West 80.97 Sec Cor
West 101.24½ Set Stake
At 87.65 Cross R.R.

North from ½ M.P. on S side 34-11-9
North 24.45 Center Mich Road
North 40.15 Center Sec.
West from Center Sec 16.04 to Center Mich road
West 26.08 Set Stake
West 32.35 Set Stake
West 40.40 to ½ M.P. Stone

West from ½ M.P. West 20.53
South 28.07 to Center R.R.
South 40.39 to Cor

North from Sec Cor 40.42 to ½ M.P.

Sec 34 Tp 11 R 9-

(1) Beg. at ½ M.P. E. side: W 20.25 Beech 4
S 21 W 1½ Sugar 16 N 11 E 16: N 40.32 " 11
N 9 E 12 Sycamore 24 S 5 E 38: E 20.37 to
sec. cor. Aug 19-1829 D.M.

E ½ N.E. cor.

2. Beg. at ½ M.P. N. side: S 40.86 Beech 16 N 26 W 6
Ash 21 S 6 W 27: W 40.16 to ½ M.P.: N 40.32 to
Sec. cor: E 40.43 to beg. = 163 98/100 A.
Feb 18 1841 D.M.

N.W.

3 Beg. at S.E. cor.: W 40.36 to ½ M.P.:
N 40.43 Beech 16 N 26 W 6 Ash 21 S 6 W 27:
E 40.28 to ½ M.P. Sept 24/41 D.M.

S.E.

4 Beg. at ½ M.P. E side: W 24.15 Beech 10 N 40 W 20
Beech 12 N 60 E 35: N 14.65 " 13 N 73 W 8
" 10 S 15 W 23: E 46.90: S 14.65 Beech 11
S 63 E 60 W. Walnut 40 S 71 W 6:
W 20.25 to beg. = 68.70 A.
Aug 14-1852 - D.M.

Pt. N.E. 34 & W ½ N.W. 35

5 Beg. at N.E. cor. S.W.: S 15.77 to center
Mich. Road: N 47° W 22.95: E 16.04 to beg. -
12.65 A. Apl-12-56 D.M.

Pt. S.W.

Pt. S.W. Beg. at S.W. cor.: E 40.50 to ½ M.P.:
N 24.56 to center Mich. Road;
N 47° W 22.95: W 24.30 to ½ M.P.:
S 40.32 to beg. = 150.35 A
Apl. 30-1856

34 11 9--

Pt. S.W. Beg. at S.W. cor.: N 40.10 to stake 32 S of
½ M.P.: E 19.87½ Beech 22 S 46 W 97: S 40.14:
W 19.96½ to beg. = 80 A July 30/59 D.M.

Pt. N.E. Beg. at ½ M.P. E. side: W 40.24: N 17.74:
E 40.44: S 17.45 to beg. = 71 1/10 A
Nov. 1864 O.T.

E & W lines N.E. Beg. at N.E. cor.: S 03° 43' 40.01 to ½ M.P. set
stone on line 22.66 ch from beg.
Beg. at ½ M.P. N. side: S 04° 13' 40.34 stone
at center sec. set stone on line at 22.66
ch. Elm 20 N 60½ W 86.
Jan. 19-1869 S.L.A.

Sec 35. Pt 11 Pt 9.

See Sec 34 No. 4 for Pt. W½ N.W. Mrs. McElhany

W½ N.W. Beg. at N.W. cor: E 20.29 Beech 7 N 22 E 6
Ash 3 S 31 E 16: S 40.42 Hickory 3 N 27 E 16
Hickory 10 S 7 W 27: W 20.38 to ½ Mt.
Aug 19 - 1829 D.M.

N½ N.E. Beg. at N.E. cor: S 20.31 Beech 21 N 78 E 31
Poplar 23 N 64 W 14: W 40.79 " 18 S 7 W 9
Ash 22 N 20 E 17: N 20.15 to ½ Mt.
Jany 22nd 1835 D.M.

S½ N.E. Beg. at ½ Mt. E. side: W 40.55 Elm 20 S 16 E 30
Beech 15 N 19 W 10: W 20.05 Beech 18 S 7 W 9
Ash 22 N 20 E 17: E 40.79 " 21 N 78 E 41
Poplar 23 N 64 W 14: E 20.31 to beg. = 82.11 A.
Jany 22 - 1835 D.M.

S.E. Beg. at ½ Mt. S. side: N 40.12 Elm 20 S 16 E 30
E 40.55 to ½ Mt. Mar. 25/1851 D.M.

S.E. S.W. Beg. at ½ Mt. S. side: W 20.13 B. Walnut 18 S 17 E 22
Sugar 14 N - W 26: N 20.15 ash 30 N 21 E 7
B. Walnut 24 S 42 E 40: E 20.17 Beech 10 - W 5
W. Oak 12 N 26 E 25: S 20.06 to beg. = 40.51 A.
Mar 25 - 1851 D.M.

35 11 9

N.E. S.W. & W½ S.W.

Beg. at S.W. cor.: N20.12½ Beech 21 S42E59
Beech 12 N82E45: N20.12½ " ½ M.P.: E40.55
stone E30 Elm 20 S16E30: S20.06 Beech 10 W5
W. Oak 12 N26E25: W20.17 ash 30 N21E7
Walnut 24 S42E40: S20.13 B. walnut 18 S17E22
Sugar 14 N—W26: W20.13 to beg. =
121.76/100 A Mar. 25-1851 D.M.

Pt. N.E.

Beg. at N.E. cor. (stone): S19.58½: W40.68
ash 20 S13E23 Beech 14 N75E25: N19.58½
to ½ M.P.: E41.03 to beg. = 80/100 A.
Jany 5 1859 D.M.

Pt. N.E.

Beg. at ½ M.P. E. side: N20.95: W40.68;
S20.47: E40.58 to beg. = 84⅛ A
Jany 1864 O.T.

Pt. N.E.

Beg. at N.E. cor.: W40.64 to ½ M.P.: S22.70;
E40.44: N22.70 to beg. = 92 A.
Nov 1864 O.T.

Sline S.W. Sec 35
N. line N.W. Sec 2-10-8

Beg. at ½ M.P. N. side: W V4°-49: 20.80 stone
¼ cor.: W1.32 ¼" stone, old ¼ stake, witness
to ¼ cor. Sec. B. walnut 18 S17E22: W19.48 ch.
stone N.W. cor. Sec. W.0.82 lk. S.W. cor. Sec.
Apl 4 - 1872 S.L.A.

Sec. 36 Tp 11 R 9

1. Pt. S.W.

Beg. at ½ M.P. S. side: W 12.44⅘ stone Beech 12
S 10 W 7 Beech 27 N 41 E 39: N 40.20 " Cherry 10
N 73 W 68 Walnut 19 S 35 E 56: E 12.44⅘ stone
Beech 12 N 42 E 6 Poplar 52 S 73 W 28:
S 40.20 to beg. = 50 A
June 13. 1829 D.M.

Pt. S.W.

Beg. at S.W. cor.: N 17.81⅓ W. Beech 6 S 55 W 78
Beech 36 N 54 W 70: E 28.07 stone Sugar 30 N 46 31
" 22 S 14 W 9: S 17.81⅓ Beech 12 S 10 W 7
" 27 N 41 E 39: W 28.07 to beg. = 50 A.
Apl. 17/32 D.M.

E½ N.E.

Beg. at ½ M.P. E. side: W 20.15 Beech 8 S 9 W 33
Beech 14 S 70 E 23: W 40.60 " 18 S 79 E 8
" 12 S 67 W 31: E 20.36 to Sec. cor.
Feb. 14 1833 - D.M.
See Plat Book for W½ N.E. & E½ N.W.
Jas Howard his.

Pt. S.W. N.W.

Beg. at ½ M.P. W. side: N (V 4° 15' E) 2.84:
E (V 5° 30' E) 2.08: S (V 4° 15') 2.84: W (V 5° 15') 2.18
to beg. = 59/100 A Nov. 23/61 O.T.

Pt. S.W.

Beg. at S.W. cor.: E (V 5¼°) 28.01: N 3.75:
W. to Sec. line: S. 3.57 to beg. = 10 A.
Mar. 22/60 O.T.

36 11 9

Pt. S.W.

Beg. at 2nd Station in No. 1: S 9.37½: W 9.70:
N 3.50: N 65° E 2.00 Cherry 18 N 101: N 5.50
Mulberry 22 S 21 E 42: E 7.75 to beg. = 8.29 A.
Jany 22 - 85 D.M.

Siling & Bennett ditch

Beg 1000 feet South & 54 feet East of the SE cor of the NE¼ of the SE¼ 29-11-9
N 3/2 W

17+31 Deft Left 21°+50
20+23 Latterop & Bennett line
37+24 Deft Left 48°+10'
53 Thicket
56+31 Deft Right 50°+10'
66+45 Hub
67+24 Bennett & Parker line
69+45 Parker & Siling line
72+47 Hub.
88 Hub
106+05 Deft Left 51+40
111 Hub
116+32 Siling & Wynne line
117 Hub
126+36 Deft R 29°+10
129+37 Deft Right 31°+55'
132+32 Deft Right 16°+35
140+15 Deft Left 42+00
143+33 Outlet

Arm or Fork

Beg 47 ft East of the SW cor of the NE¼ of SE¼ 29-11-9
N 20° W mm

3+34 Right of way R.R.
3+38 Deft R 59°+35'
4+43 Deft Left 49°+00
5+08 Right of way R.R.
11+48 Deft Right 20°+0
23+11 Deft Left 33°+05' Connecting Main line at 56+31

BM	5-3.34	3.34		50.00		
0			3.7	49.6	46.6	3.0
1			3.6	49.7	46.5	3.2
2			3.9	49.4	46.4	3.0
3			3.9	49.4	46.3	3.1
4			3.9	49.4	46.2	3.2
5			4.1	49.2	46.1	3.1
6			4.1	49.2	46.0	3.2
7			4.1	49.2	45.9	3.3
8			4.3	49.0	45.8	3.2
9			4.2	49.1	45.7	3.4
10			4.4	48.9	45.6	3.3
1			4.6	48.7	45.5	3.2
2			4.1	49.2	45.4	3.8
3			4.2	49.1	45.3	3.8
4			4.3	49.0	45.2	3.8
5			4.1	49.2	45.1	4.1
Peg 6	5-3.26	3.72	3.80	49.54	45.0	4.5
7			4.1	49.2	44.9	4.3
8			4.0	49.3	44.8	4.5
9			4.2	49.1	44.7	4.4
20			4.0	49.3	44.6	4.7
1			4.2	49.1	44.5	4.6
2			4.6	48.7	44.4	4.3
3			4.4	48.9	44.3	4.6

2" to 100'

On Gum 15 ft West of 1+40

	53.26					
24			4.6	48.7	44.2	4.5
5			4.8	48.5	44.1	4.4
6			4.8	48.5	44.0	4.5
7			4.9	48.4	43.9	4.5
8			5.0	48.3	43.8	4.5
9			5.2	48.1	43.7	4.4
Pg 30	51.36	3.30	5.20	48.06	43.6	4.5
1			3.5	47.9	43.4	4.5
2			3.6	47.8	43.2	4.6
3			3.5	47.9	43.0	4.9
4			3.9	47.5	42.8	4.7
5			3.9	47.5	42.6	4.9
6			5.0	46.4	42.4	4.0
7			4.6	46.8	42.2	4.6
8			5.1	46.3	42.0	4.3
9			5.2	46.2	41.8	4.4
40			4.3	47.1	41.6	5.5
1			4.1	47.3	41.4	5.9
2			5.6	45.8	41.2	4.6
3			5.5	45.9	41.0	4.9
4			6.2	45.2	40.8	4.4
5			6.4	45.0	40.6	4.4
Pg 6	48.46	3.45	6.35	45.01	40.3	4.7
7			3.9	44.6	40.0	4.6
8			3.9	44.6	39.7	4.9

2" to 100'

4' to 100'

	43.06					
72			4.0	39.1	35.3	3.8
3			4.1	39.0	35.2	3.8
Peg 4	43.06	4.40	4.40	38.66	35.2	3.5
5			4.3	38.8	35.1	3.7
6			4.3	38.8	35.0	3.8
7			4.4	38.7	34.9	3.8
Peg 8	42.96	4.30	4.40	38.66	34.8	3.9
9			4.5	38.5	34.7	3.8
80			4.7	38.3	34.6	3.7
1			4.2	38.8	34.5	4.3
2			4.3	38.7	34.5	4.2
3			4.1	38.9	34.4	4.5
4			4.3	38.7	34.3	4.4
5			4.6	38.4	34.2	4.2
6			5.0	38.0	34.2	3.8
7			4.4	38.6	34.1	4.5
8			4.4	38.6	34.0	4.6
9			4.4	38.6	33.9	4.7
90			4.4	38.6	33.9	4.7
1			4.5	38.5	33.8	4.7
Peg 2	42.31	4.00	4.65	38.31	33.7	4.6
3			4.1	38.2	33.6	4.6
4			4.4	37.9	33.6	4.3
5			4.0	38.3	33.5	4.8
6			4.1	38.2	33.4	4.8

1½ inches to 100'

	42.31					
97			4.2	38.1	33.3	4.7
8			4.4	37.9	33.3	4.6
9			4.7	37.6	33.2	4.4
100			5.0	37.3	33.2	4.1
1			5.0	37.3	33.2	4.1
2			5.0	37.3	33.1	4.2
3			4.0	38.3	33.1	5.2
4			4.1	38.2	33.0	5.2
5			4.8	37.5	33.0	4.5
6			4.8	37.5	32.9	4.6
Reg	43.03	4.82	4.10	38.21		
7			5.8	37.2	32.9	4.3
8			4.9	38.1	32.8	5.3
9			4.9	38.1	32.8	5.3
110			4.7	38.3	32.7	5.6
1			4.2	38.8	32.7	6.1
2			4.5	38.5	32.6	5.9
3			4.2	38.8	32.6	6.2
4			3.7	39.3	32.5	6.8
Reg	43.89	6.48	5.62	37.41	32.5	4.9
6			6.1	37.8	32.4	5.4
7			6.2	37.7	32.4	5.3
8			6.3	37.6	32.3	5.3
9			6.3	37.6	32.3	5.3
120			6.9	37.0	32.2	4.8

	43.89					
121			7.5	36.4	32.0	4.4
2			7.8	36.1	31.8	4.3
Reg 3	42.39	6.40	7.90	35.99	31.6	4.4
4			7.2	35.2	31.4	3.8
5			6.3	36.1	31.2	4.9
6			6.2	36.2	31.0	5.2
7			6.8	36.6	30.8	5.8
8			6.6	35.8	30.6	5.2
9			7.1	35.3	30.4	4.9
130			7.5	34.9	30.2	4.7
1			7.5	34.9	30.0	4.9
2			5.2	37.2	29.8	7.4
3			5.6	36.8	29.6	7.2
Reg 4	37.37	1.68	6.70	35.69	29.4	6.3
5			2.7	34.7	29.2	5.5
6			4.5	32.9	29.0	3.9
7			4.5	32.9	28.8	4.1
8			4.7	32.7	28.7	4.0
9			4.5	32.9	28.6	4.3
140			3.8	33.6	28.5	5.1
Reg 1			4.5	32.9	28.4	4.5
2			5.2	32.2	28.3	3.9
3			5.1	32.3	28.2	4.1
+ 33			5.7	31.7	28.0	3.7

4" to 100'

Branch

7.8 29.6 opposite in Branch

100' below 7.5 29.9

Frank Robbins Ditch

+60	19.60	9.60		10.00	x 10.0		Outlet of Ditch April 7 1900
71			6.7	12.9	10.1	2.8	
70			6.6	13.0	10.2	2.8	
9			6.5⁻	13.1	10.3	2.8	
8			4.8	14.8	10.4	4.4	
7			4.9	14.7	10.5	4.2	
+25⁻			7.1	12.5⁻			in Branch
6			5.8	13.8	10.6	3.2	
5⁻			4.6	15.0	10.7	4.3	
4			4.6	15.0	10.8	4.2	
3			4.1	15.5⁻	10.9	4.6	
2			4.4	15.2	11.0	4.2	
1			5.6	14.0	11.1	2.9	
60			4.5⁻	15.1	x 11.2	3.9	
Reg 9	22.30	6.20	3.50	16.10	11.5	4.6	
8			6.3	16.0	11.8	4.2	
7			5.8	16.5⁻	12.0	4.5⁻	
6			5.4	16.9	12.3	4.6	
5⁻			5.1	17.2	12.6	4.6	
4			4.8	17.5	12.9	4.6	
3			4.8	17.5	13.2	4.3	
2			4.5⁻	17.8	13.4	4.4	
1			4.7	17.6	13.7	3.9	
50			4.5⁻	17.8	14.0	3.8	
9			4.5⁻	17.8	14.3	3.5⁻	
8			4.3	18.0	14.6	3.4	

	22.30						
47	29.90	11.60	3.80	18.50	14.8	3.7	
6			11.1	18.8	15.1	3.7	
5			10.9	19.0	15.4	3.6	
4			10.8	19.1	15.7	3.4	
3			10.5	19.4	16.0	3.4	
2			9.9	20.0	16.2	3.8	
1			9.7	20.2	16.5	3.7	
40			11.1	18.8	16.8	2.0	
+ 10			10.2	19.7	16.8 2.9		Bottom of R.R. Culvert
9			9.9	20.0	17.0	3.0	
8			8.6	21.3	17.2	4.1	
7			8.4	21.5	17.4	4.1	
Beg 6	28.40	6.85	8.35	21.55	17.6	4.0	
5			6.5	21.9	17.8	4.1	
4			6.7	21.7	18.0	3.7	
3			6.4	22.0	18.2	3.8	
2			6.0	22.4	18.4	4.0	
1			5.8	22.6	18.6	4.0	
30			5.9	22.5	18.8	3.7	
9			4.7	23.7	19.0	4.7	
8			5.3	23.1	19.2	3.9	
7			5.2	23.2	19.4	3.8	
6			5.3	23.1	19.6	3.5	
5			5.1	23.3	19.8	3.5	
Beg 4	30.25	7.25	5.40	23.00	19.9	3.1	

	30.25						
33			7.2	23.1	20.0	3.1	
2			7.4	22.9	20.1	2.8	
1			6.8	23.5	20.2	3.3	
20			6.6	23.7	20.3	3.4	
9			6.7	23.6	20.4	3.2	
8			5.4	24.9	20.5	4.4	
7			4.4	25.9	20.6	5.3	
6			4.2	26.1	20.7	5.4	
5			3.8	26.5	20.8	5.7	
4			4.7	25.6	20.9	4.7	
3			5.7	24.6	21.0	3.6	
+48			6.3	24.0			Bottom Branch
2			4.8	25.5	21.5	4.0	
1			4.5	25.8	22.0	3.8	
Rod 0	33.65	7.50	4.10	26.15	22.5	3.7	
+25			8.3	25.7			Branch
9			5.1	28.6	23.00	5.6	
8			4.5	29.2	23.5	5.7	
7			3.8	29.9	24.0	5.9	
6			3.8	29.9	24.5	5.4	
5			4.6	29.1	25.0	4.1	
4			5.2	28.5	25.2	3.3	
3			4.7	29.0	25.4	3.6	
2			4.5	29.2	25.6	3.6	
1			4.7	29.0	25.8	3.2	
0			7.7	26.0	26.0	0.	Bottom 10" Tile

20.20
Kemble
12.57
12.57
20.206
Chas Kemble
11.73 A
20.209
Jemima Nation
11.12
Catharina Nation
2
11.90
11.90
20.22
Nation
20.22
3-11-9

23+11	46.88	5.30		41.58	37.1	
23			5.8	41.1	37.2	3.9
2			5.4	41.5	37.3	4.2
1			5.5	41.4	37.5	3.9
20			5.3	41.6	37.7	3.9
9			5.2	41.7	37.9	3.8
8			5.1	41.8	38.1	3.7
7			4.6	42.3	38.3	4.0
6			3.8	43.1	38.5	4.6
5			4.1	42.8	38.7	4.1
4			3.7	43.2	38.9	4.3
3			3.3	43.6	39.1	4.5
2			3.1	43.8	39.3	4.5
1			2.8	44.1	39.5	4.6
Peg 0	49.48	4.65	2.05	44.83	39.7	5.1
9			3.8	45.7	39.9	5.8
8			4.7	44.8	40.1	4.7
7			4.1	45.4	40.3	5.1
6			4.6	44.9	40.5	4.4
5			4.5	45.0	40.7	4.3
+25			1.8	47.7		
4			3.2	46.3	40.9	5.4
+40			5.4	44.1		
3			4.4	45.1	41.1	4.0
2			4.2	45.3	41.3	4.0
1			4.0	45.5	41.5	4.0
0			3.6	45.9	41.7	4.2

4" to 100'

41.7
37.1
23) 4.6

Center RR Track

In Ditch of R.R.

on Hub

Pond Ditch

Oct 5th 1897

On Hicory 200 East of O West

BM	50.20	0.20		50.00		
0			5.0	45.2		
1			7.0	43.20		
2			7.7	42.5		
3			8.2	42.8		
4			8.6	41.6		
5			9.0	41.2		
Reg 6	49.65	6.70	9.25	40.95		× S W
7			7.6	40.1		
8			7.7	40.0		
9			7.8	39.9		
10			7.8	39.9		
1			7.8	39.9		
Reg 2	48.20	8.50	7.95	39.70		
3			8.6	39.6		
4			8.3	39.9		
5			8.2	40.0		+40 Dam Commenced
6			8.0	40.2		
7			8.2	40.0		
Reg	50.80	8.40	5.80	42.40		
8			10.1	40.7		
9			10.6	40.2		
20			10.5	40.3		
1			10.5	40.3		S W
2			9.8	41.0		

10-11-9

t 1/2 M.P.E. side, N 80 p 9 L ; N 70 p to
Creek N° with Creek to E line ; S 127 p
eks to beg —

	50.80				
Reg	49.20	6.25	7.85	42.95	
23			8.6	40.6	
4			8.5	40.7	
5			9.0	40.2	
Reg	49.60	8.70	8.30	40.90	
6			9.2	40.4	
7			9.7	39.9	
8			9.4	40.2	
9			9.6	40.0	
B.M			2.90	(46.7)	
Reg	62.42	13.02	0.20	49.40	
Reg	64.75	4.70	2.37	60.05	
+40			1.1	63.7	
Reg	53.80	2.85	13.80	50.95	
B.M.			5.92	(47.88)	
+66			13.7	40.1	
Reg	47.24	3.80	10.36	43.44	
30			7.7	39.5	
1			7.7	39.5	
2			7.9	39.3	
3			8.2	39.0	
4			8.4	38.8	
5			8.4	38.8	
Reg	46.44	5.95	6.95	40.49	
6			7.6	38.8	

at 28+90 bottom of culvert 1.0 below
on culvert over center of culvert

on top Rail R.R.

on south end of culvert
Bottom 1.5 below

	46.44					
7			7.8	38.6		
8			8.0	38.4		+85 angle
9			8.0	38.4		
40			8.1	38.3		
1			8.2	38.2		
2			8.2	38.2		
Peg 3	46.54	8.50	8.40	38.04		
4			8.70	37.8		
5			8.8	37.7		
6			8.9	37.6		
7			8.9	37.6		
8			8.9	37.6		+65 Road
9			9.0	37.5		
Peg	47.32	5.58	4.80	41.74		
50			9.9	37.4		Road
1			10.0	37.3		
2			10.3	37.0		
3			10.4	36.9		+50 angle
4			10.7	36.6		
5			10.8	36.5		
Peg 6	44.52	8.20	11.00	36.32		
7			8.1	36.4		
BM			4.60	(39.92)		Maple opposite 57+40
8			8.2	36.3		

	44.52					
59			8.5	36.0		
60			8.6	35.9		+40 Bridge
1			8.8	35.7		
2			9.0	35.5		
3			8.8	35.7		
4			9.0	35.5		
5			9.0	35.5		
Peg	43.02	6.20	7.70	36.82		
6			8.3	34.7		
7			8.4	34.6		
8			8.4	34.6		
9			8.8	34.2		
70			9.2	33.8		
1			9.3	33.7		
2			9.1	33.9		
3			9.3	33.7		
Peg.	41.49	4.45	5.98	37.04		
4			8.5	33.0		
5			7.6	33.9		
6			8.1	33.4		
7			8.3	33.2		
8			8.6	32.9		
9			8.5	33.0		
80			8.5	33.0		

81	41.49		8.5	33.0		
Reg.	40.31	4.78	5.96	35.53		
2			7.5	32.8		
3			7.7	32.6		
4			7.9	32.4		
5			8.5	31.8		
6			8.3	32.0		
7			8.3	32.0		
Reg	39.76	7.20	7.75	32.54		
8			8.0	31.8		
9			8.0	31.8		
90			8.2	31.7		
1			8.5	31.3		
B.M.			8.58	31.18		
2			8.4	31.4		
3			8.5	31.3		
4			8.5	31.3		
Reg	38.91	7.55	8.40	31.36		
5			7.5	31.4		
6			7.6	31.3		
7			7.9	31.0		
8			8.0	30.9		
9			7.9	31.0		
100			8.2	30.7		
Reg	38.46	7.55	8.00	30.9		

8.5 On stone.

+40° angle

Bright
Davis

On stone E of 91.

101	38.46		7.8	30.7		
102			8.0	30.5		+ 60° angle.
3			8.0	30.5		
4			8.1	30.4		
5			8.4	30.0		+ 30° angle
6			8.4	30.0		
Peg	37.36	5.70	6.80	31.66		
7			7.4	30.0		
8			7.6	29.8		
9			7.7	29.7		
110			7.8	29.6		
1			7.4	30.0		
2			7.6	29.8		
3			7.9	29.5		
Peg	37.88	7.50	6.98	30.38		
4			8.4	29.5		+ 60 angle Davie Templeton.
5			7.9	30.0		
6			8.2	29.7		
7			8.4	29.5		
8			8.4	29.5		+ angle
9			8.3	29.6		
Peg 120	36.88	7.25	8.25	29.63		
1			7.3	29.6		
2			7.5	29.4		
3			7.7	29.2		

				29.1		
12A	36.88		7.6	29.3		
5			7.8	29.1		
6			7.9	29.0		
7			7.8	29.1		
8			7.6	29.3		
Peg	38.38	5.15	3.65	33.23		
9			9.2	29.2		
130			9.3	29.1		+40 Angle
1			9.0	29.4		
2			9.2	29.2		
3			9.2	29.2		
BM.	37.43	4.60	5.55	32.88		
4			8.3	29.1		
5			8.4	29.0		
6			9.5	27.9		On stone.
7			10.0	27.4		
8			10.1	27.3		
9			10.2	27.2		
140			10.5	26.9		
1			10.6	26.8		
2			10.4	27.0		
Peg	36.48	7.85	8.80	28.63		+60 Road
3			9.4	27.1		
4			9.7	26.8		
5			9.7	26.8		

146	36.48		9.7	26.8		
B.M.			4.20			
7			9.5	27.0		
B.M.	35.38	3.10	4.20	32.28		
8			8.5	26.9		
9			8.7	26.7		
150			8.8	26.6		
1			8.6	26.8		
2			9.4	26.0		
Reg 3	34.33	7.75	8.80	26.58		
4			8.2	26.1		
5			8.7	25.6		
Reg	31.43	2.45	5.35	28.98		
6			6.0	25.4		
7			6.0	25.4		
8			6.3	25.1		
9			6.7	24.7		
160			6.6	24.8		
Reg	32.98	7.70	6.15	25.28		
1			8.0	25.0		
2			8.1	24.9		
3			8.7	24.3		
4			8.6	24.4		
Reg	32.58	5.00	5.40	27.58		
5			8.6	24.0		

26.00
29.90
3.90
36.48
32.58

on ash 146 + 40 West of ditch

+50 angle Right

	32.58						
16 6			9.0	23.6			
7			9.2	23.4			
8			9.3	23.3			
9			10.1	22.5		+60	Anderson Miller
Reg 170	26.83	4.65	10.40	22.18			
1			4.4	22.4			
2			4.6	22.2			
3			4.9	21.9			
4			5.0	21.8			
Reg	28.75	3.70	1.78	25.05			
5			7.3	21.5			
6			7.5	21.3			
7			7.6	21.2			
8			7.8	21.0			
9			7.8	21.0			
180			8.0	20.8			


North
34.70½
Center Road
38.07
27.80
S 14 E
S 2 W
3.35 V
S 19½ W
4.00 V
S 40½ W
4.00 V
S 43½ W
6.00 V
S 4½ W
9.80
S 4½ E
6.41