S End E½ of N E¼

Beg ½ M. P. E. side: W 19.80, Poplar 2[illegible] S 7 E 32, Sugar 8 S 70 E 36: N 20.33½ Sugar 10 S 84 E 8, ash 12 N 57 W 22: E 19.55, Elm 9 N 6 W 15, Sugar 16 S 47 E 33: S 20.33½ to beg = 40 a

Pt S E & pt E½ N E

Beg at S.E. Cor Sec: W 19.91 stone, ash 36 S 6 W 62 Beech 15 S.E. 105: N 20.55 stone Poplar 40 N 39 E 8: N 40.55, Poplar 27 S 70 E 32, Sugar 8 S 87 W 36: E 19.80 to ½ M.P.: S 20.36 Beech 24 S 57 W 28, Beech 16 N 74 W 6: S 20.36 to beg 81 20/100 Mar 1st 1849 D.M.

See Plat Book for S E of S E & pt W ½ N W.

Pt S E of S.E.

Beg N.E. Cor of S E of S E¼: S 2.00: S 60° W 3.90: N 3.90: E 3.40 to beg = 1 a

Pt S W of S E

Beg ½ M P (stone) S side Sec: N 4.81½ Beech 18 N 70 W 12: E 4.16½: S 4.81½: W 4.16½ to beg = 2 a Dec 8 1852 D.M.

Pt E½ of N.E.

Beg at N.E. Cor Sec: W 19.43 stone: S 25.[illegible] stone, sugar 14 S 62 W 34: N 51 E 7.44: N 36 E 2.97: N 58 E 14.08: N 11.25 to beg = 35 7/100 a. A[illegible] 16 [illegible]

Pt E½ of N E¼

Beg ½ M.P. E side sec: W 19.80: N [illegible] 8.75 stone, sugar 14 N 62 W 34: N 51 E 7 [illegible] 69: N [illegible] 2.97: N 58 E 16.08: S 29.28 to beg = 44 55/100 a A[illegible] 16.06.

Pt N W of N E

Beg N E Cor N W of S E¼ Sec: S - v 3° 38' - 22.80: W - v 4° 50' - 8.77: N - v 3° 38' - 22.80: E - v 4° 50' 8.77 to beg. May 15 1869 S. L. A.

Over

1 - 8 - 8

Pt N W ¼

Beg at N.W. Cor of Sec 1-8-8: E 96 p 2½ L. stone, Beech 8 S 53° E 67. S 79 p 10 L. stone, Beech 12 S 71° W 7 & Beech 11 N 67° E 24: W 91½ p. stone, sugar 14 N 4° E 25 & Sugar 16 S 53° W 52: N 79 p 19 L to beg = 48 13/100 a

Sept 1 1848 D. M.

Pt N E¼

Beg at stone S. E. Cor 1-8-8: W (v 4° 30') 39.20 chs ½ M.P. set stake, also set ¼ stone at ½ way on line 19.60 chs. May 29th 1872. S. L. A.

Beg. on N line of Sec 1-8-8, at a point 20 p W of Cor. stone: S 160 p to a stone ½ distance set stone, B Walnut 10 S 65 E 30, Sugar 24 S 4 E 40: E 20 p. stone, Sugar 16 S 27 W 33½, Dogwood 6 S 59 E 21:

June 12 1879 O. L. P.

Sec 1 - 8 - 8.

Beg at N.E. cor. of S.E.1/4 of N.W.1/4 of Sec N.19.47 Chs
S. 14.14 Chs to Center of S.I.R.R. Track Thence N.62°
70 ft. Thence in an Easterly direction on a 2° Cu
to the left 474 ft. Thence N. 53° 20' E. m.m.
Thence in an Easterly direction on a 3° Cu
to the right 148 ft to the East line of S.E.1/4
N. 2.81 Chs to Beg = 16 51/100 A.

Feb 20 1907 B. C

Beg at S.W. Cor. of S.E.1/4 of N.W.1/4 of Sec N.5.48
to Center of S.I.R.R. Track Thence N.62° 50' E
70 ft. Thence in an Easterly direction on a 2°
to the left 474 ft. Thence N. 53° 20' E. m.m.
Thence in an Easterly direction on a 3° cur
to the right 148 ft to the East line of S.E.1/4
South 17.02 Chs W. 1952 to Beg = 21 94/100

Feb 20 1907 B. C

Sec 2 - 8 - 8

N.W. of S.E.1/4

1 Beg 1/2 M.P. N side 2-8-8: E 80 p 22 L
stake, Beech 10 N 15 E 41; S 77 p 1 L
" " 20 E 10 & Beech 4 W 10;
W 81 p 3 L stake Beech 8 S 38 E 5 & Beech
10 S 47 W 15; N 76 p 4 l to beg = 38 92/100 a
Nov 7 1843 D. M.

N.E. of S.W.

2 Beg 1/2 M.P. N side sec; S 93 R. stake
Beech 18 N 5 L & Beech 15 S 23° W 24 l;
W 68 R 20 L. stake, Beech 10 N 30 W 25 L &
Beech 12 S 8° W 22 L; N 93 R stake; Hickory
15 S 36 E 31 & Beech 10 N 28 W 28; E 68 R
20 L to beg = 40 a. Mar 7 1843. S. L. H.

3 Beg 1/2 M.P. N side Sec; S 78 R 20 L, stake
Beech 15 S 65° W 14 & Beech 10 N 13 W 30;
W 81 R 11 L. stake Corner Adam Petrus;
N with same — = 40 a. Mar 1848. S. L. H.

4 Beg at N.W. Cor Sec; E 93 R stake,
Hickory 15 S 36 E 31 & Beech 10 N 28 W 28;
S 93 R stake Beech 10 N 30 W 25, Beech 12 S 8° W
22; W 93 R stake " 13 S 80 E 52 & " 15 N 76 E
46; N 89 R to beg = 52 89/100 a
Nov 7 1843 S. L. H.

2 – 8 – 8

Ch N W 1/4 5 Beg at N.W. Cor of Sec: S 78 p 20 L. stake, Sugar 10 N 54 E 90, Beech 10 S 84 E 83; E 81 R 11 L stake, Beech 30 E 13 & Beech 10 N 75 W 15: N — stake sugar 40 S 5 W 52, Beech 12 S 36 E 35; W to beg = 40 a

60 a aff Ind N W 1/4 6 Beg 1/2 M.P. W side Sec; N 59 R 8 L. stake Beech 12 S 80° E 52 & Beech 15 N 76 E 46; E 161 R 21 L. stake. Beech 18 N 5 & Beech 15 S 23 W 24; S 59 R 8 L. stake. " 10 N 25 W 24 & Beech 11 S 33 E 18: W 161 R 21 L to beg = 60 a. Nov 7 1843 S.L.H.

Ch N W 1/4 Beg at stake 78 R 20 L S of N.W. Cor. of Sec, sugar 10 N 54 E 90, Beech 10 S 84 E 83 L – E 162 p 23 L. stake. Beech 15 S 65 W 14, Beech 10 N 13 W 30; S 14 R 5 L stake; West 161 R 21 L; N 10 R 5 L to beg = $12\frac{38}{100}$ a. Mar 1848 S.L.H –

Sec 3 Sp 8 R 8

N E 1/4

1 Beg at N. E. Cor of Sec 3-8-8; W 163 p 132 L to 1/2 M.P.; S 149 p 182 L, Sugar 18 N 63 E 49 & Hickory 20 S 55 E 64; E 163 p 16 L to 1/2 M.P. Sept 26 1845 D. M

E 1/2 S E 1/4

2 Beg at S. E. Cor of Sec: W 81 p 22 L, Beech 16 S 61 W 26 & Beech 12 N 62 E 49; N 80 p 12 l Elm 16 N 70 E 19 & Beech 14 N 82 W 11; N 80 p 12 l Beech 18 N 73 E 27, Beech 14 S 48 E 33; E 81 p 08 to 1/2 M.P.; S 79 p 16 l, Hickory 18 S 42 W 93; S 79 p 16 l to beg = 81 76/100 a Sept 27 1845 D. M.

N W 1/4

Beg 1/2 M.P. N side sec; S 149 p 18 l, Sugar 18 N 63 E 49, Hickory 20 S 55 E 64; W 163 p 16 L to 1/2 M.P.; N 157 p 8 l to sec cor; E 163 p 15 l to beg = 15 79/100 a. Sept 27 1845 D.M

W 1/2 S W 1/4

Beg 1/2 M.P. W side sec; E 81 p 8 L, Elm 12 N 37 E 8, Sw Ash 20 S 46 W 14; S 80 p 2 l, Elm 21 S 41 W & Beech 16 N 47 E 28; S 80 p 2 l, W Oak 30 S 36 W 59; W 80 p 19 l to sec cor,

3 — 8 — 8

N 80 p 4 l, Beech 16 N 89 W 44, Hickory 24 N 30 E 67; N 80 p 4 l to beg = 80 64/100 a Sept 27 1845 D. M.

Beg at the 1/2 M.P. on N side 2-8-8 West 2669.7' Set stone Sec. Cor West 40 18.4' " 1/4 stone ~~M.P. N side 3-8-8~~ West 5368.1' to Stone 1/2 M.P. N. side 3-8-8 also Beg at 1/2 M.P. E side 3-8-8 West 1323 stone; West 2650 stone April 1889 J.W.C

Beg at the 1/2 M.P North side 3-8-8 ~~West~~ West 41.01 Sec. Cor Set stone at 26.44 — Walnut 18" 39 1/2 E 54 South 38.19 to 1/2 M.P. East 14.68 Stone East 41.92 Center Sec. North 37.76 in 1/4 = 155.94 A

100 a off E side

Sept. 9th 1904 H.T. Hamilton

Sec 4 Tp 8 R 8

S W of S E and S E of S W 1

Beg 1/2 M. P. S side Sec; W 79 p 6 l stone, Beech 12 N 32 W 87 & Beech 18 S 44 E 22; N 81 p 2 l stone, Sycamore 5 W 4; E 158 p 12 l " Sw Gum 24 S 11 E 35 & Elm 24 S 80 W 59; S 80 p 15 l. stone Elm 15 S 5 E 65. Sw Gum 12 S 84 E 53; W 79 p 5 l to beg = 80 7/100 a Jan 11 1851 D. M.

N E of S W 1/4 2

Beg. ah a stake 79 p 6 l E of 1/2 M. P. W side (ash 26 S 10 W 15, Beech 21 N 65 W 22); E 79 p 6 l. Sw Gum 36 S 21 E 30 & Beech 16 N 61 W 30 l; S 81 p 7 l. Beech 21 S 87 E 64 & Beech 12 N 53 E 50; W 79 p 6 l stone, Sycamore 5 W 4; N 81 p 2 l to beg = 40 6/100 a. Jany 11 1851. D. M.

Ph S W of S E and S E of S W

Beg 1/2 M P S side sec; W 79 p 6 l stone, Beech 12 N 32 W 87; N 81 p 2 l " Sycamore 5 W 4; E 90 p. stone, Beech 12 N 85 W 23, Beech 14 N 31 E 19; S 82 p 20 l stone. Beech 14 S 29 E 71, Sugar 19 S 40 W 81; W 10 p 19 l to beg = 45 52/100 a. May 24 1854. D. M.

Sec 4 Tp 8 R 8

Beg ah N. E. Cor of Sec; S (v 4° 46') 19.08 ch. set 1/4 stone; S 19.08 chs 1/2 M. P; S (4° 08') 10.06 chs. stone; S 10.02 chs cor. N 1/2 S E 1/4 sec; S 20.08 chs stone S. E. Cor of Sec; W (v 4° 30') 39.55 chs 1/2 M. P. stone; N (v 4° 15') 20 23 chs cor. S 1/2 S E 1/4 Sec; N 10 17 chs cor. of 40 acres of S side of N 1/2 S E 1/4 Sec; N 10.06 to old Center stone; N (v 4° 11') 19.06 chs cor of S 1/2 N E 1/4 Sec; N 19.06 to 1/2 M. P.; E (v 4° 12') 19.60 3/4 chs stone; E 19.60 3/4 chs to beg = in S 1/2 N E 1/4 to 75 42/100 a in N 1/2 S E 1/4 to 79.878 a. Also 40 a land off of S side N 1/2 S E 1/4 Sec: Also beg at 1/4 stone on E line N E 1/4; W 19.71 chs. stake; W 19.71 chs 1/4 stake on W line of 1/4 sec.

Oct 30 1872 S. L. A

~~Beg 1/2 M P W side sec: E 83 W 85 - Stone Ash 15 N 35 E 21. Elm 10 N 59 E 65. Jan 1 1880 O. L. P.~~

Sec 5 Tp 8 R 8

1 Beg ah S. E. cor.: W 83 p 3 l. B. Gum 20 S 5 E 9 & Beech 10 N 1 E 9; N 80 p 19 l Beech 11 S 19 W 15 & Beech 14 N 38 E 40; N 80 p 19 l. W Oak 30 S 9 W 83; E 83 p 19 l to 1/2 M. P.: S 80 p 21 l Beech 24 N 37 E 9. Beech 18 S 66 W 21: S 80 p 21 l to beg = 84 21/100 a. March 23 1839. D. M.

2 Beg 1/2 M. P. S side; N 161 p 10 l: E 83 p 19 l. W. Oak 30 S 9 W 83; S 161 p 13 l. B Gum 20 S 5 E 9 & Beech 10 N 1 E 9; W 83 p 3 l to beg = 84 19/100 a. Mar 23 1839 D M

3 Beg 1/2 M P E side; W 167 p 13 l. stake; N 151 p 19 l to 1/2 M. P.: E 167 p 21 l to Sec cor. Jan 8 1840 D. M.

Beg ah stake 75 p 2 l. S 1/2 M P N side. (Beech 18 S 61 E 21 & Beech 14 N 21 E 26): S 75 p 25. stake: W 83 p 6 l. Ash 14 S 47 E 13 and Maple 6 N 13; N 67 p 4 l. " 12 N 36 E 6 and Ash 6 N 47 W 4: E 83 p 15 l to beg = 39 63/100 a Jan 8 1840 D. M

Beg 1/2 M. P. N side; E 80 p; S 80 p. Beech 14 N 63 W 17. Beech 22 S 58 E 46; W 80 p. Sugar 20 S 52 E 75; N 80 p to beg = 40 a. July 5 1848 D. M.

See ~~Stak~~ ~~Book~~ Sec 6 for pt S W 1/4

Sec 5 — 8 — 8

Beg ½ M.P. ~~center~~ Sec of Sec 5;
S 38 p 10 l stone; W 83 p 8 l stone;
N 38 p 10 l to quarter quarter
cor: E to beg = 20 a. Jan 1. 80 O.L.P.

Beg ½ M.P. W side Sec 5;
E 83 p 8 l stone, ash 15 N 35 E 21,
Elm 10 N 59 E 65: Jan 1 1880 O.L.P.

Beg at center of sec. West 41.71½
stone ½ way 2.48 North of line
Beg at SW cor E½ NW¼ North
38.06 to cor. Set stake ½ way

Beg ½ M.P. W side North 38.2
Set stake ½ 19.10½.

Beg at NW cor Sec East
41.95 Set Cor at 10.48¾
also set cor. at ½ way 20.97½
being .84½ links East of
a stone formerly set for
½

41.71½
41.89
.7½

42.00
41.80
.11

Beg at NE cor 5-8-8 West
71 chs old stone at 21.91
south from last stone 19.90 stone
West 19.90 chs to old stone
South 17.89 old stone
East 20.93 " "
" 41.90 Set stone by witness
North 20.10 stone
" 37.92 to SE cor

Sec 6 - 8 - 8

W½ S.E.

Beg ½ M.P. S side Sec 6: N 20.69. Elm 14 S 59 E 39 v Hickory 16 S 52 W 73: E 20.00 Beech 14 N 11 W 20 v Elm 27 S 24 W 44: S 40.61. Beech 12 S 48 W 44. S.E. Cor. School House N 11 E 20: W 20.14 to beg = 81.58 a
Oct 28 1885 D.M.

See Plat Book for W½ S.E. Tallington bros.

N½ S½ of 6

Beg at S.E. Cor Sec 6: W 20.14 stone Beech 12 S 48 W 44 thence S.E. Cor School House N 11 E 20: N 13.75 Beech 10 S 42½ E 63: E 30.25 Beech 8 S 47 E 26 v Beech 12 N 41 W 1.: S 13.25 Beech 18 S 33 E 9 v Beech 10 N 18 W 24: W 10.11 to beg = 40 a 13 p. Aug 17 - 78. D.M.

See Plat Book for N E ¼ of 6. Finly Heirs.

N½ N½

Beg at N.W. Cor of Sec 6: S 134 p 8½ l. Elm 13 N 56½ E 83 v Hickory 24 S 46 E 99½: E 150 p 8 l stone N 77 E 30½. Stone S 36 W 33: N 132 p 15 l stone N 17 E 75. Stone S 37 E 67: W 150 p 10 l to beg = 175 ~~27~~ a. Sept 10. 1875. D.B.A.

Sec 6 - 8 - 8

Beg at N.E. Cor of Sec 6: W 80 p 6 l stone N 47 W 56. Stone S 60 E 42: S 152 p 11½ l. Elm 32 S 18 W 48½. Hickory 18 N 12 W 56: E 80 p. Sycamore 22 N 70 W 91. Elm 36 N 60 W 88½: N 152 p 11 to beg = 76.39 a
Sept 30 1875 D.B.A.

Beg ½ M.P. N side Sec: S 152 p 10½ l. stone N 87 E 29. stone N 49 W 29: E 80 p. Elm 32 S 18 W 48. Hickory 18 N 12 W 56: N 152 p 11½ l stone N 47 W 56. stone S 60 E 42: W 80 p 8 l to beg = 76.39 a
Sept 30 1875 D.B.A.

Beg. at ½ M.P North side Sec. 6 cah. 7.89 chs Sec 6-8-9

Beg ½ M.P. S side Sec. E 20.14 stone. Stone S 50. Stone N 57 W 50.
Sept. 1885 J.N.S.

66
40
2640

66
66
4356

Sec 7 Tp 8 R 8

Beg 4 1/2 M.P. W side: N (V 4°12') 11.57 1/2 chs: E (V 3°58') 9.25 chs. Buch 6 N 86 3/4 W 14 1/2 lks Buch 8 S 14 1/2 E 23 1/2; S (V 4°02') 4.32 1/2 chs. Buch 20 N 62 1/2 W 16 1/2 l lks Buch 6 N 24 E 8: W (V 3°58') 1.02 1/2 chs. Buch 12 N 3 W 17 lks Buch 8 S 57 1/2 W 11; S (V 4°12') 7.25 chs to line of 1/4 Sec: W 8.27 1/2 to beg

Sept 8, 1874 S. L. A.

Beg N W cor. East 37.54 Set stone at 9.25: South 40.46 to old center stone Set stone 33.46 and at 39.21: West 37.19 to 1/2 M.P. Set stone 27.94
North 40.17 to beg = 15 64 A

W. W. Lowe
P C

Beg center 7-8-8 N 40.27 to 1/2 M.P. north side sec: N E cor. stone S 52 1/2 W 54 1/2 L stone post N 57 E 49 1/2; E 40.14 to sec. cor. stone S 33 to Stone E 50: S 40.42 to 1/2 M.P. E side sec: W 40.50 to beg.

May 21, 1888. J. A. Stagg.

Sec 7 Tp 8 R 8

E 1/2 S E 1/4

Beg at S. E. Cor of Sec: W 20.37
Beech 10 S 12 W 36 and Beech 10 N 35 E 39;
N 20.25 Beech 17 N 12 W 48, W Oak etc
24 S 6 E 24; W 20.25 Beech 10 S 60 W
Beech 8 N. E. 20; E 20.37 to 1/2 M. P.;
S 20.26 Beech 18 N 47 E 20, Beech 20 S
E 24; S 20.26 to beg = 82.13 A. Sept 12
D. M

W 1/2 S E 1/4 and E 1/2 S W 1/4

Beg 1/2 M. P. S side sec:
W 18.41. Beech 14 S 53 W 20, Beech 16 S
N 40.50 " 6 S 52 W 20 " 16 S 39
E 38.48 " 10 S 60 W 20 " 8 N. E.
S 40.50 " 10 S 12 W 36 " 10 N 35 E
W 20.37 to beg = 157 46/100 A. Sept 12 1845 D.

W 1/2 S W 1/4

Beg. at S. W. Cor. Sec 7:
N 20.10 Beech 10 S 26 W 7, Sugar 6 N 10 E 4;
N 20.10 to 1/2 M. P.;
E 18.61. Beech 6 S 52 W 20. Beech 16 S 69 E
S 20.25 " 11 S 7 E 6 " 15 N 26 W
S 20.25 " 14 N 53 W 20 " 16 S 2 W
W 18.41 to beg = 74 68/100 A. Sept 12 - 48 - D M

N W 1/4

Beg 1/2 M. P. N side sec:
S 40.37 Paplor 30 N 75 W 2, Beech 15 S 28 E 4;
W 37.11 to 1/2 M. P.; N 40.20 to sec. Co.
E 37.56 to beg = 150 36/100 A.
Sept 12 1845 D M

4027
4042
4035
4032
8070
16 12 100
1627

Sec 8 Tp 8 R 8

E½ N E¼

Beg ½ M.P. E side sec;
W 20.75 Hickory 21 S 37 E 18, Maple 20 N 8 W 47;
N 39.97 Sycamore 20 S 5 E 9, Beech 10 N 1 E 9;
E 20.78 to sec cor. Mar 20. 1859 S M

W½ S E¼ and E½ S E¼

Beg ½ M.P. S side sec;
W 20.75, Beech 16 S 10 W 40;
N 40.50 Elm 18 N 8 W 31, Beech 22 S 35 E 43;
E 41.56 Hickory 21 S 37 E 18, Maple 20 N 8 W 47;
S 40.62 stone, W Oak 40 S 85 E 66 Beech 8
S 3 E 64; W 20.75 to beg = 168 32/100 a
Sept 10 1865 S. M.

S E¼ S E¼

Beg at S.E. Cor of sec;
W 20.75 stone, W Oak 40 S 85 E 66;
N 40.62 Hickory 21 S 37 E 18, Maple
20 N 8 W 47; E 20.75 to ½ M.P.;
S 40.50 to beg = 84 03/100 a
Sept 10 1845 S. M.

Beg N W cor Sec 8-8-8. Stone E on [illegible]
50: Stone S 33: E (V 3°10') 24.42½, Sto[illegible]
Stone S 31½, Oak 30 N 31. Also Beg ½ [illegible]
N side sec. E 20.85 to stone: E 20.78 [illegible]
sec. cor. Stone S 35½: Stone N 30 [illegible]
Also beg. ½ M.P. N side sec. Stone
N 57¾ W 49; Stone S 57¾ E 46 [illegible]
W (V 3°10') 10.51 Stone, Stone S 32¾ and
[illegible]ne N 45 W 35¾. Also beg. ½ M.P. E
[illegible]de sec. W 20.80 Stone; Stone N 35¾,
[illegible]tone E 51; W 20.80 to center of sec;
Dec. 4, 1885 J.A.S.

Beg at cen. of 8-8-8 N 10.43 to
[illegible]tone, Stone N 50 and Stone W 50;
10.43 to stone — Stone S 50 and Stone
[illegible]50: S 40.55. Also set stone at ½ M.P.
[illegible] side sec from old mtness stumps.
[illegible]tone N 40½ E 35 and stone S 32. W 48.
April 19, 1886.
J.A.S.

Sec 9 Tp 8 R 8

Beg 9.88 W of 1/2 M. P. E side;
W 29.65 ash 18 S 39 W 28. Beech 30 N 50 E 38;
N 20.13 Sugar 13 N 25 E 34. Sugar 14 S 4 W 9;
E 29.44 Beech 24 N 44 E 27. Beech 12 N 54 E 36;
S 20.00 to beg = 59 38/100 a Mar 20 1839 D. M.

Beg 20.13 N of 1/2 M. P. S. side Sec;
Beech 9 N 9 E 17. Beech 14 S 9 E 5;
N 20.13 ash 18 S 39 W 28. Beech 30 N 50 E 38;
E 19.77 Beech 18 S 74 W 36;
S 20.07 " 18 S 17 E 58 Beech 15 N 25 W 32;
W 19.82 to beg = 39 77/100 a Mar 20-39 - D. M.

Beg 20.13 S of 1/2 M. P. N side Sec;
(Sugar 6 N 25 E 34. Sugar 14 S 4 W 9)
S 20.13 ash 18 S 39 W 28. Beech 30 N 50 E 38;
W 19.93 " 30 N 76 W 64. " 15 S 31 E 92;
N 20.09 Beech 15 S 72 E 19 " 15 N 40 W 43;
E 19.87 to beg = 40.01 a Mar 22. 39 D M

Beg at N. W. Cor of Sec;
E 19.81. Beech 8 N 88 W 32. Beech 18 S 44 E 22;
S 40.18 " 15 S 31 E 92. ash 30 N 76 W 64;
W 19.93 to 1/2 M. P. March 22. 39 - D. M.

Beg at S. W. Cor of Sec: N 20.25. Sugar 24 S
32 E 9. Beech 10 N 62 W 29; E 39.72 Beech 9 N 9 E
Beech 14 S 9 E 5; S 20.13 to 1/2 M.P.; W 39.64 to
= 80 11/100 a March 22 1839 D M

N 1/2 N W 1/4 S E of M.P.

S 1/2 S W 1/4

9 — 8 — 8

Beg 1/2 M. P. E side (stone). W 10 chs. sch
stone; W whole line 19.95 to old 1/4 stone.
Also beg. at 1/2 M. P. E side Sec; S 8.75 chs.
stone; S 6.42 chs stone; W 15.39 chs stake 4.50
chs East of West line of E 1/2 S E 1/4; N 6.42
chs: N 0.87 chs stake; E 1.42 chs stake;
N 0.38 chs stake; S. E. 4.00 chs stake; N 0.75
stake; S. E. 8.99 1/2 ch to S. E. Cor of Lot No
28 in Sardinia; S 49 1/2 ch to S. W. Cor.
of Lot 29; S. E. 1.32 ch to a stone 8.75
chs S of the beg. July - 1872 S. L. A.

Beg 1/2 M. P. S side Sec; N (V 3° 45')
sch 1/4 stone at 20.13 chs; Beg at 1/2 M. P.
E side; W (V 4° 33') to 1/2 M. P. W side, sch
center stone at intersection; Beg at
old 1/4 stone on N. line S E 1/4; S 17.75
chs sch stone at cor. to 4/4 acres;
E 4.50 chs sch stone; Also sch 1/4 stone
S. E. Cor to N W of S. E. 1/4 at 1/2 way
on line 20.13 chs. Aug 13 1873
S. L. A.

Beg 1/2 M. P. S side North 40.30 to center
1/4 cor at 1/2 way 20.15. Set stone 9 4
links South of cor. at center
Set center by intersection

Sec 10 Tp 8 R 8

Beg. at 1/2 M.P. E side sec;
N 40.50 Beech 30 N 39 E 40. Buch 14 N 33 W 50;
S 20.34 " 16 S 54 W 11 " 19 N 32 W 60;
to E line of Sec, Buch 15 S 55 E 42,
10 Elm 40 N 37 E 99; W 20.21 to beg
Sept. 26 1845 D. M.

Beg 1/2 M.P. W side sec;
S 40.50 Buch 30 N 29 E 40 Buch 14 N 33 W 50;
S 40.68 to 1/2 M.P.; W 40.66 to sec Cor.
Sept 26 1845 D. M.

Beg 1/2 M.P. W side sec; S 11.62 1/2 chs; E 3.50
stone: N 11.62 1/2 chs stone: W 3.50 chs to beg-
Also beg. 11.62 1/2 chs S of 1/2 M.P. W side;
S 11.425 chs stone; E 3.50 chs stone: N 11.425
chs stone; W 3.50 chs to beg = 4 acres, Also
beg 3.50 chs E of 1/2 M.P. W side sec:
S 6.23 chs stone S.E. Cor to Lot 5 Sardinia;
S 11.23 chs stone; E 2.00 chs stone: N
11.23 chs stone, Hickory 20 S 20 3/4 Elm;
W 2.00 chs to beg. N end = 1.246 a. S end
= 1 a May 27 1872 S. L. A.

Sec 11 No 8 & 8

Beg at N. E. Cor (stone) Sec; S 20,00 stone stone "H" on E side. W 30. stone "S" on W side E 30. W 20.43 Beech 8 S 67 W 15. Beech 15 S 87 E 16; S 20,08 stone "L" on N side S 73 L. Stone "W" on S side N 35.; W 20,25 stone "W" on E side N 49. stone "P" on N side S 29; N 40,20 to 1/2 M. P.; E 40,87 to beg = 123 43/100 a. D M

Beg 1/2 M. P. (stone) E side Sec; W 20,50 stone. Stone "L" on N side S 73. stone "W" on S side N 35; N 20,08 Beech 8 S 67 W 15, Beech 15 S 87 E 16; E 20,37 stone. stone "H" on E side W 30. stone "S" on W side E 30; S 20,00 to beg = 41 a Sept 25 1845 D. M.

Beg 1/2 M. P. N side sec; S 40,25 stone. stone "W" on E side N 49, stone "P" on N side S 29; W 20,50 Beech 27 S 72 W 8. Beech 10 N 55 E 35; N 40,50 13 Gum 30 N 88 W 9, Beech 24 S 45 E 4; E 20,25 to beg = 82 26/100 a Sept 25 1845 D M

Sec 11 Tp 8 R 8

N E of S W

Beg at stone 20.50 E of 1/2 M.P. W Sec
E 20.50 stone. Stone "W" on E side N 49,
Stone "P" on N side S 29; S 20.17 stone
Stone "W" on E " S 25, stone "4" on E
side N 25; W 20.50 Bench 24 S 53 E 48,
Bench 24 S 87 W 41; N 20.19 to beg = 41 36/100 a
Sept 25 1845 D. M.

N W of S W

Beg 1/2 M.P. (stone) W side sec;
E 20.50 stone stone "I H" on S side N 30,
Stone "W" on N side, S 50; S 20.19
Bench 24 S 53. E 48. Bench 24 S 87 W 41;
W 20.55 Bench 15 S 55 E 42, B Gum 40 N
21 E 99; N 20.25 to beg = 41 46/100 a
Sept 25 1845 D. M.

S 1/2 S W 1/4

Beg at S.W. Cor of Sec;
N 20.21 Bench 15 S 55 E 42, B Gum 40 N
21 E 99; E 41.10 stone stone "W" on E
side. W 49. stone "L" on E side N 25;
S 20.17 to 1/2 M.P.; W 41.00 to beg = 82 77/100 a
Sept 25 1845 D. M.

Sec 11 Tp 8 R 8

Beg at N. E. Cor of Sec; S 9.98 1/2
stone Ash 15 S 87 W 53; S 9.98 1/2 stone;
W 30.62 stone; W 10.18 stone; N 10.06 stone,
N 10.06 1/2 M.P. stone; E 10.18 stone; E
30.66 to beg = 81 82/100 a. Also beg 10.18
E of 1/2 M.P. on N line of Sec; S 20.12
to stone, set stone at 1/2 Way 10.06
Containing respectively, in four tracts,
N. E. 30.66, S. E. 30.66. S W 10.22 & N. W.
10.22 acres. Oct 25 1870 S. L. A.

Sec 17 Tp 8 R 8.

Beg 1/2 M. P. (Stone) E side Sec:
S 20.11 stone Ash 8 S 84 E 73, Sassafras 2 S 78 W 10;
W 19.81 " W Oak 8 S 39 W 25, W Oak 5 S 38 E 14;
N 20.05 " " " 11 N 30 E 19, R " 16 S 33 W 11;
E 19.67 to beg = 39 63/100 a.

Beg at N. W. Cor. No 1. W 39.37 stone Beech
6 S 47 W 15; N 19.96 stone ash 16 N 20 W 19,
ash 6 S 14 E 30; E 39.37 stone Sugar 16 S 18
W 31, Beech 30 N 69 E 13; S 19.88 to beg
= 78 38/100 a. Aug 30 1848 D. M.

Beg at S. E. Cor of Sec; W. 39.56 to 1/2
M. P. (stone); N 20.00 stone Sassafras 2 N
44 W 7, Sassafras 2 N 78 E 14; E 39.62 stone
ash 8 S 84 E 73, Sassafras 2 S 78 E 10; S 20.11
to beg = 79 43/100 a Aug 30-48. D M

Beg at N. W. Cor of Sec: E 19.83 stone
Beech 18 S 13 W 12, Beech 12 N 37 E 20;
S 19.96 ash 16 N 20 W 19, ash 6 S 14 E 30;
S 17.46 Beech 24 N 66 E 17, Beech 6 S 47 W 15;
W 20.00 to 1/2 M. P.; N 20.00 stone, Beech
14 N 80 W 46, Beech 10 N 73 E 6; N 20.00 to
beg = 79 42/100 a Aug 30. 48 D M

Beg 1/2 M. P. W side Sec: E 19.67 stone Beech
24 N 66 E 17, Beech 6 S 47 W 15; S 39.78 stone "
16 S 87 E 76, ash 16 N 87 W 13; W 19.81 to Cor.
Aug 30 1848 D M

Sec 13 Tp 8 R 8

Beg at N. E. Cor of Sec 13:
S 20.35. Beech 11 S 41 E 24. Beech 13 N 41 W 35:
W 59.62 stone " 14 N 11 W 69. Sugar 8 S 35 W 35:
N 20.04 " " 16 S 87 E 26, ash 16 N 87 W 13:
E 59.43 to beg = 120 23 a. Aug 19/48 D M

Beg at N. W. Cor of Sec:
E 19.81 stone Ash 16 N 87 W 13, Beech 16 S 87 E 26:
S. 20.04 " Beech 14 N 11 W 69, Sugar 18 S 35 W 35:
E 18.62 to Center of Mill stone; S 62° W
8.50; S 51° W 7.00; S 46° W 2.60; W 24.18
Beech 21 N 41 W 16. Beech — S 51 E 21:
S 30.00 to beg = 70 04 a Aug 19-48 D. M.

Beg 1/2 M. P. (stone) W. side Sec; N 10.00 Beech
21 N 41 W 16, Beech 16 S 51 E 21; E 24.18 to mill stone:
N 46 E 2.60; N 51 E 7.00; N 62 E 8.50; E 21.50
Beech 12 S 44 E 24 + Beech 18 N 78 W 24:
S 20.52 S. Gum 3 S 83 E 4 + Beech 10 N 64 W 13:
S 20.12 Beech 10 N 9 W 18 " 20 S 28 E 30:
W 20.20 " 10 N 29 W 17 " 12 S 29 E 15:
N 20.12 stone " 21 N 77 E 16; W 19.97 to beg
= 136 26 a Aug 19 1848 . D. M.

Sec 13 Tp 8 R 8

E½ S E ¼ N W of S E.

Beg ah S. E. Cor of Sec:
W 20.48 Sugar 12 S 12 E 22. Sugar 18 N 22 E 26
N 20.03 Beech 8 S 45 E 11 S Gum — S 85 W 5;
W 20.17 " 10 N 9 W 18, Beech 20 S 28 E 30;
N 20.12 Elm 18 N 14 W 30. Sugar 18 S 18 E 35;
E 39.95 to ½ M. P. Aug 19 1848. D. M.

Ch N E ¼

Beg ah stone center of N E ¼ of Sec:
S 20.18 chs: E 2.47 chs: N 20.18 chs.
Beech 20 S 56½ W 34 & Beech 10 S
14¼ E 18½: E 2.47 chs to beg.
Oct 29 1877 J. W. C

Sec 14 Tp 8 R 8.

N E of N E

Beg at N.E. cor of Sec 14;
S 20.00; W 20.32 ash 11 N 86 W 23 &
Beech 12 S 72 E 22; N 20.06 W. Oak
15 N 65 W 29. W Oak 7 E 8; E 20.48
to beg = 40.80 a Jany 10 1851 D.M.

S W of N E

Beg 20.18 S of 1/2 M.P. N side Sec;
Ash 8 N 66 E 11. Ash 10 N 67 W 12;
E 20.32 Beech 12 S 72 E 22. Beech 11 N 86 W 23;
S 20.04 B. Gum 33 S 77 W 21. Elm 10 N 42 E 23;
W 20.46 Beech 12 S 2 W 22. Maple 11 N 41 E 8;
N 20.18 to beg = 41 a. Jan 10 1851 D.M.

N W of S E

Beg at stone Center of Sec 14; Beech 12
S 2 W 22. Maple 11 N 41 E 8;
E 20.46 B Gum 33 S 77 W 21. Elm 10 N 42 E 23;
S 20.05 Beech 12 S 25 E 11. " 12 N 70 W 11;
W 20.54. Elm 15 N 8 E 18. B Gum 18 S 54 E 18;
N 20.34 to beg = 41.38 a

S E of N W

Beg at Center of Sec 14;
W 20.64 stone. Beech 16 S 15 W 31. Sycamore 12 N 47 W 71 1/2 ~~Hickory 11 N E 23~~
N 20.38 " Oak 8 S 23 W 27. Hickory 11 N E 23;
E 20.73 " Ash 8 N 66 E 11. Ash 10 N 67 W 12;
S 20.18 to beg = 41.93 a

14 - 8 - 8

Beg at 1/2 M.P. N side sec 14;
E 20.48 W Oak 15 N 65 W 29. W Oak 7 E 8;
S 20.06. Ash 11 N 86 W 23. Beech 12 S 72 E 22;
W 20.32 stone " 8 N 66 E 11. Ash 10 N 67 W 12;
N 20.18 to beg = 41.14 a Nov 10 1853 D.M.

Beg 1/2 M.P. N side sec 14;
S 20.18 stone Ash 8 N 66 E 11. Ash 10 N 67 W 12;
W 41.46 " W. Oak 15 S 87 E 37. W Oak 17 N 75 W 30;
N 20.47 to sec cor. W 41 a = 82.82 a
Nov 10 1853 D.M.

Beg 1/2 M.P. E side Sec 14;
S 10.02 chs. set stone; S 10.02 chs set stone;
also beg N W cor. of N E 1/4 of S E 1/4;
S 10.01 chs set stone.
Oct 23 1877 J.W.C.

Sec 15 Tp 8 R 8.

Beg 1/2 M.P. N side sec 15;
S 20.18 Beech 14 S 15 E 24, Beech 16 N 20 W 32;
W 40.58 " 18 S 80 W 16, Poplar 60 N 17 E 8;
N 20.18 to sec cor, Mar 19 1839 D.M.

Beg 20.18 S of 1/2 M.P. N side sec;
S 20.18 Beech 16 S 30 E 87;
W 20.32 " 15 S 14 E 22, Cherry 9 N 64 W 13;
N 20.08 " 14 N 47 E 21, Beech 15 S 18 W 51;
E 20.29 to beg = 40.86 a Mar 19/39 D.M.

Beg at S.E. Cor of Sec 15;
N 40.86 chs to 1/2 M.P. E side sec, sch
1/4 stone at 20.43 chs; W sch from 1/4 stone
20.18 1/2 chs sch stone.
Nov 4 1878 J.W.C

Sec 16 Th 8 R 8

Beg at N. E. Cor of Sec 16:
S 20.18 Beech 18 S 80 W 16. Poplar 60 N 17 E 8:
W 19.83 " 30 S 34 E 17, Beech 18 N 16 W 47:
N 20.06 stone Br Elder 10 S 59 E 22, " 12 S 49 W 34:
E 19.80 to beg = 39 86/100 a Mar 1/39 D W

Beg 1/2 M. P. N side sec:
E 19.80 stone Br Elder 10 S 59 E 22, Beech 12 S 49 W 34:
S 20.06 Beech 30 S 34 E 17 Beech 18 N 16 W 47:
E 19.83 " 18 S 80 W 16, Poplar 60 N 17 E 8:
S 20.18 to 1/2 M. P.:
W 39.92 Beech 21 N 5 W 12, Elm 16 S 5 W 36:
N 19.95 " 16 N 4 E 50, Beech 37 S 19 E 36:
W 20.00 sugar 12 N 73 W 9, " 10 S 33 E 48:
N 19.90 stone; E 19.80 to beg = 159 15/100 a

Beg 1/2 M. P. W side sec:
E 39.90 Beech 21 N 5 W 12, Elm 16 S 5 W 36:
S 19.95 Hickory 4 S 78 E 6, R Oak 10 S 11 W 32:
W 39.91 Beech 18 S 73 E 5 Beech 17 N 8 W 19:
N 19.94 to beg = 79 69/100 a Mar 21/39 D W

Beg S E Cor of Sec 16: W 39.95 to 1/2 M. P:
N 39.90 Beech 21 N 5 W 12, Elm 16 S 5 W 36:
E 19.96 " 14 S 57 W 28, Beech 18 N 20 W 38:
S 19.90 " 14 S 39 W 13, " 13 N 29 E 39:
E 19.97 " 18 N 4 E 20 " 11 S 58 W 46:
S 20.00 to beg = 119 47/100 Mar 21 1849 D W

16 — 8 — 8

S 1/2 N W 1/4

Beg 1/2 M.P. W side sec 16;
N 20.05, Beech 18 N 3 W 24, Beech 16 S 25 E 50;
E 40.00 " 16 N 4 E 50, " 27 S 19 E 26;
S 19.95 " 21 N 5 W 12, Elm 16 S 5 W 26;
W 39.90 to beg = 79.90 a Mar 21 1839 D M

S W of N W

Beg 1/2 M.P. (stone) West side Sec 16;
N 20.05 Beech 18 N 3 W 24. Beech 6 S 25 E 50;
E 20.00 Sugar 12 N 73 W 9, " 10 S 33 E 48;
S 20.25 Beech 12 N 37 E 28, " 10 N 71 W 28;
W 20.25 to beg = 40.50 a. Jan 15. 35. D M

See No 8. at sec 18

Beg at 100.62 ch set sec cor at N E cor sec South 80.48 ch
set 1/4 stone at 40.24 ch.
Beg at S W cor. sec East 100.75 ch
to 1/8 cor. Set sec at 80.44 ch.

1/2 M.P. on E side 16 is 3' 3"
West of a point 26 l N and
2 1/2 East of Telephone pole

Beg N E cor 16 West 38.68 sto
Stone S 1° W 30
West 39.91 Set 1/2 M.P.
West 59.90 to Stone N E cor of

W 1/2 N W 1/4.
West 100.50 ch to 1/8 cor stone for trial
measurement.

Beg 1/2 M.P. N side 16 - South 40.36
old Stone E — 1.23 set cor. stone North
40.35. set stake Stone South 30 ~~links~~ W 1.23 to beg
Oct 23 1894

Sec 17 Tp 8 R 8

N.E. of N.E.

Beg at N.E. Cor of Sec 17;
S 20.05 Beech 18 N 3 W 24, Beech 16 S 25 E 50;
W 20.78 stone " 16 S 78 W 85 Sycamore 12 S 89 E 107;
N 20.25 " W Oak 40 S 85 E 66, Beech 8 S 3 E 64;
E 20.75 to beg = 41.86 a Sept 11 1845 D M

N W 1/4

Beg 1/2 M.P. (stone) N side Sec;
S 40.12 stone Ash 20 N 68 W 33, Beech 27 N 49 E 38;
W 41.45 to 1/2 M.P.; N 40.74 to sec Cor;
E 41.50 to beg = 167.66 a Sept 11-45 - D M

N W 1/2 S W

Beg 1/2 M.P. W side sec;
E 20.73 Beech 14 N 49 E 7, Beech 6 S 93 E 6;
S 32.09 stone " 17 N 53 E 51, " 13 S 17 W 17;
W 20.54 Mulberry 14 N 41 W 52; N 31.85 to beg.
= 65.95 a. Jan 13 1855 D.M.

S E of S E

Beg at S.E. Cor (stone) of Sec 17;
W 20.83 stone Dogwood 3 N 43 W 25,
Beech 14 S 35 E 80; N 20.31 stone,
" 8 S 5 E 4 1/2, Sugar 18 N E 8;
E 20.61 stone, Beech 17 S 47 W 19, Beech
- S 73 E 5; S 19.94 to beg = 41.71 a
Jan 15 1855 D.M.

E 1/2 + P 1/2 S W 1/4

Beg at Center 17-8-8 West 41.
To Stone Set cor. at 27.49 stone also
Beg at stone 8.49 N of SE Cor. W 1/2 SW 1/4 W 6
Set stone April 6th 1905 S W C

4120
20.60

17 - 8 - 8

Beg at 1/2 M.P. S side sec 17;
N 40.08 stone, Ash 30 N 68 W 33, Beech 27 N 49
E 38; N 40.08 stone 1/2 M.P.; E 20.75 stone
Beech 8 S 3 E 64, W Oak 40 S 85 E 66;
S 40.24 stone Beech 10 S 16 W 12, Beech 12 N 34
E 35; S 40.62 stone, Dogwood 13 N 43 W 25;
Beech 14 S 35 W 80; W 20.68 to beg = 166.48 a

Beg 1/2 M.P. S side Sec 17; N 40.08 stone
Ash 30 N 68 W 33, Beech 27 N 49 E 30; W 20.83.
Beech 14 N 49 E 7 + " 6 S 9 E 6; S —
stone on sec line, Hickory 20 S 51 E 54
Beech 12 N 61 E 42; E 20.68 to beg.
Oct 23 1857 D M

Beg at SW. Cor 17-8-8 North 8.75
East 20.46 Set Stone at 10.94
South 8.49
West. 20.60 To beg Set stone at 9.66

Beg at SW Cor Sec. East 41.20
W 1/2 M.P. Set 1/8 Cor at 1/2 way 20.60
April 18 1904
Legal notice Ed M Hamilton

Sec 18 Tp 8 R 8

Beg at N. E. cor of Sec 18;
S 20.37. Beech 18 N 38 E 24, Beech 18 S 35 W 30;
S 20.37 to ½ M. P.; W 30.40 Hickory 18
N 39 W 18, Beech 9 S 38 E 24; N 20.42
Sugar 20 S 19 W 45, B Gum 11 N 80 W 40;
N 20.42 Beech 10 S 12 W 36, Beech 10 N 35
E 39; E 20.37 to beg = 83.08 a
Sept 23 1845 D. M.

Beg ½ M. P. N side sec;
E 20.37 Beech 10 S 12 W 36, Beech 10 N 35 E 39;
S 20.42 Sugar 20 S 19 W 45. B Gum 11 N 80 W 40;
W 38.79 Cherry 10 S 13 W 8. Beech 14 N 14 E 39;
N 20.43 Beech 14 N 35 E 20, " 16 S 2 W 10;
E 18.41 to beg = 79.17 a Sept 23 1845 D. M.

Beg 20.40 W of ½ M. P. E side sec;
W 32.29 Beech 12 S 36 E 23, Beech 18 N 40 W 25;
N 20.43 Cherry 10 S 13 W 8, " 14 N 14 E 39;
E 32.29 Sugar 20 S 19 W 45, B Gum 11 N 80 W 40;
S 20.42 to beg = 79.17 a Sept 23/45 D. M.

Beg at N. W. cor of Sec 18;
E 18.41, Beech 14 N 53 W 20, Beech 16 S 2 W 10;
S 40.88 " 12 S 36 E 23 " 18 N 40 W 25;
W 18.39 to ½ M. P.; N 40.88 to beg = 75.21 a
Sept 23/45 D. M.

18 - 8 - 8

E ½ S E

5 Beg at S. E. Cor of Sec 18;
W 20.43 Poplar 30 N 74 W 22, Buch 12 S 54 E 20;
N 40.25 Hickory 18 N 39 W 18, " 9 S 38 E 24;
E 20.42 to ½ M. P. Sept 23/45 D M

S W of S E

6 Beg at ½ M. P. S side Sec;
N 20.45 Buch 10 N 28 E 11, Buch 16 S 46 W 19;
E 20.42 " 9 N 25 E 20, " 15 S 50 W 30;
S 20.25 Poplar 30 N 74 W 22 " 12 S 54 E 20;
W 20.42 to beg = 41.55 A Sept 23/45 D. M.

S W ¼

7 Beg at S. W. Cor of Sec 18;
N 40.88 to ½ M. P.; E 34.53 Buch 14
N 75 E 11, Buch 14 N 38 W 40; S 40.95
to ½ M. P. Sept 23 1845 D. M.

Ch E ½ S E
See if this is sec 16

Beg at ½ M. P. (stone) E side Sec 16;
S 30.59 Buch 30 N 34 E 24, Buch 22 S 17 W 16;
W 9.09 " 12 N 35 W 29 " 10 N 103;
N 30.50 " 18 S 87 W 103; E 9.09 to beg
= 27 77/100 A. Jan 13 1855 D. M.

Sec 3 Tp 8 R 9

Beg 1/2 M. P. N side sec 3;
S 20.00 Cherry - N 17 E 18, Elm 6 S 39 W 18;
N 87 1/2 W 20.25, Buch 12 N 88 W 25, Buch
14 N 78 E 19; N 18.99 Hickory 22 N 41
W —, Buch 6 S 32 E 9; E 20.00 to
beg - March 13 1834 D. M.

Beg 20.00 S of 1/2 M. P. N side sec;
S 17.22 Buch 5 N 8 W 25, Buch 30 S 25 E 22;
W 20.00 " 4 S 2 E 37, " 3 N 61 W 26;
N 19.76 " 12 N 88 W 25, " 14 N 78 E 19;
S 87 1/2 E 20.25 to beg = 36 93/100 a. Mar 3/34 D. M.

Beg 1/2 M. P. W side sec 3;
N 18.30 Buch 15 N 40 W 29, Buch 9 S 48 E 11;
E 19.78 " 6 S 17 W 26 " 12 N 60 W 17;
S 18.37 " 4 S 2 E 37 " 3 N 61 W 26;
W 20.00 to beg = 36 47/100 a. Sept 29/37 D. M.

Beg 1/2 M. P. N side sec 3;
E 20.68, Buch 16 N 44 W 17, Buch 18 S 6 W 1;
S 18.60 " 22 S 1 E 23, " 16 N 12 W 26;
S 18.60, sugar 9 N 52 W 2, Elm 22 S 39 E 29;
W 20.68 Buch 5 N 8 W 25, Buch 30 S 25 — 22;
N 18.61 " 14 N 11 E 65, " 15 N 76 E 49;
N 18.61 to beg = 76 95/100 a. Sept 1837 D. M.

3 - 8 - 9

5 Beg at Center of Sec 3;
E 14.75 Buch 20 N 59 E 10, Buch - S 59 W 25;
S 26.75 to I. B. line, Buch 24 S 55 E 5[illegible]
Buch 14 N 44 W 31; S 57 W [illegible]
B line to West of S E 1/4, Sw Gum
20 N 7 W 15, Poplar 4 S 54 W 20;
N 39 38 to beg = 50.50 a - Sept 1837 [illegible]

Pt S E 1/4

Beg at N. E. Cor of Sec 3;
S 18.60 Buch 18 S 18 W 5, Sassafras 4 N 23 E 16;
W 21.00 " 22 S 1 E 23, Buch 16 N 12 [illegible]
N 18.60 stone " 16 N 44 W 17, " 18 S 6 W 1[illegible]
E 20.68 to beg = 37.76 a May 9/42 - [illegible]

N E of N E

Sec 4 - 8 - 9

S W of N W

Beg ½ M. P. W. side sec 4
N 19.69 Beech 10 S 55 W 13, Sugar 12 N 10 E 25;
E 20.20 Elm 27 N 9 E 60, Beech 27 S 49 E 20;
S 19.62 Beech 22 N 61 E 15, " 10 S 68 W 25;
W 20.39 to beg = 40 16/ a. Aug 6 1841 D. M.

N E of S W

Beg 20.25 N of ½ M. P. S side sec;
W 20.29 Ash 10 N 26 E 19, Beech 14 N 66 W 25;
N 20.23 Beech 22 N 61 E 15, " 10 S 68 W 25;
E 20.39 Hickory 24 N 56 W 8, Hickory 18 S 25 E 25;
S 20.25 to beg = 41 16/ a Aug 6 1841 D M

S E of S W

Beg ½ M. P. S side sec 4;
W 20.20 Beech 10 S 53 E 4, Beech 5 N 52 W 11;
N 20.23 Ash 10 S 26 E 9, " 14 N 66 W 25;
E 20.29 Beech 9 S 32 E 54 " 21 N 57 E 44;
S 20.25 to beg = 40 53/ a Aug 6/41. D M

Pt S W of S E

Beg at ½ M. P. S side sec;
N 6.00 Cherry 2 N 2 E — ; E 20.44;
S 6.00 stone; W 20.44 to beg = 12 21/ a
Aug 12 1861 O. P.

4 - 8 - 9

Beg at N. E. Cor of Sec 4; N (V 2° 53') 36.54 chs ½ M. P. (stone); W (V 5° 31') 22.17 chs stake; W 18.42 to old center stone; N (3° 04') 19 13½ chs stone, S. gum 12 S 37½ E 43½ and Beech 10 S 74½ W 30; N 19.13½ chs to ½ M. P.; E (V 3° 35') 18.54½ chs. stake, Ash 18 S 30¾ E 25½; E 22.17 chs to beg = E. side 80 acres. Nov 1 1871 S. L. A.

Beg at N. W. cor. of E ½ S W ¼ of Sec; S 9.618 chs stake; E 6.25 chs stake; N 9.618 chs stake; W 6.25 chs to beg = 6 acres. Also beg. at same; N 4.46 chs stake; E 20.20 chs stake; S 4.46 chs. to old center stone; W 20.18 chs to beg = 9 a Nov 1 1871 S. L. A.

Beg at ¼ stake on N. line of S E ¼ of Sec; S. on ¼ line 20.27½ chs; E 3.89 stake; Also from beg. ~~on~~ E. on line 3.89 chs to a stake containing 8 a. Also beg at ½ M. P. E side of Sec; N (V 2° 53') on line 12.00 chs. stake; W 10.00 chs stake; S 12.00 chs stake; E 10.00 chs to beg = 8 a. Nov 1 1871 S. L. A.

Sec 5 Tp 8 R 9

Beg at 1/4 M.P. North side Sec 5:
S 4.12 to sand-creek: N 39 W 2.50: N 70
W 4.50: W 4.00: N 66 W 3.75: N 26 W 8.00:
N 6 W 2.75 to sec line: E 17.71 to beg
= 18 36/100 a Oct 2 1837 D. M.

Beg at N. E. Cor. of Sec 5:
S 19.69 Beech 10 S 55 W 13, Sugar 12 N 10 E 25:
W 40.40 Poplar 10 S 65 E 10, B Walnut 12 N 35 W 10:
N 19.88 to 1/4 M.P.: E 40.65 to beg = 80 7/100 a
Aug 13 1839 D. M.

Beg at Centre of Sec 8: Sugar 6 N 81 W 12,
Sugar 4 S 33 E 3: E 20.22 Beech 20 N 56 W 7.
Beech 5 S 87 E 11: N 80.50 Elm 10 N 46 E 4, Cherry
14 S 70 W 25: E 20.37, Oak 20 N 74 E 11 r.
Mar 23 1830. D M

Beg at N. W. Cor of Sec 5: E 20.40 Lynn 8
N 42 E 9: S 40.35 Elm 10 N 66 E 4, Cherry 14
S 70 W 35: S 80.20 Beech 15 S 79 W 17, Beech 16 N
48 E 37: W 20.59 R Elm 15 S 52 W 4, B Walnut
15 N 65 E 32: N 20.16 to 1/4 M.P.: N 40.20 to beg.
= 173 80/100 a Aug 30 1839 D. M. —

5 – 8 – 9

N E of S E

Beg 1/2 M.P. E side sec 5; N 20.45 Beech 10 N 3 W 19, Beech 16 S 17 W 39; S 20.40 Maple 9 S 17 W 12, Poplar 11 S 42 E 15; E 20.27 Cherry 9 S 11 E 26, ash 5 N 36 W 19; N 20.07 to beg = 41 16/100 a. Aug. 39 D. Eb

N W of S E.

Beg at stone, Center of Sec 5; E 20.45 Beech 10 N 3 W 19 Beech 16 S 17 W 37; S 20.40 Maple 9 N 17 W 12, Poplar 11 S 42 E 15; W 20.27 Poplar 11 S 54 E 32, Beech 20 S 63 W 19, Aug 31. 1839 D. M.

See Plat Book for Pt E 1/2 N W 1/4 and S W 1/4 of N E 1/4. Armstrong Heirs

N E of S E.

Beg at N.W. Cor. (stone) of N E 1/4 of S E 1/4 of Sec 5; E 13.78 1/2 Beech 16 N 75 E 40, Sugar 18 S 16 W 33; S 13.78 1/2; W 13.78 1/2 Sycamore 40 S 11 W 121; N 13.78 1/2 to beg = 19 a. Apr 3 1849 D. Eb

N E of S.W.

Beg at 1/2 M.P. S side sec 5; N (v c) 7.87 1/2; E (v 5 3/4) 3.00; S (v 4°) 7.87 1/2; W 3.00 to beg = 2 1/2 a Aug 6 1863 O.S.

31.20
11.09

80.22
34.20
49.02

60.11

7.5
8 1/2
37 1/2
1.21

3 1/3

May 10 1904

at the NW cor 5-8-9 South 80.22 to Stake at 39.99 and at 49.02 to 60.11

at SW cor NW of SW 5-8-9 East 61.31 Cor. Sec Cor at 20.54 at 36.50 Sand rk West Bank N 22° W 3.24 to mouth Hollow West 1.53 N 14 1/2° E 11.25 to a point 4 R South of Spring

13.04

from 13.04 point 3.08 1/3 stake

South line

Beg SW Cor NW of SW 5-8-9 See East 13.04 B.F. 13.08 1/3 B.F. N 73 1/2° E 7.50 B.F. N 1.21 B.F. S 72° E 19.82 to Creek to point 36.50 E of beg; up creek 3.5 West 1.53 R.R. Iron N 14 1/2° E 11.25 to a point 4 Rods South of Thomas Spring Locust 4 8 7 6 1/3 N 21° W 0.05 West 36.89 South 11.09 to beg Iron E 50 L 7 Ave W 50 L

Bed Rec.

Page

Sec 6 Tp 8 R 9

1 Beg at N. E. Cor of Sec 6;
S 40.20 to 1/2 M. P.; W 20.33 Gum
21 N 17 W 45, Hickory 10 S 46 E 33; N 39.86
W. Oak 18 N 23 W 20, Poplar 19 S 23 E 24;
E 20.37 to beg = 81 46/100 a. Aug 29-39- D M

2 Beg 1/2 M. P. N side of Sec 6;
E 20.37 W Oak 18 N 23 W 20, Poplar 19 S 23 E 24;
S 19.93 Beech 19 S 52 E 6, Beech 10 N 2 E 8;
W 20.40 Sor Gum 24 N 28 E 5, " 13 S 16 E 8;
N 19.68 to beg = 40 37/100 a Aug 29-39. D M

3 Beg 19.68 S of 1/2 M. P. N side Sec 6;
E 20.41 Beech 19 S 52 E 6, Beech 10 N 2 E 8;
S 19.68 Hickory 10 S 46 W 33, Gum 21 N 17 W 45;
W 20.42 Beech 9 N 17 E 12, Hickory 11 S 49 W 19;
N 19.68 to beg = 40 61/100 a Aug 29-39- D M

4 Beg 1/2 M. P. E side Sec 6;
S 20.16 R Elm 15 S 52 W 24, B Walnut 15 N 65 E 32;
W 40.94 Beech 14 S 24 W 7, Beech 18 N 65 E 8;
N 20.05 " 9 N 17 E Hickory 11 S 49 W 19;
E 40.84 to beg = 82 18/100 a. Apr 29 1839 D M

5 Beg 1/2 M. P. S side Sec 6;
W 44.00 to Sec Cor; N 40.00 to 1/2 M. P.;
E 45.88, Beech 9 N 17 E 12, Hickory 11 S 49 W 19;
S 40.10 to beg = 179 98/100 a Aug 29-39- D M

6 - 8 - 9

Beg 1/2 M.P. N side Sec 6;
S 19.68 sw Gum 24 N 78 E 5, Beech 13 S 16 E 8;
W 23.07 " 12 S 73 W 8, " 40 N 73 E 11;
S 19.38 Beech 24 N 19 W 19, Maple 21 S 68 E 26;
N 22.94 to 1/2 M.P.; N 38.30 to Sec. Cor;
E 46.95 to beg = 135 56/100 a. Aug 29-39 D McC

Beg at S. E. Cor of Sec 6;
W 20.35 W. Oak — S 30 W 21, Beech 12 N 27 E 29;
N 39.71 Gum 21 N 17 W 45; Hickory 10 S 46 E 33;
E 70.42 to 1/2 M.P. Nov 2 - 48 D McC

Beg at stone 8.19 W of 1/2 M.P. N side Sec;
S 9.97 Maple 18 N 17 E 6, Beech 14 S 83 W 25;
W 10.05; N 9.97 stone; E 10.07 to beg
= 10 a. Apr 30 1839 D McC

Beg 1/2 M.P. W side Sec 6;
N 23.38; E 7.76 Cor. of Mill Lot; S
4.17; E 3.00; N 18° E 2.50; E 0.37 1/2 to
center of stream; N 5.39; E 7.37 1/2;
N 2.00; E 4.87 1/2; N 2.75; E 1.75;
S 0.28; E 8.84; S 4.75 stone; E 17.80,
Beech 12 S 40 E 6, Maple 22 N 42 W
33; S 29.50 Beech 9 N 17 E 12;
W 45.84 to beg = 133 1/2 a
May 29 1859 D McC

6 - 8 - 9

Beg 1/2 M.P. W side Sec 6;
S (V 6° E) 19.87 Beech 30 N 61 1/2 E 65 1/2,
Sycamore 48 S 45 E 60; S (V 6° E) 19.87 to
Sec Cor, Apr 27 1861 O Thomson

Beg 5.72 S of a stone 8.19 W of 1/2 M.P. on
N side Sec 6; E (V 6 1/2°) 8.84; N (V 5° 40')
0.28; W (V 3°) 1.75; S (V 5° 40') 2.25;
W (V 5° 85.47; S (V 5° 40' E) 2.00; W 2.00;
S 8.41; E 17.06; N (V 5° 40' E) 12.38 to beg
= 19 1/2 a O Thomson

Beg at S. W. Cor of Sec; N (V 5° 22')
19.82 chs 1/4 stone Beech 24 N 71 3/4 E 72 L &
Sycamore 48 S 43 1/2 E 67 L; N 19.82 chs ch stone
at 1/2 M.P.; E (V 4° 15') 45.60 chs old center stake;
S (V 2° 41') 19.75 ch 1/4 stake, Beech 12 S 11 1/2 W
15 L & Oak 12 N 61 E 18 1/2 L; S 19.975 chs to
1/2 M.P. ch stone, May 24 1872 S. L. A

Beg at old center stake; S 19.97 1/2 chs to 1/4 stake;
W 10.02 chs stake, Oak 48 N 80 E 13 L & Oak 48 N 88 1/2 W
47 1/2 L; N 19.95 chs stake Beech 16 N 29 W 32 L & Beech 13
N 47 1/2 E 21 L; E 10.02 chs to beg = 20 a. Also beg at 1/4
stone on W. line of 1/4 Sec; N 8.59 chs stone Sycamore
48 S 44 1/4 W 36 & Walnut 17 S 34 1/2 E 10 L; E 34.98 chs
Gum 22 S 58 1/2 E 33 & Gum - S 70 E 15 1/2 L; S 8.59 chs. stake
Oak 48 N 80 E 13 Oak 48 S 88 1/2 W 47 1/2 L; W 34.78 to
beg = 30 A - May 29 1872 S. L. A

6-8-9

Bey ½ m P. N side Sl
South 9.97 set stone
West 7.64 " "
North 9.84 " "
East 7-89 to beg. = 7.60/100
Dec. 17 in 1895

Sec 7 Tp 8 R 9

N 1/2 N W 1/4 N 1/2 N W 1/4 S 1/2 N W 1/4 S E of S.W. W 1/2 S W 1/4

Beg at N.W. Cor. of Sec 7;
E 44.00 to 1/2 M.P.; S 20.05 Sw Gum
16 S 3 E 12 & Maple 8 N 8 E 12; W. 43.10
W. Oak 22 S 50 E 46. S Gum 24 N 66 W 67;
N 20.14 to beg = 87 49/100 A. July 9-51 D.M.

Beg 1/2 M.P. W side Sec. 7;
N 20.14 W. Oak 22 S 50 E 46, S Gum 24 N 66 W 67;
E 43.10 Maple 8 N 8 E 12, Sw Gum 16 S E° E 12;
S 20.05 Beech 17 S 39 W 39, Beech 21 N 10 W 37;
W 42.92 to beg = 86 41 A July 9-51 D.M.

Beg 1/2 M.P. S Side Sec 7;
W 20.62 1/2 Stone Beech 14 S 8 E 11, Beech 16 N 26 E 61;
N 20.07. Maple 14 S 27 W 14 " 10 N 24 W 20;
E 21.04 W Oak 36 N 13 W 62; S 20.05 to beg.
= 41 78/100 a. July 9 1851 D.M.

Beg at S.W. Cor of Sec 7; (stone);
N 40.28 to 1/2 M.P.; E 21.46 Maple 18
S 18 W 37, Sw Gum 22 N 3 W 46; S 40.14
Beech 14 S 8 E 11, Beech 16 N 26 — 61;
W 20.62 to beg = 84 52/100 A. Jany 9-51 D.M.

7 — 8 — 9

Beg 15.75 Chs W of 1/2 M.P. E side sec;
W 25.05 Chs to Center stone; S 31.46 Chs. stone;
E. parallel to N line 25.43 1/2 set stone
on a line from the Mouth of Spring
hollow to the place of beginning.
Oct 26 1869 S. L. A

Sec 8 Tp 8 R 9

See Sec 5 for E½ N W¼ of Sec 8.

Beg ½ M. P. E side Sec 8;
W 20.31 Beech 20 N 88 E 24, Beech 10 S 84 W 15;
N 40.40 Ash 44 N 7 E 46, Cherry 8 S 59 W 58;
E 20.21 to Sec Cor. Aug 31 1839. D. M.

Beg ½ M. P. N side of Sec 8;
E 20.21 Ash 44 N 7 E 46, Cherry 8 S 59 W 58;
S 20.20 Beech 18 S 36 E 24, Beech 14 N 9 W 36;
Aug 31 1839 D. M.

Beg ½ M. P. W side Sec. 8;
E (V 4°45') 40.40 Sugar 24 S 61¼ W 21 &
Sugar 15 N 31¼ W 11; E (V 4°45') 40.40
to ½ M. P. E side

Beg at center of Sec 8; S (V 4° E)
4.00 to Sand-creek; S 28½ W mm 3.12½;
N. W ------ E 6.62½ to beg. Aug 5-63. D. M.

Beg at S. E. Cor of Sec 8; N (V 3°19') 39.95
½ M. P; W - 4° 40' - 40.35 set center stone
Sugar 18 N 23½ E 10½ L & Sugar 20 S 50½ W 12 L;
set ¼ stake at ½ Way 20.17½. Beech 12
N 86 W 38½ L & Beech 24 S 15½ E 32. And
thence South 39.97 to ¼ stake on S line
of ¼ Sec, set stake at ½ Way 19.98
Beech 10 N 44½ W 64½ L & Elm 8 N 55¼ E
54¼ L. Nov 28 1866. S. L. A—

Sec 9 Th 8 R 9

Beg at 1/2 M. P. N side sec 9;
E 20.44; S 10.50 to Rock Creek; from
1/2 M P.; S 10.00. Aug 12 1861 O.T.

Beg 1/2 M. P. W side sec 9;
N 20.02 Buck 10 S 58 W 21, Buck 8 N 26 E 13;
E 20.02 Ironwood 3 N 79 E m " 6 N 73 W 39;
S 20.04 Buck 16 N 35 E 22 " 20 S 76 W 32;
W 20.20 to beg = 40 28/100 a. Mar 12/34 - D. McC.

Beg at 1/2 M. P. S side sec 9;
S 40.00 Beech 18 S 85 W 17, Buck 20 N 31 E 24;
W 20.20 " 16 N 35 E 22. " 20 S 76 W 22;
N 40.07 " 10 S 53 E 4. " 5 N 52 W 11;
E 20.20 to beg = 80 94/100 a. Mar 12. 1834 D. McC.

Beg at N. E. Cor of Sec 9;
S 26.50 cor. on Boundary line; S 57° W 24.56
W. Oak 40 S 37 E m Oak 35 N 38 E 29; N 39.49
Paplar 40 N 40 W 39; E 20.43 to beg = 67 80/100 a
Sept 28 1837 D. McC.

60 x 20

Sec 17 Tp 8 R 9

Beg ah N. E. Cor. of Sec 17;
W 12.50 R. Oak 54 N 82 W 47;
S 7.95 to Boundry line. Beech 24 S 52
E 20 4; Sugar 15 N 45 E 20; N 56 E. with
B line to beg = 4 87 A Sept 28/47 - D W

Beg ah N. W. Cor. of Sec 17;
E 19.95 W. Oak 44 S 64 W 37, Beech 8 S 52 W 37;
S 17.50 Elm 3 S 63 E 2, Dogwood 4 N 48 W 15;
W 20.05 Beech 10 N 56 E 31, Beech 10 S W 11;
N 17.50 to beg = 35 A. Aug 4/41. D W

Beg 1/2 M. P. W side Sec 17;
N 22.50 Beech 10 N 56 E 31, Beech 10 S W 11;
E 20.05 Elm 3 — 63 E 2, Dogwood 4 N 48 W 15;
S 19.60 to B line, Beech 20 S 78 E 53, B Gum
40 S 63 E 53; S 56 W 24 - with B. line;
N 10.85 to beg = 53 7/100 A, Aug 4/41 - D W

Sec 18 Tp 8 R 9

1 Beg. 1/2 M. P. E side Sec 18;
S 10.85 to B line; S 56 W 24.00.
Paplar 48 N 40 E 7, Buch 24 S 27 W 37;
N 23.50 Buch 9 N 41 E 14 " 22 S 37 E 9;
E 20.38 to beg = 34 $\frac{79}{100}$ A, Sept 27/37 - D M

2 Beg at N. E. Cor of Lot No 2;
S 23.50 to B line, Paplar 48 E 7, Buch 24
S 27 W 37; S 56 W 25.87 with B line, Elm 28 N 16
E 110, Elm 11 S 6 W 79; N 38.16 Buch 8 S 53
E 21, Buch 14 N 63 W 15; E 20.33 to beg = 62 $\frac{76}{100}$ A
Aug 5 1841 D. M.

3 Beg 1/2 M. P. E side sec 18;
W 20.38 Buch 9 N 41 E 14, Buch 22 S 37 E 9;
N 20.05 " 28 S 47 W 12 " 10 N 57 E 33;
E 20.13 Sw Gum 2 S 52 E 3, B Gum 33 N 26 W 39;
S 20.00 to beg = 40 $\frac{56}{100}$ A Aug 1841 D. M.

4 Beg at N. W. Cor of Sec 18;
S 40.60 Stone 1/2 M. P.; E 29.11 Bank of
Sand-creek. Buck eye 18 N 86 E 20.
Nov 14 1853 D. M.

5 Beg. at S. W. Cor of Sec 18;
N 14.14; E 14.14 W. Oak 20 N 79 E 106;
S 14.14. Elm 14 S 73 E 18.; W 14.14 to beg
= 20 A Nov 14 1853 D M

18 - 8 - 9

Ch S W 1/4

6 Beg. at 3d station of No 5:
E 0.45 Elm 14 S 12 E 13: S 12.50 to
Sand-Creek, Lynn 10 S 7 E 42.
Nov 14 1853 D. M.

Ch N.W.

7 Beg 1/2 M. P. W side sec 18:
E (V 5° 16') 22.27 1/2 Sugar — S 7
W 83 1/2: N (V 3° 35') 6.44 1/2 to Center of
Ravine: N 55° E mine 3.20 to Center
of Sand-Creek

Ch N W 1/4

Beg 1/2 M. P. W side sec 18:
N 18.27 Beech 15 N 44 E 52, Beech 10 S 49 1/2 E [illegible]
E (V 5 1/2) 17.45. wit to cor. in center of creek
ash — S 89 1/2 E 13, Lynn — N 31 W 13:
May 29 1860 O. T.

J. W. Craig

Greensburg

Ind

Private Copy
of Field no
Jan. 10th 18

1-8-8

Beg. at ½ M.P. North side Sec: S 79 pr. stake, Beech 11. S 69 E 27, Beech 20. S 5° W 32 l: Wesh 78 pr 15 l. stake, Beech 10 N 58 E 10 l; Sugar 20 S 3 W 32 l; South 79 pr 3 l, Beech 18, S 8° W 23 l Ash 4 N 63° E 26 l. W 78 pr 6 L to ½ M.P: N 159 pr 17 L to sec cor: E 155 pr 13 L to beg = 116 a 3 pr.
Apr 25 1836 D. M.

Beg ½ M.P. E side sec 1-8-8; W 78 pr, Hickory 14 N 26° W 31 L. Beech 6 N 29° E 20 L: N 79 pr 2 L. Beech 20 N 63° W 22 L & Beech 18 S 62° E 31 L: E 77 pr 22 l. stone: S 78 pr 15 l to beg. = 38 $\frac{39}{100}$ a. Aug 31 1848 D. M.

Beg at stake 78 pr. (Hickory 14 N 26° W 31 L & Beech 6 N 29 E 20 L) W of ½ M.P. E side sec 1-8-8: S 80 pr 17 L, Beech 12 S 33° E 12 pr & Beech 21 N 44° W 41 L: W 78½ pr. W. Oak 3 corner, sw Gum 3 S 64° W 23 l & Paplar 50 N 24° E 31 L: N 80 pr 15 l, Paplar 28 S 80° W 14 l & Elm 11 N 39 E 9½ L: E 78 pr to beg = 39 $\frac{43}{100}$ a
Aug 13 1848 D. M.